

PM 25

802-564

**LILLY/MILLER Weed & Grass Preventer**

Stops weeds and grass from growing in ornamental beds, groundcovers and gravel areas.

Contains SURFLAN

**ACTIVE INGREDIENT:**

\*Oryzalin (3,5-dinitro-N4,N4-dipropylsulfanilamide.... 3.0%  
INERT INGREDIENTS.... 97.0%

\*SURFLAN is the registered trademark for Elanco Products oryzalin.

Keep out of reach of children  
**CAUTION**  
See side panel for additional cautions

**NET CONTENTS 1 QUART ( 1 PINT)**

**ACCEPTED**

OCT 20 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 802-564

**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if inhaled or absorbed through the skin. Avoid breathing spray mist, ingestion and contact with eyes, skin, or clothing. Oryzalin may cause skin sensitization reactions in certain individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**STATEMENT OF PRACTICAL TREATMENT**

If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists. If swallowed: Call a physician or Poison Control Center. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists. If inhaled: Remove individual to fresh air. If breathing difficulty occurs, provide cardiopulmonary resuscitation assistance and get medical attention.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Cover or incorporate spills.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Keep from freezing. Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Rinse equipment thoroughly with water after using. Do not reuse container. Rinse thoroughly before discarding and securely wrap original container in several layers of newspaper and discard in trash.

Weed & Grass Preventer prevents many weeds and grasses from growing in established ornamental beds, gravel walkways, driveways and around buildings for up to four months. Weed & Grass Preventer can also prevent weed infestations in southern turfgrass lawns (St. Augustine grass,


Bermudagrass, etc.) Weed & Grass Preventer can be sprayed onto the soil surface or over the tops of ornamentals and ground covers.

Weed & Grass Preventer will control the following weeds and grasses:

- |                            |                         |
|----------------------------|-------------------------|
| Barley, little             | Panicum, fall           |
| Barnyardgrass (Watergrass) | (Spreading panicgrass)  |
| Bluegrass, annual          | Ryegrass, annual        |
| Brachiaria (Signalgrass)   | Sandbur, field          |
| Browntop panicum           | Texas Panicum           |
| Crabgrasses                | (Buffalograss)          |
| (Large crabgrass)          | (Coloradograss)         |
| (Smooth crabgrass)         | Witchgrass              |
| Crowfootgrass              | Bittercress             |
| Cupgrass                   | Carpetweed              |
| Foxtails                   | Chickweed, common       |
| (Bottlegrass)              | Fiddleneck, coast       |
| (Bristlegrass)             | Filaree, redstem        |
| (Giant foxtail)            | Filaree, whitestem      |
| (Green foxtail)            | Groundsel, common       |
| (Pigeongrass)              | Henbit                  |
| (Robust foxtail)           | Knotweed, prostrate     |
| (Yellow foxtail)           | Lambsquarters           |
| Goosegrass                 | Pigweeds                |
| (Silver crabgrass)         | (Carelessweed)          |
| Johnsongrass               | (Prostrate pigweed)     |
| (Seedling only)            | (Redroot)               |
| Jungle rice                | (Rough pigweed)         |
| Lovegrass, Mexican         | (Smooth pigweed)        |
| Lovegrass, orcutt          | (Spring pigweed)        |
| Oat, wild                  | (Tumble pigweed)        |
|                            | Puncturevine            |
|                            | Purslane, common        |
|                            | Pusley, Florida         |
|                            | (Florida purslane)      |
|                            | (Mexican clover)        |
|                            | (Pusley)                |
|                            | Rocket, London          |
|                            | Rock purslane, redmaids |
|                            | Shepherdspurse          |
|                            | Sprangletop, red        |
|                            | Spurge, prostrate       |
|                            | Woodsorzel, creeping    |

Weed & Grass Preventer can be used around the following trees, shrubs and ground covers:

- |                      |                   |
|----------------------|-------------------|
| Glossy Abelia        | Crape Myrtle      |
| Balsam Fir           | Fetterbush        |
| White (concolor) Fir | Amur Privet       |
| Fraser Fir           | Japanese Privet   |
| Grand Fir            | Glossy Privet     |
| Alpine Fir           | Golden Privet     |
| Veitchi Fir          | Sweet Gum         |
| *Fir                 | Big Blue Lilyturf |
| Maple                | Honeysuckle       |
| Lily-of-the-Nile     | Southern Magnolia |



Manzanita  
Capeweed  
Dwarf Coyote Brush  
Begonia  
Japanese Barberry  
Violet Trumpet Vine  
Japanese Boxwood  
Common Boxwood  
\*Boxwood  
Lemon Bottlebrush  
\*Bottlebrush  
Large Leaf Ice Plant  
Redroot  
Lawson Cypress  
Velvet Rainbow Chrysanthemum  
\*Chrysanthemum  
Camellia  
Cranberry Cotoneaster  
Cotoneaster  
Lowfast Cotoneaster  
Bright-Bead Cotoneaster  
Rock Cotoneaster  
Rockspray Cotoneaster  
Cotoneaster  
Japanese Cryptomeria  
Italian Cypress  
White Ice Plant  
Hop Bush  
Escallonia  
Ash Colored Eucalyptus  
(Silver-Dollar Tree)  
Narrow-Leaved Black Peppermint  
Red Ironbark Black Peppermint  
\*Eucalyptus  
Winged Euonymus  
Purple-Leaf Winter Creeper  
Euonymus  
Evergreen Euonymus  
(Japanese Spindle Tree)  
Fatshedera  
Border Forsythia  
\*Forsythia  
Gardenia  
Gazania  
Ginkgo  
Algerian Ivy  
English Ivy  
\*Ivy  
Chinese Hibiscus  
Rose-of-Sharon  
English Holly  
Chinese Holly  
Japanese Holly  
\*Holly  
Yaupon  
Twinkles  
Andorra Juniper  
Chinese Juniper  
Wilson Chinese Juniper  
Shore Juniper

Oregon Grape  
Myoporum  
Myrtle  
Heavenly Bamboo  
Oleander  
Holly-Leaf Osmanthus  
(Holly Olive)  
Trailing African Daisy  
Sprinter Red Geranium  
\*Geranium  
Petunia  
Red Cascade Petunia  
Photinia  
Norway Spruce  
Engelmann Spruce  
White Spruce  
Black Spruce  
Colorado Blue Spruce  
Blue Spruce  
\*Spruce  
Pieris  
Canary Island Pine  
Coulter Pine  
Bishop Pine  
Mountain Pine  
Austrian Pine  
Monterey Pine  
White Pine  
Scotch Pine var.  
Japanese Black Pine  
Virginia Pine  
Mock Orange  
Shrubby Yew Pine  
\*Pine  
Carolina Laurel  
English Laurel  
Douglas Fir var. Coconino,  
Shuswap, Jefferson Co.  
and San Isabel  
Firethorn  
Interior Live Oak  
\*Oak  
Indian Hawthorn  
Easter Cactus  
Rhododendron  
Louisa Azalea  
Stewartson Azalea  
\*Azalea  
Belinda Rose  
Cara-Mia Rose  
Rose  
Stonecrop  
Giant Redwood  
Bird-of-Paradise  
Common Lilac  
Brush Cherry  
Gypsy Sunshine Marigold  
\*Marigold  
Japanese Yew  
Arborvitae

Keteleer Juniper  
 Prostrate Juniper  
 Japanese Garden Juniper  
 Tamarix Juniper  
 Hoarfrost Juniper  
 \*Juniper  
 Shrimp Plant  
 Mountain Laurel  
 Golden-Rain Tree  
 \*Impatiens

Western Red Cedar  
 Star Jasmine  
 California Laurel  
 Sandankwa Viburnum  
 Laurustinus  
 \*Viburnum  
 Myrtle Periwinkle  
 Dwarf Periwinkle  
 Majestic Mix Pansy  
 \*Pansy  
 Weigela  
 Xylosma  
 Soaptree Yucca  
 State Fair Zinnia  
 \*Zinnia

How to apply -

Weed & Grass Preventer will not kill existing weeds. Before applying Weed & Grass Preventer, remove any weeds, grass, fallen leaves and other plant debris. Rake area smooth, if necessary. Do not disturb surface after treatment. Do not use more than the recommended amount of Weed & Grass Preventer or damage may result. Do not apply to steep areas where runoff is possible. Do not use on dichondra or turfgrasses not listed on this label. Do not plant shrubs, trees, ground covers or grass in treated area for one year following treatment. Do not apply to or around vegetables or annual flowers.

To prevent staining avoid application to fences, sidewalks, patios, cement blocks, stucco or painted surfaces. If these surfaces are accidentally sprayed, hose off with water. May stain clothing.

**TANK OR PRESSURE SPRAYER INSTRUCTIONS:** Start with a clean sprayer. Fill half full with water, add recommended amount of Weed & Grass Preventer to sprayer, then add remaining water. With top on sprayer, shake for 5 seconds to mix. Spray to cover area uniformly. After application, turn on sprinkler or irrigation system for about 1 hour. Do not allow material to run off treated area.

Weed & Grass Preventer	Water	To Cover
5 T (2-1/2 oz)	1 gal	100 sq.ft. (10x10)
12 T (3/4 cup)	2-1/2 gal	250 sq.ft. (15x15)
1-1/2 cup	5 gal	500 sq.ft. (25x20)

**HOSE END SPRAYER INSTRUCTIONS:** To apply Weed & Grass Preventer with a Lilly/Miller Big 15 or other hose-end type sprayer with similar capacity;

determine the size of the area to be treated, add the amount of Weed & Grass Preventer required for that area to the sprayer jar, fill sprayer jar with water to the correct marking and spray to cover the area uniformly. After application, turn on sprinkler or irrigation system for about 1 hour. Do not allow material to run off treated area.

Approximate area to cover	Add this amount Weed & Grass Preventer to sprayer jar	Add water to fill sprayer to this mark
---------------------------	---	--

*80 sq ft (8x10)	2 oz (4 Tbl)	1 gal
500 sq ft (20x25)	12 oz (1-1/2 cups)	6 gal
650 sq ft (25x25)	16 oz (2 cups)	8 gal
800 sq ft (40x20)	20 oz (2-1/2 cups)	10 gal
1200 sq ft (50x25)	30 oz (3-3/4 cups)	top of jar

\*use for sprayers other than Lilly/Miller Big 15

Combination spray - Using Weed & Grass Preventer and [use product name corresponding to chart below\*\*]

This combination will kill existing vegetation and keep weeds and grasses from growing for up to three months. Use for driveways and walkways; along sidewalks, fences and patios; around trees, shrubs and ornamental plantings.

DO NOT SPRAY OVER TOP OF DESIRABLE PLANTS. If spray contacts desirable foliage, wash off immediately with clean water. Do not allow spray mixture to stand overnight in spray tank. This will result in poor weed control.

All information on the individual product labels, including all cautions and precautions must be followed.

TANK OR PRESSURE SPRAYER INSTRUCTIONS: Start with a clean plastic, fiberglass, aluminum or stainless steel sprayer. Fill half full with water, add recommended amount of Weed & Grass Preventer to sprayer, add recommended amount of Knock-Out, then add remaining water. With top on sprayer, shake for 5 seconds to mix.

NOTE: A galvanized or unlined steel sprayer is not recommended; however, if used, any spray solution not applied that day must be emptied and the sprayer rinsed.

Spray to cover the area uniformly. Do not water treated area for at least 24 hours after application. After 24 hours, turn on sprinkler or irrigation system for about 1 hour. Do not allow material to run off treated area.

Weed & Grass Preventer	**Lilly/Miller Knock-Out Weed & Grass Killer	Water	Coverage
3 oz	3 oz	1 gal	125 sq ft
6 oz	6 oz	2 gal	250 sq ft
12 oz	12 oz	4 gal	500 sq ft

Weed & Grass Preventer	**Round-Up® 41% a.i.-quart	Water	Coverage
------------------------	----------------------------	-------	----------

3 oz	5-1/3 Tbl	1 gal	125 sq ft
6 oz	10-2/3 Tbl	2 gal	250 sq ft
12 oz	1 c + 5-1/3 Tbl	4 gal	500 sq ft

Weed & Grass Preventer	**Round-Up L&G <sup>®</sup> 18% a.i.-quart	Water	Coverage
3 oz	3/4 cup	1 gal	125 sq ft
6 oz	1-1/2 cup	2 gal	250 sq ft
12 oz	3 cup	4 gal	500 sq ft

For Southern turfgrass lawns: (Bermudagrass, St. Augustinegrass, Zoysiagrass, Bahiagrass, Centipedegrass) -

For control of *Poa annua* (annual Bluegrass) and other winter annuals, such as Common Chickweed and Henbit

Apply in late summer or early fall, before weeds appear. If annual bluegrass is heavy in the lawn, its elimination will thin the turf. A good fertilization program with Lilly/Miller ULTRAGREEN Lawn Foods will help maintain and fill-in the lawn area.

See Recommended Rates below

For control of the following summer annual grasses and broadleaf weeds:

Barnyardgrass  
(Watergrass)  
Crabgrasses  
(Large Crabgrass)  
(Smooth Crabgrass)  
Crowfootgrass  
Foxtails  
(Bottlegrass)  
(Giant Foxtail)  
(Green Foxtail)  
(Robust Foxtail)  
(Yellow Foxtail)  
(Pigeongrass)

Goosegrass  
(Silver Crabgrass)  
Johnsongrass  
(Seedling only)  
Ryegrass, Italian  
Sandbur, field  
Carpetweed  
Knotweed, prostrate  
Purslane, common

Apply in late winter or early spring prior to the onset of warm weather.

See Recommended Rates below.

How to apply -

Apply Weed & Grass Preventer to the lawn before weeds appear. Weed & Grass

Preventer alone will not control existing weeds and grasses (see Southern Lawn Combination Spray below). Apply Weed & Grass Preventer to healthy, established lawns. Lawns in stressed condition (dry, diseased, low fertility) may be injured by Weed & Grass Preventer application. Do not use this product on lawns seeded or over-seeded for less than six months. Do not spread seed on treated area for 3 - 4 months, then follow proper cultural practices. Do not apply over lawns started from sprigs, stolons or plugs until lawn is well established. Do not apply Weed & Grass Preventer to lawns containing Sun Turf Bermudagrass.

Recommended Rates -

TANK OR PRESSURE SPRAYER INSTRUCTIONS: Start with a clean sprayer. Fill half full with water, add recommended amount of Weed & Grass Preventer to sprayer, then add remaining water. With top on sprayer, shake for 5 seconds to mix. Spray to cover area uniformly. After application, turn on sprinkler or irrigation system for about 1 hour. Tight, clay soils may require more water to soak Weed & Grass Preventer into soil. Do not allow material to run off treated area.

	Weed & Grass Preventer	Water	To Cover
Annual bluegrass & winter annuals	4 Tbl 9 Tbl 18 Tbl	1 gal 2-1/2 gal 5 gal	100 sq ft (10x10) 250 sq ft (10x25) 500 sq ft (25x25)
Spring & summer annuals	5 Tbl 3/4 cup 1-1/2 cup	1 gal 2-1/2 gal 5 gal	100 sq ft (10x10) 250 sq ft (10x25) 500 sq ft (25x25)

HOSE END SPRAYER INSTRUCTIONS: To apply Weed & Grass Preventer with a Lilly/Miller Big 15 or other hose-end type sprayer with similar capacity; determine the size of the area to be treated, add the amount of Weed & Grass Preventer required for that area to the sprayer jar, fill sprayer jar with water to the correct marking and spray to cover the area. Spray to cover area uniformly. After application, turn on sprinkler or irrigation system for about 1 hour. Do not allow material to run off treated area.

	Amount of area to cover	Add this amount of Weed & Grass Preventer to sprayer jar	Add water to fill sprayer to this mark
Annual bluegrass & winter annuals	1000 sq ft 500 sq ft	2-1/4 cups 1 cup + 2 Tbl	12 gal 6 gal
Spring & summer annuals Southern	1000 sq ft 500 sq ft	3 cups 1-1/2 cups	12 gal 6 gal

Lawn Combination Spray - Using Weed & Grass Preventer and Lilly/Miller Crabgrass Killer on Bermudagrass and Zoysiagrass -

For lawns infested with the weed grasses listed below, this combination will kill them and prevent their return for up to three months. Apply in late summer or early fall.

Will kill: crabgrass

Will prevent: annual bluegrass

nutgrass  
dallisgrass  
sandbur

8 of 8  
common chickweed  
henbit

If the weed grass infestation is heavy in the lawn, its elimination will thin the turf. A good fertilization program with Lilly/Miller ULTRAGREEN Lawn Foods will help maintain and fill-in the lawn area.

Apply Weed & Grass Preventer/Crabgrass Killer Mix to healthy, established lawns. Lawns in stressed condition (dry, diseased, low fertility) may be injured. Do not use this product on lawns seeded or over-seeded for at least six months. Do not spread seed on treated area for 3 - 4 months, then follow proper cultural practices. Do not apply on lawns started from sprigs, stolons or plugs until lawn is well established. Do not apply to lawns containing Sun Turf Bermudagrass.

If spray contacts desirable foliage, wash off immediately with clean water. Do not allow spray mixture to stand overnight in sprayer tank. This will result in poor weed control.

All information on the individual product labels, including all cautions and precautions must be followed.

**TANK OR PRESSURE SPRAYER INSTRUCTIONS:** Start with a clean sprayer. Fill half full with water, add recommended amount of Weed & Grass Preventer to sprayer, add recommended amount of Crabgrass Killer, then add remaining water. With top on sprayer, shake for 5 seconds to mix. Spray to cover the area uniformly.

Do not water treated area for at least 24 hours after application. After 24 hours, turn on sprinkler or irrigation system for about 1 hour. Do not allow material to run off treated area.

Weed & Grass Preventer	Crabgrass Killer	Water	Coverage
5 Tbl	2-1/2 tsp	1 gal	100 sq ft
10 Tbl (1/2 cup + 2 Tbl)	5 tsp	2 gal	200 sq ft
25 Tbl (1-1/2 cup + 1 Tbl)	4 Tbl	5 gal	500 sq ft

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.  
PORTLAND, OREGON 97218  
EPA Reg. No. 802-  
EPA Est. 802-OR-1