



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

November 6, 2025

Sarah Kuetemeier
Agent
LILLY MILLER BRANDS
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339

Subject: Label Amendment - Registration Review Mitigation for Oryzalin
Product Name: LILLY/MILLER HOSE 'N GO WEED & GRASS PREVENTER
EPA Registration Number: 802-565
Case Number: 481903
Application Dates: June 23, 2022

Dear Sarah Kuetemeier:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Oryzalin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Caleb Carr by phone at 202-566-0636, or via email at carr.caleb@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Julie R. Javier". The signature is fluid and cursive, with the first name "Julie" being the most prominent.

Julie Javier, Team Leader
Risk Mitigation and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

LILLY MILLER HOSE 'N GO WEED & GRASS PREVENTER

[Additional Brand Name: Lilly Miller Weed & Grass Preventer with Surflan]

Stops weeds and grass from growing in annual and perennial flower beds, groundcovers and ornamental beds.

Keeps new weeds and grass from growing in annual and perennial flower beds, groundcovers and ornamental beds.

Contains SURFLAN Herbicide

Just attach to a garden hose and spray

Covers 1,000 square feet

ACTIVE INGREDIENT:

Oryzalin (3,5-dinitro-N4,N4-dipropylsulfanilamide) 2.84%

INERT INGREDIENTS 97.16%


SURFLAN is a trademark of _____.

Keep out of reach of children

CAUTION

See side panel for additional cautions.

NET CONTENTS 1 PT. 8 FL. OZ. (709 ml)



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if inhaled or absorbed through the skin. Avoid breathing spray mist, ingestion and contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE): Wear a long-sleeved shirt, long pants, shoes and waterproof gloves when applying or mixing this product. Remove contaminated clothing and wash before reuse. Keep all persons, children and pets out of treated area until sprays have dried.

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. If on skin or on clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with

water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Cover or incorporate spills.

Groundwater Advisory: Oryzalin is known to leach through soil into groundwater under certain conditions as a result of label use. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

NON-TARGET ORGANISM ADVISORY STATEMENT: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

DIRECTIONS FOR USE (Version A)

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only.

SPRAY DRIFT ADVISORIES:

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT. BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

Importance of Droplet Size: An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide target pest control. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

Temperature and Humidity: When making applications in hot and dry conditions, use larger droplets to reduce effects of evaporation.

Temperature Inversions: Drift potential is high during a temperature inversion. Temperature inversions are characterized by increasing temperature with altitude and are common on nights with limited cloud cover and light to no wind. The presence of an inversion can be indicated by ground fog or by the movement of smoke from a ground source. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing. Avoid applications during temperature inversions.

Wind: Drift potential generally increases with wind speed. AVOID APPLICATIONS DURING GUSTY WIND CONDITIONS. Applicators need to be familiar with local wind patterns and terrain that could affect spray drift.

THIS PRODUCT prevents many weeds and grasses from growing in established ornamental beds, gravel walkways, driveways and around buildings. THIS PRODUCT can be sprayed onto the soil surface or over the tops of ornamentals and ground covers.

THIS PRODUCT will control the following weeds and grasses:

Barley, little	Oat, wild
Barnyardgrass (Watergrass)	Oxalis stricta
Bittercress	(Yellow woodsorrel)
Bluegrass, annual	Panicum, fall
Brachiaria (Signalgrass)	(Spreading panicgrass)
Browntop panicum	Panicum, Texas
Carpetweed	(Buffalograss)
Chickweed, common	(Coloradograss)
Crabgrasses	Pigweeds
(Large crabgrass)	(Carelessweed)
(Smooth crabgrass)	(Prostrate pigweed)
Crowfootgrass	(Redroot)
Cupgrass, Southwestern	(Rough pigweed)
Fiddleneck, coast	(Smooth pigweed)
Filaree, redstem	(Spring pigweed)
Filaree, whitestem	(Tumble pigweed)
Foxtails	Puncturevine
(Bottlegrass)	Purslane, common
(Bristlegrass)	Pusley, Florida
(Giant foxtail)	(Florida purslane)
(Green foxtail)	(Mexican clover)
(Pigeongrass)	(Pusley)
(Robust foxtail)	Rocket, London
(Yellow foxtail)	Rock purslane, desert
Goosegrass	Ryegrass, Italian
(Silver crabgrass)	Sandbur, field
Groundsel, common	Shepherdspurse
Henbit	Sprangletop, red
Johnsongrass	Spurge, prostrate
(Seedling only)	Texas Panicum
Jungle Rice	(Buffalograss)
Knotweed, prostrate	(Coloradograss)
Lambsquarters	Witchgrass
Lovegrass, Mexican	Woodsorrel, yellow
Lovegrass, orcutt	(Oxalis stricta)

THIS PRODUCT can be used around the following annual and perennial flowers, groundcovers, trees, shrubs, bulbs and ornamentals:

Abelia, Glossy	Iris, bulbous
Andromeda, Japanese	Ivy, English
Arborvitae, Oriental	Juniper
Azalea	Laurel, English
Bird-of-Paradise	Laurel, Mountain
Boxwood, Common	Lilac, Common
Brushcherry	Manzanita, Stanford
Camellia	Maple
Chrysanthemum	Marigold
Cotoneaster dammeri	Narcissus
Daffodil	Oak
Daisy, Tailing African	Oleander
Douglas Fir	Oregon Grape
Escallonia	Pansy, Garden
Eucalyptus, Narrow-Leaved	Periwinkle, Dwarf
Euonymus	Petunia
Fatshedera	Photinia
Fir, Grand	Pieris japonica
Fir, White	Pine
Firethorn	Privet, Glossy
Forsythia, Border	Privet, Golden
Gardenia	Privet, Japanese
Gazania, Treasureflower	Redcedar, Western
Geranium	Rhododendron
Ginkgo	Rose
Gladiolus	Spruce, Colorado Blue
Golden-Rain Tree	Spruce, Norway
Heavenly Bamboo	Starjasmine, Chinese
Holly, English	Sweetgum, American
Honeysuckle, Japanese	Tulip
Hyacinth	Viburnum, Sandankwa
Ice Plant	Xylosma
Impatiens	Zinnia, Common

HOW TO APPLY: THIS PRODUCT will not kill existing weeds. Before applying THIS PRODUCT, remove any weeds, grass, fallen leaves and other plant debris. Rake area smooth, if necessary. THIS PRODUCT will cover 1,000 square feet of established annual and perennial flower beds, ground covers, ornamental beds, gravel walkways, driveways, etc.

Over application can cause damage to shrubs, trees and groundcovers. Do not apply to steep areas where runoff is possible. Do not use on dichondra or turfgrasses. Do not plant grass or shallow-rooted flowers and groundcovers (less than 4") in treated areas for 4 months following treatment. To prevent weed growth from occurring, do not disturb surface after treatment. Do not apply to or around vegetables. Respray every 4 months to keep the area weed free.

To prevent staining avoid application to fences, sidewalks, patios, cement blocks, stucco or painted surfaces. If these surfaces are accidentally sprayed, hose off with water. May stain clothing.

SHAKE WELL BEFORE USING.

[INSERT SPECIFIC DIRECTION FOR USE OF ATTACHED HOSE-END SPRAY APPLICATOR; VARIES DEPENDING ON BOTTLE TYPE AND SIZE]

1. Connect spray nozzle to garden hose. Be sure valve is in “off” position. 2. Remove bottle cap and screw bottle onto nozzle. Turn on water. 3. Turn valve to “on” position to start flow of water. Use valve to shut off flow of water at any time. 4. Spray directly over area requiring application evenly and uniformly. 5. After application, turn on sprinkler or irrigation system for about 1 hour. Do not allow material to run off treated area.

DIRECTIONS FOR USE (Version B)

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only.

SPRAY DRIFT ADVISORIES:

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT. BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

Importance of Droplet Size: An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide target pest control. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

Temperature and Humidity: When making applications in hot and dry conditions, use larger droplets to reduce effects of evaporation.

Temperature Inversions: Drift potential is high during a temperature inversion. Temperature inversions are characterized by increasing temperature with altitude and are common on nights with limited cloud cover and light to no wind. The presence of an inversion can be indicated by ground fog or by the movement of smoke from a ground source. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing. Avoid applications during temperature inversions.

Wind: Drift potential generally increases with wind speed. AVOID APPLICATIONS DURING GUSTY WIND CONDITIONS. Applicators need to be familiar with local wind patterns and terrain that could affect spray drift.

What is this product? And what will it do?

- THIS PRODUCT is the easy way to have beautiful, weed-free flower beds all year round. Once you've cleaned out the weeds and grass already growing around your flowers, shrubs and trees, THIS PRODUCT keeps them from coming back. And it lasts up to 4 months!
- Now you can plant your zinnias or pansies or marigolds, spray with THIS PRODUCT, then sit back and watch them grow. No more hands-and-knees weeding for you.
- This easy-to-use container attaches right to your garden shoe, so there's no mixing. Use only what you need, then put it away for next time.

How do I use this product?

- When to use: For established beds and borders, you can use THIS PRODUCT anytime throughout the growing season. But, the area must be free of weeds and grass, before you spray. Respray every 4 months to keep the area free of weeds.
- Newly-planted flowers, shrubs or trees have to settle in. Wait 1 to 2 weeks after planting before using THIS PRODUCT. After that, respray every 4 months to keep the area weed free.
- What to do: Shake well before using. THIS PRODUCT won't work on the weeds and grasses already growing. So, you have to remove them before you get started. Spray to kill them or pull them out by hand.
- When you are finished preparing the area, you can spray.

How to use this sprayer:

[INSERT SPECIFIC DIRECTION FOR USE OF ATTACHED HOSE-END SPRAY APPLICATOR; VARIES DEPENDING ON BOTTLE TYPE AND SIZE]

Spray THIS PRODUCT evenly over the soil and the plants (yes, right over the top of the leaves), but avoid areas where bulbs are planted. The orange color lets you see where you have sprayed and prevents skips or overlaps. This whole bottle will cover 1,000 square feet (20' x 50'). One quarter of the bottle (see markings on the side) will cover 250 sq. ft. (10' x 25' or a border 5' x 50'). Water the area with clear water for about ½ hour after treating.

For barkdust areas or other mulch covers: Wet the area well with clear water before spraying with THIS PRODUCT. Water again afterwards.

What not to do: Do not use THIS PRODUCT around vegetables, fruits or other edible plants. Do not use on lawns or dichondra. Do not treat steep areas, where product

may move downhill. Do not use over newly planted ice plant. Wait several weeks, until ice plant is well rooted, before applying THIS PRODUCT.

Do not use this product around these plants; they will be damaged: Douglas Fir, Techny arborvitae, eastern (Canada) hemlock, or Slender deutzia.

Once an area is treated, do not dig in or otherwise disturb the soil surface. Weeds may pop up. Do not plant seeds, seedlings or other shallow rooted plants in a treated area until 4 months have passed. They may be damaged.

THIS PRODUCT is orange in color. It will stain paint, stucco, wood, cement, brick, clothing and many other surfaces around the house. Do not allow this product to contact any of these.

What will I see?

- You will see beautiful flower beds with no weeds to spoil the view. You will see clean, tidy shrub beds, and weeds will no longer spring up around trees in the yard.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep out of reach of children and domestic animals. PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

LILLY MILLER BRANDS
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339
www.lillymiller.com

[Lot no. to be added at production]