


802-566  
PM-16  
1/3

Label Size: 9 3/4 inches x 9 1/8 inches  
Label Color: Front Panel: White/Orange on Yellow  
Body: Black Type on Yellow  
Type Sizes: Body Text is 6 pt.



LILLY/MILLER  
WIPE OUT SLUG & SNAIL BAIT  
for the Home Garden

Contains Mesurol

For effective control of Slugs and Snails  
In Flowers, Shrubs, Ornamentals, Border Plantings  
in the Home Garden

ACTIVE INGREDIENT:  
Methiocarb (4-methylthio-3,5-xylylmethylcarbamate) . . . . 2.0%  
INERT INGREDIENTS . . . . 98.0%

MESUROL is a Reg. T.M. of the Parent Company of Farbenfabriken Bayer  
GmbH, Leverkusen  
U.S. Pat. No. 3,313,684; Canadian Pat. No. 761,440

NET WT. 2 LBS.

Keep out of reach of children - 10 pt.  
WARNING - 14 pt.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Be sure area to be baited is damp. In dry weather, water area well before baiting.
2. Apply bait in the evening or at night as slugs and snails feed mainly at night.
3. Sprinkle Lilly/Miller WIPE OUT SLUG & SNAIL BAIT uniformly over area to be treated using 1 lb. to 1,000 sq. ft. (1 cupful to 225 sq. ft.). Repeat applications as necessary to keep areas free of slug and snail pests.
4. Bait should be applied to soil around plants but not directly to plant foliage.
5. IMPORTANT: Do not use on or around plants grown for food. Do not put bait in piles.

STORAGE AND DISPOSAL - 10 pt.  
Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Keep out of reach of children and domestic pets. Do not use on plants for food. Do not contaminate feed or food.

This pesticide may be fatal to children, and dogs or other pets, if eaten. Keep children and pets out of treated areas. Follow directions and use with care.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately. In case of poisoning, call a physician or Poison Control Center immediately. Have patient lie down and keep quiet. SYMPTOMS OF POISONING: A sense of "tightness" in the chest, sweating, contracted pupils, stomach pains, vomiting and diarrhea.

NOTE TO PHYSICIAN: ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

If On Skin: Remove contaminated clothing and wash skin immediately with soap and warm water.  
For Eyes: Wash with flowing water for at least 15 minutes.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and very highly toxic to birds. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

PORTLAND, OREGON 97218  
EPA Reg. No. 802-  
EPA Est. 802-OR-1