

February 27, 1993

I, being an authorized representative of The Chas. H. LILLY Co., certify that all containers of Lilly/Miller Ready-To-Use Spurge & Oxalis Killer, EPA Reg. No. 802-568 produced by June 15, 1994 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.

Nolly Klettke, Registration Specialist

LILLY/MILLER ...RFADY-TO-USE SPURGE & OXALIS KILLER .. ACTIVE INGREDIENTS: ... Dimethylamine Salt of 2,4-Dichlorophenoxyacevic acid 0.59% **Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) 0.28% 1.1.2.8 propionic acid ****Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) 0.065% / INERT INGREDIENTS 99.065% *2,4-Dichlorophenoxyacetic acid equivalent 0.47%. Isomer Specific by AOAC' method. **2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 0.35%. ***3,6-dichloro-o-anisic acid equivalent 0.05%. Keep out of reach of children

)

CAUTION See side panel for additional cautions.

)

NET CONTENTS 24 FL. OZ.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. When handling this product, wear chemical resistant gloves. When using this product, wear goggles, long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Co nct allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until sprays have dried.

ENVIRONMENTAL HAZARDS

Do not apply when weather conditions favor drift from target area. This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Please read entire label. Use only as directed. Observe all cautions and precautions.

SHAKE WELL BEFORE USE. KEEP FROM FREEZING.

)

SPURGE & OXALIS KILLER controls Spurge, Oxalis, Bedstraw, Buckhorn, Buttercup, Chickweed, Clover, Dandelion, Dock, English Daisy, Ground Tvy, Herbit, Japanese Clover (Black Medic), Knotweed, Lambsquarter, Mallow, Morning glory, Pigweed, Plantains, Poison Oak, Purslane, Snepherdspurse, Speedwell, Yarrow, and most other broadleaved lawn weeds.

314

FOR ESTABLISHED LAWNS AND TURF (OTHER THAN BENTGRASS). WHEN TO USE: Spray at any time during the growing season when weeds are actively growing. Best control is obtained when applications are made in spring or fall. Poor weed control may result if spray is applied during drought or just before rain.

Mow lawn 2 or 3 days before treating. Do not water lawn within 24 hours after treatment. Repeat application, if necessary, for hard-to-kill weeds. Observe Use Precautions.

SHAKE WELL BEFORE USING

HOW TO USE: Adjust nozzle to coarse spray. Hold the nozzle near ground level and spray the weeds only. Wait three weeks after treatment before putting new grass seed or stolons down in the bare spots.

USE PRECAUTIONS

.

Avoid drift of spray mist onto vegetables, grapes, flowers, ornamental plants, shrubs, shade and fruit trees, and other desirable plants. Do not apply on a windy day. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not use on Dichondra, Carpetgrass, Centipede or St. Augustine grasses. Clovers present will be damaged if sprayed.

STORAGE AND DISPOSAL

Keep from freezing. Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Rinse thoroughly before discarding and securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H LILLY CO.

PORTL EPA E EPA R	st.	802-0	DN 97218 DR-1 802-568
34995			
•	•		
	· · ·	•	
. •			
•	• '		
· ·	•		
	• •		
•	•		

)

'lof 4

)