

PM 15 802-573 1211

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE
SEP 26 1988

802-573

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Lilly/Miller Ready-to-Use Bug-Off
Rose & Flower Spray

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

The Chas. H. Lilly Company
7737 NE. Killingsworth
Portland, OR 97218

100/220917
14/2

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 802-573."
 - b. Based on the current Confidential Statement of Formula (CSF) dated April 9, 1986, your product will not meet the label claim for the active ingredient. You must revise the label or the CSF so the information agrees. Note that the lower limit of active must be the same as the label claim in pure active form.
 - c. Revise the statement pertaining to contamination of equipment in the Environmental Hazards section to read:

Do not contaminate water when disposing of equipment washwaters.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

9/26/88

10/4

2

3. In regard to the storage stability data, you must submit the results of analyses for the active ingredients from three production batches of your product. Test the product at the beginning when freshly prepared, and at monthly intervals for a period of 1 year under storage conditions similar to those to which the product will be exposed during marketing and distribution in channels of trade, and during use. On an interim basis the Agency will accept the results of an accelerated storage stability study conducted with your product. Submit the results from three batches maintained at 50 °C and analyzed at the beginning, and at 30 and 60 days. The completed study must be submitted within 14 months from the date of Registration Notice.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

20/4

SEP 26 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

802-573

LILLY/MILLER
READY-TO-USE
BUG-OFF ROSE & FLOWER SPRAY

Controls aphids, thrips, spider mites and many other insects

ACTIVE INGREDIENT:

Permethrin..... 0.50%
INERT INGREDIENTS..... 99.50%

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements and statement of practical treatment.

NET CONTENTS 24 FL. OZ.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contamination of feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

If On Skin: Remove contaminated clothing and wash affected areas with soap and water.

If In Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes or estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Ready-to-use BUG-OFF ROSE & FLOWER SPRAY kills: Aphids, Armyworms, Clover Mites, Japanese Beetles, Lace Bugs, Leafminers, Pavement Ants, Spiders, Thrips, Red Mites, Spider Mites, and Whiteflies.

Use on these flowers and woody ornamentals: African Violets, Aster, Azalea, Begonia, Camellias, Carnation, Chrysanthemum, Crassula, Dahlia, Delphinium, Dogwood, English Ivy, Eunonymus, Fuchsia, Geranium, Grapevines, Kenitia Palms, Laurels, Marigold, Rhododendrons, Roses, Rubber Plants, Snapdragon, Stocks, Wandering Jew, and Zinnia.

36/21

)

4

Read use precautions before spraying plants.

HOW TO USE: SHAKE CONTENTS BEFORE USING. Spray the upper and lower leaf surfaces and stem to point of run-off or dripping. Use a sweeping motion. Contact insects directly whenever possible. Be cautious about wetting tender foliage, young plants and new growth.

Apply spray in late afternoon or evening when temperature is 50 to 72 degrees F. Treat plants early in season or when pests first appear. Repeat treatment as infestations occur. For heavy infestations, spray once each week as needed.

USE PRECAUTIONS

When spraying plants, do not operate closer than 18 inches. Do not spray plants when temperatures exceed 90 degrees F.

STORAGE AND DISPOSAL

Keep from freezing. Store this product in its original container and keep in a locked storage area out of reach of children or domestic animals.

Do not reuse container. Rinse thoroughly before discarding and securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Est. 802-OR-1
EPA Reg. No. 802-

4/8/74