

Initial Reregistration

NOTICE OF PESTICIDE

REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Lilly/Miller Hose'n Go Lawn
Pug Spray

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

The Chas. H. Lilly Company
7737 NE. Killingsworth
Portland, OR 97218

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 802-575."
- b. Add a footnote to the label ingredient statement indicating:

Contains xylene.

- c. Add the following statement to your Hazards To Humans paragraph:

Keep children and pets off of treated areas until grass is dry.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards

DATE

10/24/88

10/5

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

20/5

LILLY/MILLER
HOSE 'N GO LAWN BUG SPRAY

Contains DURSBAN Insecticide

Controls Ants, Fleas, Chinch Bugs, European Crane Fly Larvae and many other common lawn insects.

Controls pests around buildings.

Ready-to-use, no mixing required, just attach to a garden hose and spray, covers up to 2000 square feet

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl)phosphorodithioate] 3.5%

INERT INGREDIENTS 96.5%

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DURSBAN is the Reg. TM of The Dow Chemical Co.

OCT 24 1988

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended
registered
No.

NET CONTENTS 24 FL. OZ.

802-575

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Do not take internally. Avoid contact with eyes, skin and clothing. Avoid breathing vapors. Do not wear contaminated clothing. Wash thoroughly after handling. Keep away from feed, foodstuffs and water supplies. Keep children and pets off treated areas until sprays have dried.

STATEMENT OF PRACTICAL TREATMENT

IN CASE OF CONTACT, wash skin with soap and water. For Eyes: Flush with plenty of water and get medical attention. If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection only, is antidotal.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish, birds and other wildlife. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep out of fish ponds and other bodies of water.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARD

Do not use, pour, spill or store near heat or open flame.

30/5

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOSE 'N GO LAWN BUG SPRAY controls many insects on lawns, ornamental trees, shrubs and flowers. It can be used as a soil or foundation spray to help prevent infestation of buildings by many types of pests.

Plant only those crops listed on this or other chlorpyrifos product labels in soil treated with Hose 'n Go Lawn Bug Spray.

HOW TO USE: SHAKE WELL BEFORE USING

(directions for hose-end sprayer without shut-off)

1. Connect spray nozzle to garden hose.
2. Remove bottle cap and screw bottle onto nozzle. Turn on water.
3. Place finger over the hole on the right side of nozzle to begin application. Remove finger from hole to stop application.
4. Spray evenly and uniformly over area requiring application. Check handy measuring guide to see how much of this liquid has been used.
5. After application to lawns, water thoroughly to move insecticide into the soil.

(directions for hose-end sprayer with shut-off)

1. Connect spray nozzle to garden hose. Be sure valve is in "off" position.
2. Remove bottle cap and screw bottle onto nozzle. Turn on water.
3. Turn valve to "on" position to start flow of water. Use valve to shut off flow at any time.
4. Spray evenly and uniformly over area to be treated. Check handy measuring guide to see how much of this liquid has been used.
5. After application to lawns, water thoroughly to move insecticide into the soil.

ESTABLISHED LAWNS AND TURF (including ground covers): To control Ants, Armyworms, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Clover Mites, Earwigs, European Crane Fly Larvae (Leather Jackets), Flea Beetles, Fleas, Grasshoppers, Leafhoppers, Sod Webworms, Sowbugs, Spittlebugs and Turfgrass Weevils apply at the rate of 24 fl. oz. to 2000 square feet (40 ft by 50 ft). To control Billbugs apply at the rate of 24 fl. oz. to 1000 square feet (25 ft by 40 ft). Lawns should be moist and newly mowed. Make a complete and uniform application over infested areas. Sprinkle or irrigate for 1 hour after spraying (for Sod Webworms, wait 24 hours before watering). Wait 24 hours before mowing. Spray when pests first appear and repeat as needed for adequate control.

Use Precaution: Do not apply within 7 days before or after seeding bluegrass. Do not apply to Dichondra.

ORNAMENTAL PLANTS (Herbaceous, Woody Shrubs, Trees and Vines): To control Aphids, Bagworms, Cutworms, Fall Webworms, Grasshoppers, Gypsy Moth, Leafhoppers, Mealybugs, Mimosa Webworms, Mites, Orangestriped Oakworm, Redhumped Caterpillar, Spittlebugs, Tent Caterpillars, Thrips (exposed), Whiteflies, and Yellownecked Caterpillars. Make a complete and uniform application to infested plants, covering upper and lower leaf surfaces. Avoid over-spraying to the point of excessive runoff. Treat when pests first appear and at 7 to 10 day intervals or as needed for adequate control. IMPORTANT: Do not use on Azalea, Camellia, Poinsettia, Rose, or Varigated Ivy because injury may occur.

4/0/5


OUTSIDE SURFACES AND AROUND THE EXTERIOR OF BUILDINGS: To help prevent the infestation of buildings by Ants, Chigger Mites, Clover Mites, Cockroaches, Crickets, Earwigs, Fleas, Millipedes, Mosquitoes, Sowbugs, and Ticks treat a band of soil 6 to 10 feet around and adjacent to the outside surface of the building. Also treat the exterior building foundation to a height of 2 to 3 feet, especially where pests are active and may find entrance. **DO NOT APPLY THIS PRODUCT INSIDE BUILDINGS OR CRAWLSPACES.** Apply at the rate of 24 fl. oz. to 2000 square feet (10 ft by 200 ft). Make a complete and uniform application.

STORAGE AND DISPOSAL

Store this product in its original container out of reach of children or domestic animals. Do not reuse container. Rinse thoroughly and securely wrap in several layers of newspaper before discarding in trash.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Reg. No. 802-
EPA Est. 802-OR-1



11

50/5