US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide,

Conditional NAME OF PESTICIDE PRODUCT

802-576

TERM OF ISSUANCE

and Rodenticide Act, as amended)

Lilly/Miller Ultraureen Crabqrass Control & Lawn Food

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

J

The Chas. H. Lilly Company 7737 NE. Killingsworth

product always refer to the above U.S. EPA registration number.

Portland, OR 97218

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this

On the basis of information furnished by the registrant the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be constitued as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any same in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with wisha section 3(c)(7)(A) provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all requstrant; of similar froducts to submit buch lata.
- 2. Add the phrase "EPA Adjistration to, 202-576" to your label both you reliase the product for shickens.
- ?. Submit one (1) copy of your final crinter and on refore you release the product for shipmon,
- 4. The Use Precaution is saiding from a great the possible straining of concrete curfaces should only be used with pertable a containing iron. Although you might add son' scribbare at a prime day, the current formula and labeling do not relief or no content.

SIGNATURE OF APPROVING OFFICIAL

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard P. Hountfort
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosure

LILLY/MILLER 'ULTRAGREEN CRABGRASS CONTROL & LAWN FOOD

Performance formula helps prevent emergence of crabgrass ACCPS TOTAL and many other weeds.

EPA Lagrange Dated:

10-4-5 With Dacthal

7 16 27 1988

Coverage up to 2,000 square feet for crabgrass.

Net Weight 20 lbs.

ACTIVE INGREDIENT:
DCPA (dimethyl tetrachloroterephthalate) . . . 2.31%
INERT INGREDIENTS 97.69%

Keep out of reach of children.
CAUTION
See back panel for additional precautionary statements.

The Performance Story CRABGRASS 'CONTROL & LAWN FOOD is specifically formulated to prevent emergence of Crabgrass and Spurge and to supply a balanced diet that promotes lush green lawns. The herbicide in this product only kills annual weeds as they germinate. IT WILL NOT CONTROL WEEDS ONCE THEY HAVE EMERGED. However, it will control these pre-emergent annual grasses and broadleaf weeds.

Broadleaf weeds: Carpetweed, Chickweed, Clover, Common Chickweed, Dodder, Florida Pusley, Lambsquarters, Nodding Spurge*, Palmer Amaranth, Prostrate Spurge, Purslane, Redroot Pigweed*, Redstem Filaree, Sesbania, Slender Speedweel, Spiny Amaranth, Spotted Spurge*, Witchweed, Wright Groundcherry*. Grasses: Annual Bluegrass*, Annual Grasses, Barnyardgrass*, Brownt' Panicum*, Crabgrass, Fall Panicum, Goosegrass*, Green Foxtail, Johnsongrass (from seed)*, Large Crabgrass, Lovegrass, Sandbur*, Smooth Crabgrass, Stinkgrass, Texas Panicum, Witchgrass, Yellow Foxtail.

*Use the higher dosage.

The 10-4-5 designation refers to the percentages of major nutrients provided.

- 10 The first number is Nitrogen (N). Nitrogen stimulates thick, rich, green growth by developing new plant cells.
- 4 The second number is Phosphorus (P). Phosphorus stimulates early root formation.
- 5 The third number is Potash (K). Potash maintains overall plane health and helps to protect plants against disease and drought.

Added Sulfur helps lawns withstand weather extremes, improves unproductive alkali soils, promotes thicker root systems and sturdier leaves, and improves overall color and disease resistance.

v - 6

PRECAUTIONARY STATE LINTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING: Wear long-sleeved shirt and long-legged pants and chemical resistant gloves. IMPORTANT! If the pesticide comes in contact with skin wash off with soap and water. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting. AFTER USE: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Do not reuse contaminated clothing. Clothing worn during use must be laundered separately from household articles.

STATEMENT OF PRACTICAL TREATMENT
If In Eyes: Flush with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This chemical is toxic to fish. Do not apply where runoff is likely. Collect and incorporate granules spilled on the soil surface. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HORTICULTURAL CAUTION: DO NOT USE ON DICHONDRA. May seriously damage Bentgrass lawns. Never use more than recommended rates.

Use only on grass lawns. Do not exceed recommended rates. Apply in early spring before crabgrass and other annual grasses and weeds germinate. For control of fall germinating annuals, such as annual bluegrass or common chickweed, apply in late summer or early fall.

ESTABLISHED GRASS LAWNS including alta fescue, bahiagrass, carpetgrass, centipedegrass, fescue, Kentucky bluegrass, mixed blue-fescue, ryegrass, and St. Augustinegrass: Apply 20 lbs. per 2000 sq. ft. when grass blades are dry. Water into soil, but avoid excessive watering. To control annual bluegrass, common chickweed and other erratic or late germinating grasses, use 20 lbs. per 1600 sq. ft.

NEW GRASS LAWNS: Apply after lawn has shown greening of new-sprowted lawn grasses. Lawns may be reseeded 60 days after application. If the reseeding is done before the 60-day period has elapsed, the amount of lawn seed should be increased by 50% to ensure a good stand. Apply as per established lawns.

Captions for illustrations: Lawns must be thoroughly watered the day before application. Begin spreading by laying down two strips of lawn food at each end of lawn. Fill in remaining areas as shown here. Close the spreader when you stop walking or make turns to avoid uneven coverage. Stopping and starting with the spreader box open will waste lawn food. Overlap previous wheel track slightly, as shown, to avoid gaps in coverage. Water in after application to start the greening process.

Suggested Spreader Lettings:

	Lilly/Miller Spreader		Model 35,75 & PF-1	Drop No. 3000
20 Lb. Per 2,000 Sq. Ft.	6 3/4	7 1/4	6 3/4	
20 Lb. Per 1,600 Sq. Ft.	9	10	9	8

NOTICE: The spreader settings given on this container are given as a guide only and are not a guarantee of exact coverage. They have been determined by actual test in new equipment. Incorrect dial settings, walking speed, general condition of the spreader, spreader calibration and moisture content of the fertilizer can materially affect the rate of flow. Since these conditions are beyond our control, neither The Chas. H. LILLY Co. nor the retail dealer can guarantee exact coverage as indicated by the recommended dial settings.

USE PRECAUTION: Keep this product off sidewalks, patios, driveways, etc. This fertilizer contains iron for plant nutrition which will stain concrete and painted surfaces. If it comes in contact with concrete surface, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter fertilizer beyond lawn edge and onto concrete.

STORAGE AND DISPOSAL

Store this product in its original container(bag) out of reach of children and domestic animals. Do not reuse container(bag). Securely wrap container(bag) in several layers of newspaper and discard in trash.

GUARANTEED FERTILIZER ANALYSIS:

Total Nitrogen (N) 10%

8% Ammoniacal Nitrogen

0.4% Urea Nitrogen

1.6% Coated Slow Release Urea Nitrogen

Available Phosphoric Acid (P205) 4%

Soluble Potash (K2O) 5%

Primary Nutrients From Ammonium Sulfate; Gypsum; Muriate Of Potash; Sulfur-Coated Urea; Superphosphate.

Calcium (Ca) . . . 5%

Sulfur (S) 14%
Secondary And Micronutrients From Ammonium Sulfate; Gypsum;
Sulfur-Coated Urea; Superphosphate.

Filled by weight not by volume. Product may settle after packaging.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Net Weight 20 lbs. 10-4-5

THE CHAS. H. LILLY CO.

60FG

PORTLAND, OREGON 9 8
EPA Reg. No. 802EPA Est. 802-WA-1
105

