

P423

| | | |
|---|---------------------------|--|
| U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460 | EPA REGISTRATION NO. | DATE OF ISSUANCE JUN 29 1990 |
| | TERM OF ISSUANCE | |
| | NAME OF PESTICIDE PRODUCT | |

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The registrant shall submit and provide all data required for the registration of the pesticide. All results of the tests shall be submitted to the Administrator in accordance with the following instructions:

- All the physical and chemical data required for the registration of the pesticide.
- Definition of the percentage weights of the ingredients in the formulation, that all the decimal points are aligned.

Please refer to the manual for registration, before submitting the data.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE _____

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Joanne I. Miller
Acting Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

H7505C:Miller/JEM:jem:Rm235:557-8218:06/25/90

BEST AVAILABLE COPY

LILLY/MILLER
FENCE & GRASS EDGER

No Odor - Non-Staining

Non-Damaging to Blacktop

No Mixing

One Gallon Covers Up To 250 Square Feet

ACTIVE INGREDIENTS:

Sodium Cacodylate 0.53%
Dimethylarsinic Acid (Cacodylic Acid) 0.09%
INERT INGREDIENTS 99.38%

Total arsenic (as elemental) all in water soluble form - 0.30%.

Keep out of reach of children

CAUTION

See side panels for additional precautionary information.

NET CONTENTS 1 GALLON

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash hands after using. Keep children and domestic animals off treated areas until this material has been washed into the soil.

STATEMENT OF PRACTICAL TREATMENT

If taken internally, induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift away from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store this product out of reach of children and domestic animals. Do not reuse container. Rinse container before discarding. Securely wrap container in several layers of newspaper and discard in trash.

FENCE & GRASS EDGER Controls Unwanted Vegetation

- *Around Buildings
- *Along Sidewalks
- *Along Driveways
- *Under Trees

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUN 29 1980

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

802-577

BEST AVAILABLE COPY

***Under Ornamentals**

Kills Bermuda Grass, Johnson Grass, Quackgrass, and Other Deep-Rooted Perennials. Also, Kills Annuals, Such As Brome, Foxtail, Wild Oats, Burr Clover, Mallow, and Morning Glory.

INFORMATION: FENCE & GRASS EDGER is recommended for the control of a wide variety of unwanted vegetation around buildings, along sidewalks and driveways and under trees and ornamentals. This product may also be used for complete lawn renovation. It is deactivated on contact with the soil.

INSTRUCTIONS: Shake well before using. This product is Ready-to-use. One gallon will cover up to 250 square feet.

FENCE & GRASS EDGER may be applied directly from the container. First, remove cap that covers applicator head. Be sure that applicator head is firmly fastened in place. Create spray pattern by turning container over. Thoroughly cover unwanted vegetation with product.

For spot treatment, hold container just a few inches above undesired vegetation.

GENERAL WEED CONTROL

Apply product to thoroughly wet unwanted vegetation to point of runoff. Wilting will appear in 1 to 3 days and thorough browning in about 5 to 7 days. Repeat applications may be necessary, particularly for hard-to-kill perennials. The best kill is obtained on young plants and during hot, sunny weather.

LAWN RENOVATION

The area to be treated should be mowed before treatment. Bermuda grass and other deep-rooted perennials or uncovered foliage may require a second treatment. Re-apply 5 days later if green areas remain. When foliage is all brown, matted areas should be raked and bare spots scarified. About 5 days after last treatment, water thoroughly and then seed at rate recommended for new lawns. Seed must be raked into soil. Keep seeded areas well watered.

Do not apply directly or allow spray to come into contact with foliage, green bark, grafted unions, or scuffed, damaged or broken bark when spraying around trees and ornamentals.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Reg. No. 802-
EPA Est. 802-OR-1
37924

BEST AVAILABLE COPY