

The  
Chas. H.  
LILLY Co.

LILLY/MILLER.  
*Cooke*

PM 23

802-579

1 of 6

7737 N.E. KILLINGSWORTH • PORTLAND, OREGON 97218 • (503) 256-4600  
• FAX (503) 255-7552

February 27, 1993

I, being an authorized representative of The Chas. H. LILLY Co., certify that all containers of Lilly/Miller Super Rich Feed & Weed with Trimec Herbicide, EPA Reg. No. 802-579 produced by June 15, 1994 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.



Molly Klettke, Registration Specialist

Lilly/Miller  
SUPER RICH FEED & WEED  
With Trimec Herbicide

TRIMEC is a very efficient weed killer. TRIMEC will kill many known broadleaf weeds infesting lawns\*.

\*Bahia, Bentgrass, Bermuda, Bluegrass, Fescue, Rye and Zoysia.

15-2-4

Contains Polyon Controlled Release Nitrogen

COVERAGE 5,000 SQ. FT.

ACTIVE INGREDIENTS:

*Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid .....	0.28%
*Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid .....	0.13%
***Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid) .....	0.03%
INERT INGREDIENTS .....	99.56%

\*2,4-Dichlorophenoxyacetic acid equivalent 0.24%. Isomer Specific by AOAC Method

\*\*2-(2-methyl-4-chlorophenoxy)propionic acid equivalent 0.10%

\*\*\*3,6-dichloro-o-anisic acid equivalent 0.02%

NET WT. 33.3 LBS.

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

3 WEED KILLERS GET MORE THAN JUST DANDELIONS

Magnified view of ingredients in this quality Lilly/Miller lawn care blend with Polyon.

POLYON coated nitrogen

Polyon is a breakthrough in fertilizer technology. Soil temperature and moisture trigger the gradual release of nitrogen through the state-of-the-art polymer coating. This steady feeding builds the strength and rich color of your lawn for up to three months.

NITROGEN, water soluble

Just add water and it goes to work feeding your lawn immediately. Nitrogen is a protein builder, helping grass to grow vigorous and strong. Gives your lawn its rich green color.

**PHOSPHORIC ACID**

This important nutrient helps early growth and root formation. Helps young plants grow strong.

**POTASH**

Potash encourages a strong root system. Builds up your lawn's resistance to disease.

**SULFUR**

An essential element for protein movement. Helps nitrogen promote strong, sturdy plant growth.

**IRON**

Iron is necessary for chlorophyll production. This important element helps turn your lawn that deep, emerald green.

)  
SUPER RICH FEED & WEED contains TRIMEC HERBICIDE, a combination of three proven weed killers. Together, they kill a wide range of broadleaf lawn weeds - dandelions, plantain, chickweed, knotweed, clover, Japanese clover, henbit, buttercup, spurge, lawn daisy, puncture vine, and most other common broadleaf weeds in Bahia, Bentgrass, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns.

SUPER RICH FEED & WEED not only feeds your lawn with six important plant nutrients, but kills lawn weeds - all in one step! It's the easy, time-saving way to get a vigorous, deep green, weed-free carpet of lush, thick grass.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Induce vomiting if swallowed. Keep out of reach of children. In case of contact flush with plenty of water. For eyes get medical attention. Avoid contact with skin, eyes and clothing. When using this product, wear long pants, long-sleeved shirt, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Avoid breathing dust. Do not allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until granules have been washed into the soil and grass has dried.

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment

washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The maximum number of broadcast applications per treatment site is 2 per year.

**USE PRECAUTIONS:** 2,4-D, MCPP and Dicamba are injurious to most plants other than grasses so this material should be applied carefully on a day with low wind velocity to avoid drift onto valuable plants. Do not use on St. Augustine grass, Dichondra, carpetgrass or clover lawns. May cause possible injury to bentgrass. Do not apply within the drip line of desirable trees and shrubs. Rinse spreader with clear water after use.

For best results, apply 33.3 lbs. to 5,000 sq. ft. Apply any time weeds are growing actively, in spring, summer or fall. Applications to moist foliage and soil, when temperature is between 50 degrees and 80 degrees F., are the most effective. Applications during hot weather (over 80 degrees F.) or on dry soil may cause some temporary damage to turf.

1. Do not apply to a new lawn. Wait until lawn is 3 months old.
2. Do not mow lawn for two days prior to application to have sufficient weed foliage to receive weed killers.
3. Apply to moist soil and foliage using an accurate spreader and correct dial setting from chart below. Make sure lawn is moist at time of application.
4. Do not water lawn for 24 hours after application. Resume watering, if needed, after 24 hours.
5. Make second application after one month if control of hard-to-kill weeds is not complete.

**HOW TO SPREAD LAWN FERTILIZER**

Lawns must be thoroughly watered the day before application. Begin spreading by laying down two strips of lawn food at each end of lawn. Fill in remaining area as shown here. Close the spreader when you stop walking or make turns to avoid uneven coverage. Stopping and starting with the spreader box open will waste lawn food. Overlap previous wheel track slightly, as shown, to avoid gaps in coverage. Wait 24 hours for herbicide to work. Then water lawn to start the greening process.

**SUGGESTED SPREADER SETTINGS**

To calibrate your spreader, adjust spreader setting to apply 1 pound to

150 square feet of turf.

Application Rate	Drop Spreaders		
	Scotts	Ortho	Republic EZ
33.3 lbs. per 5,000 sq. ft.	8 1/2	7 1/2	7 1/2

SPREADER SETTINGS ARE APPROXIMATE. USE AS A GUIDE ONLY. NOT A GUARANTEE OF EXACT COVERAGE. Condition of spreader, walking speed and roughness of area affect coverage. If fertilizer appears to be coming out too fast, adjust the setting to slow the flow. Close spreader when filling, turning or stopping. Rinse spreader with clear water after use. Avoid stains to concrete.

IRON WILL STAIN. KEEP THIS PRODUCT OFF SIDEWALKS, PATIOS, DRIVEWAYS AND CLOTHING. Sweep concrete surfaces immediately to prevent staining. If concrete is wet when contact occurs, staining may be impossible to prevent.

**GUARANTEED FERTILIZER ANALYSIS:**

Total Nitrogen (N) .... 15%  
    10.9% Ammoniacal Nitrogen  
    0.3% Urea Nitrogen  
    3.8% Coated Slow Release Urea Nitrogen  
Available Phosphoric Acid (P2O5) .... 2%  
Soluble Potash (K2O) .... 4%  
Calcium (Ca) .... 2%  
Sulfur (S) .... 14%  
Iron (Fe) .... 2%

Derived from Ammonium Sulfate, Polymer Coated Urea, Sulfur-Coated Urea, Ammonium Phosphate, Rock Phosphate, Muriate of Potash, Iron Sulfate.

**STORAGE AND DISPOSAL**

Store this product in its original container out of reach of children and domestic animals. Do not reuse bag. Securely wrap original bag in several layers of newspaper and discard in trash.

Filled by weight not by volume. Product may settle after packaging.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

TRIMEC is the reg. TM of PBI/Gordon Corporation.  
POLYON is a registered trademark of Pursell Industries.

6 of 6

**The Lilly/Miller Performance Guarantee**

If you are not satisfied with the performance of this product, simply send your name, address, and proof of purchase to The Chas. H. LILLY Co., 7737 NE Killingsworth St., Portland, OR 97218, and we will be happy to refund your money.

THE CHAS. H. LILLY CO.  
PORTLAND, OREGON 97218  
EPA Reg. No. 802-579  
EPA Est. 802-WA-1  
305

)

)