

802-579

10-8-2003

1/3

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 802-579	2. EPA Product Manager Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Lilly Miller Super Rich Feed & Weed	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Central Garden & Pet dba Lilly Miller Brands PO Box 2289 Clackamas, OR 97015 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b> <b>OCT 08 2003</b>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Submission of latest printed label plus minor correction in declaration of acid equivalence (deletion of reference to gallons as inapplicable to granular formulation, per telephone conversation with Team 23 member Eugene Wilson).

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Molly Hickman	Title Brand Manager	Telephone No. (Include Area Code) 503-451-4436
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Molly Hickman</i>	3. Title Brand Manager	
4. Typed Name Molly Hickman	5. Date 9-22-03	

**SUPERRICH**

**FEED & WEED**

**LAWN  
FOOD**

**15-5-10**

**NET WT. 33.3 LBS.**

15.1 kg

A PREMIUM BLEND OF  
NATURAL AND SLOW RELEASE FERTILIZERS  
FOR LONGER LASTING GREEN

**ACTIVE INGREDIENTS:**

Prethylaluminum salt of 2,4-D, chlorophenoxycetic acid	1.8%
Prethylaluminum salt of 2,4,5-T, chlorophenoxycetic acid	0.6%
Prethylaluminum salt of 2,4-D, 2,4,5-T, chlorophenoxycetic acid	0.6%
Prethylaluminum salt of 2,4-D, 2,4,5-T, chlorophenoxycetic acid	0.6%
<b>WEED INGREDIENTS:</b>	
Total	3.6%

**The product contains:**

0-24-24 Diethylenetriamine phosphate	1.8%
0-0-50 (4-10) 2-D methyl 4-chlorophenoxyacetic acid	0.6%
0-0-50 3,6-Dichloro-2-cyanoacetic acid	0.6%
Inerts	92.0%

**CAUTION:** Keep out of reach of children. See back panel for additional precautionary statements.



**SUPERRICH**

**FEED & WEED  
LAWN FOOD 15-5-10**

Feeds  
**5000**  
sq ft

**FEED & WEED  
LAWN FOOD**

15-5-10

**SUPERRICH**

Feeds **5000** sq ft



0002 8  
80

**NOTIFICATION  
OCT 0 8 2003**

# Your Lawn Can Be a Super Rich® Lawn in Just Four Easy Steps

Now there's a Super Rich® Lawn Food for each season of the year. Start now by applying this season's recommended product. And then every three months, apply the appropriate Super Rich® Lawn Food. It's as simple as that. By following the Super Rich® annual program, your lawn will remain in peak condition all year long.

### Winter: January - March

Super Rich® Moss Control Lawn Food kills moss quickly so grass has room to grow. Greens and thickens your lawn for up to 3 months. For mild-winter climates where moss isn't a problem, apply Super Rich® Fall & Winter Lawn Food.

### Spring: April - June

Super Rich® Feed & Weed with Trimec® controls dandelions, clover, plantain and many other broadleaf weeds while greening your lawn for up to 3 months.

### Summer: July - September

Super Rich® Lawn Food with 2% iron produces a dark green, deep-rooted lawn. Keeps on greening for up to 3 months. Now with non-staining iron to reduce rust spots on concrete and clothing.

### Fall: October - December

Super Rich® Fall & Winter Lawn Food with extra potassium keeps your lawn green through the fall and promotes thick, sturdy growth. Prepares your lawn for winter and helps it green up fast next spring.

Improved Super Rich® lawn foods are now made with:

- Over 40% natural ingredients, including dried poultry waste and sulfate of potash magnesia (a naturally-occurring mineral)
- Five types of nitrogen for quick greening and long-term feeding
- University-endorsed ratios of nitrogen, phosphorus and potassium
- Non-staining iron\* for a dark green lawn without the worry of rust spots on concrete and clothing

\*In all Super Rich® lawn foods except Super Rich® Moss Control Lawn Food.

Super Rich® Feed & Weed kills weeds while greening and thickening your lawn. It kills dandelion, clover, black medic (Japanese clover), plantain, chickweed, buttercup, spurge, English daisy, and puncture vine. Super Rich® Feed & Weed contains Trimec®—a combination of three systemic weed killers—to kill weeds from top to bottom.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Keep out of reach of children. Avoid contact with skin, eyes and clothing. When using this product, wear long pants, long-sleeved shirt, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Avoid breathing dust. Do not allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until granules have been washed into the soil and grass has dried.

#### FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**If on skin or on clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

#### ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The maximum number of broadcast applications per treatment site is two per year. For household use only.

#### USE PRECAUTIONS

2,4-D, MCPP and Dicamba are injurious to most plants other than grasses, so this material should be applied carefully on a day with low wind velocity to avoid drift onto valuable plants. Do not use on St. Augustinegrass, dichondra, carpetgrass or clover lawns. May cause possible injury to bentgrass. Do not apply within the drip line of desirable trees and shrubs. Rinse spreader with clear water after use.

For best results, apply 33.3 lbs. to 5,000 sq. ft.

Apply any time weeds are growing actively-spring, summer or fall. Weed control is best when the foliage and soil are moist and the air temperature is between 50 and 80 degrees F. When applied during hot weather (over 80 degrees F) or on dry soil, turfgrass may be temporarily damaged.

1. Do not apply to a new lawn. Wait until lawn is 3 months old.
2. Do not mow the lawn for two days before application so that there are enough weed leaves to catch the weed killer granules.
3. Apply to moist soil and foliage using an accurate spreader. Make sure lawn is moist at time of application.
4. Do not water lawn for 24 hours after application. Resume watering, if needed, after 48 hours.
5. Make second application after one month if control of hard-to-kill weeds is not complete. Or use Lilly Miller® Lawn Weed Killer to control broadleaf weeds without harming your lawn.

### GUARANTEED FERTILIZER ANALYSIS:

Total Nitrogen (N)	15%
2.9% Ammoniacal Nitrogen	
11.1% Urea Nitrogen*	
1.0% Water Insoluble Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	5%
Soluble Potash (K <sub>2</sub> O)	10%
Calcium (Ca)	2%
Magnesium (Mg)	2%
Sulfur (S)	6%
Iron (Fe)	2%

Derived from ammonium sulfate, urea, polymer coated urea, dried poultry waste, ammonium phosphate, sulfate of potash magnesia, muriate of potash, iron sulfate.

\*4.2% slowly available urea nitrogen from polymer coated urea.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-imb.com>.

### PROTECT YOUR PETS

This fertilizer contains animal manures and/or byproducts that may attract dogs or other pets. Consumption of this product may make animals sick. To minimize potential problems: 1) Store away from pets, 2) Thoroughly water in as directed.

### SETTING YOUR LAWN SPREADER

THESE SETTINGS ARE A GUIDE. They were determined by landscape professionals using new spreaders. The condition of your spreader, your walking speed, the roughness of the lawn, and even the humidity can affect how fast the lawn food comes out. Watch the flow rate. If fertilizer appears to be coming out either slower or faster than you are covering the lawn, adjust the setting. Close the spreader when filling, turning or stopping.

Setting  
(33.3 lbs. for 5,000 sq. ft.)

#### Drop Spreader Models

Earthway Ev-N-Spread	10
Red Devil/Precision	3
Scotts AccuGreen 1000	8.75
Scotts AccuGreen 2000	9
Scotts AccuGreen 3000	9.25
Scotts PrecisionGreen (PF3)	8.5
Sta Green 4500	2.5
Vigoro 4000V	13

#### Rotary Spreader Models

These spreaders can toss lawn food a great distance. Do not allow granules to fall in flower or shrub beds or around trees. These plants can be hurt.

Earthway Ev-N-Spread	15
Red Devil/Precision 1000	9.5
Scotts SpeedyGreen 1000	9.5
Scotts SpeedyGreen 2000	10.5
Scotts SpeedyGreen 3000	9
Sta Green 4500	7
Vigoro SB 4000V	10

Lawns must be thoroughly watered the day before application. Then water again lightly, just prior to application.



Begin spreading by laying down two strips of lawn food at each end of lawn. Fill in remaining area as shown here.



Close the spreader when you stop walking or make turns to avoid uneven coverage. Stopping and starting with the spreader box open will waste lawn food.



Overlap previous wheel track slightly, as shown, to avoid gaps in coverage.



Wait 24 hours for herbicide to work. Then water lawn to start the greening process.

### STORAGE AND DISPOSAL

Store this product in its original container and keep out of reach of children and domestic animals. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Filled by weight not by volume. Product may settle after packaging.

TRIMEC is the reg. TM of PBI/Gordon Corporation.

**SATISFACTION GUARANTEED:** If for any reason you are not satisfied with this product, send proof of purchase to the address shown and we will gladly refund your purchase price.

LILLY MILLER BRANDS  
PO BOX 2289  
CLACKAMAS, OREGON 97015  
EPA Reg. No. 802-579  
EPA Est. 35497-0R-1  
[www.lillymiller.com](http://www.lillymiller.com)  
06601185-07/03



OK M H Hek  
7-23-0