	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 278637
---	---	--	---------------------------------

Application for Pesticide - Section I

1. Company/Product Number 802-580	2. EPA Product Manager Joanne I. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Lilly Miller Ready-To-Use Lawn Weed Killer	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Central Garden & Pet dba Lilly Miller Brands 16201 SE 98th Clackamas OR 97015 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ addition of marketing copy and submission <input checked="" type="checkbox"/> Notification - Explain below. of latest label	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---


NOTIFICATION
OCT 19 2001

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 This notification is consistent with PRN 98-10 and 40CFR152.46 and no other changes have been made to the labeling or the CSF of this product. I understand that it is a violation of 18 USC 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PRN 98-10 and 40CFR152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under FIFRA sec 12

Section - III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	* Certification must be submitted	If "Yes" Unit Packaging wgt. No. per container If "Yes" Package wgt No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Molly E. Hickman	Title Technical Services Manager	Telephone No. (Include Area Code) 503-451-4436
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		Date Application Received (Stamped)
2. Signature 	3. Title Technical Services Manager	
4. Typed Name Molly E. Hickman	5. Date 10-12-01	

ST
9-25-01
OK MH 9-26-01

NOTIFICATION


OCT 19 2001

Lilly Miller

Ready-To-Use **Controls More Than 200 Weeds!**

LAWN WEED KILLER

KILLS LAWN WEEDS WITHOUT HARMING LAWN GRASSES


DANDELION


CLOVER


CHICKWEED

*Kills Dandelions, Clover, Plantain
Sheep Sorrel, and many other
Spring, Summer, and Fall weeds.
Keeps Working Over Night*

Contains TRIMEC® Herbicide

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid...	0.531%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid	0.257%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.056%
INERT INGREDIENTS	
*2,4-Dichlorophenoxyacetic acid equivalent 0.493%	
Isomer Specific by ADAC method	
**2-(2-methyl-4-chlorophenoxy)propionic acid equivalent 0.231%	
***3,6-dichloro-o-anisic acid equivalent 0.055%	

Keep out of reach of children
CAUTION
See back panel for additional precautionary statements

NET CONTENTS
1 GALLON (3.7 l)
09 60 6360 - 7/01

6"

5-3/4"

LM110-01	09 60 6360-7/01	Date: September 25, 2001	COLORS
Lilly Miller Lawn Weed Killer	UPC: 0 70624 63609 1	Size: Front: 5-3/4" x 6"	LM Bottle Teal
Size: 1 Gallon - RTU	Bottle: G		PMS Reflex Blue
Printer: Craftsman Label			PMS 185
			Black

PROOF

SEP 25 2001

IPCO PRINTING



READY-TO-USE LAWN WEED KILLER

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Shake well before using. For household use only.

WHAT IS THIS PRODUCT? AND WHAT WILL IT DO?

READY-TO-USE LAWN WEED KILLER is the convenient way to kill even the worst lawn weeds - roots and all - without harming the grass. In California and the Southwest, do not use this product on dichondra, St. Augustinegrass, bahia grass, centipedegrass, carpetgrass, bermudagrass, buffalograss or Zoysia lawns. Controls more than 200 weeds!

- | | | | |
|---------------------------|--------------------|-------------------|-------------------|
| Annual yellow sweetclover | Chicory | Knotweed | Red sorrel |
| Aster | Cinquefoil | Kochia | Redroot pigweed |
| Austrian fieldcress | Clover, crimson | Lambsquarters | Redstem blaree |
| Bedstraw | Clover, hop | Lespedeza | Rough cinquefoil |
| Beggarticks | Clover, red | Mallow | Rough fleabane |
| Betony, Florida | Clover, strawberry | Matchweed | Russian pigweed |
| Bindweed, field | Clover, sweet | Mexicanweed | Russian thistle |
| Bird vetch | Clover, white | Milk vetch | Scarlet pimpernel |
| Bitter wintercress | Cocklebur | Morningglory | Scotch thistle |
| Bittercress, hairy | Cocklebur | Mouseear | Sheep sorrel |
| Bitterweed | Common mullein | hawkweed | Sheepspurse |
| Black-eyed Susan | Creeping jenny | Mugwort | Slender plantain |
| Black medic | Cudweed | Musk thistle | Smallflower |
| Black mustard | Curly dock | Mustard | gallinsoga |
| Blackseed plantain | Daisy, English | Narrowleaf | Smooth dock |
| Blessed thistle | Daisy, fleabane | plantain | Smooth pigweed |
| Bloodflower | Daisy, oxeye | Narrowleaf vetch | Sorrel |
| milkweed | Dandelion | Nettle | Sowthistle |
| Blue lettuce | Dogbane | Orange hawkweed | Spanishneedles |
| Blue vervain | Dogfennel | Oxalis | Speedwell |
| Bracted plantain | Dollarweed | Parsley-piert | Spiny amaranth |
| Brassbuttons | Elderberry | Parsnip | Spiny cocklebur |
| Bristly oxtonque | False dandelion | Pearlwort | Spiny sowthistle |
| Broadleaf dock | False flax | Pennywort | Spotted catsear |
| Broadleaf plantain | False sunflower | Pennywort | Spotted spurge |
| Broomweed | Fiddleneck | Pennywort | Spurweed |
| Buckhorn | Florida pusley | Peppergrass | Stinging nettle |
| Buckhorn plantain | Frenchweed | Pepperweed | Strawberry, India |
| Bulbous buttercup | Gallinsoga | Pigweed | muck |
| Bull thistle | Goathead | Pineywoods | Tall nettle |
| Bullnettle | Goldenrod | bedstraw | Tall vervain |
| Burclover | Ground ivy | Plains coreopsis | Tansy ragwort |
| Burdock | Gumweed | (tickseed) | Tansy mustard |
| Burning nettle | Hairy fleabane | Plantain | Tanweed |
| Burweed | Hawkweed | Poison ivy | Thistle |
| Buttercup | Healall | Poison oak | Trailing |
| Buttonweed | Heartleaf drymary | Pokeweed | crownvetch |
| Canada thistle | Heathaster | Poorjoe | Tumble mustard |
| Carolina geranium | Hedge bindweed | Prairie sunflower | Tumble pigweed |
| Carpetweed | Hedge mustard | Prickly lettuce | Velvetleaf |
| Catchweed | Hemp | Prickly sida | Venice mallow |
| bedstraw | Henbit | Prostrate | Virginia |
| Catnip | Hoary cress | knobweed | butterweed |
| Catsear | Hoary plantain | Prostrate pigweed | Virginia creeper |
| Chickweed, common | Horsetail | Prostrate spurge | Virginia |
| Chickweed, mouseear | Jimsonweed | Prostrate vervain | pepperweed |
| | Knawel | Puncturevine | Water pennywort |
| | | Purslane, common | Wavyleaf |
| | | Ragweed | bulbthistle |

- | | | | |
|-------------------|---------------|-------------------|-----------------|
| Western clematis | Wild geranium | Wild strawberry | Wormweed |
| Western salsify | Wild lettuce | Wild sweet potato | Yarrow |
| White mustard | Wild marigold | Wild vetch | Yellow rocket |
| Wild aster | Wild mustard | Woodsorrel | Yellowflower |
| Wild buckwheat | Wild onion | Woolly croton | pepperweed |
| Wild carrot | Wild parsnip | Woolly | And other |
| Wild four-o'clock | Wild radish | morningglory | broadleaf weeds |
| Wild garlic | Wild rape | Woolly plantain | |

HOW DO I USE THIS PRODUCT?

When to use: Spray any time weeds are actively growing - Spring and Fall are the best. Do not spray when rain is expected within 24 hours.

What to do: This product is ready to use and doesn't have to be mixed with water. Shake well before using. Adjust sprayer nozzle to give a coarse spray. Spray individual weeds. Wet solid patches of weeds well. Wait for 24 hours after spraying to water the lawn. Continue to water and feed the lawn to help fill in places where weeds have died. After 4 weeks, you may re-seed any remaining bare areas.

What not to do: Do not use on newly planted lawns until 6 weeks after seed has come up. Do not allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. Do not water the lawn for 24 hours after spraying. Do not spray READY-TO-USE LAWN WEED KILLER in areas where shrub or tree roots may be located.

WHAT WILL I SEE?

Within 10 days you will see the leaves begin to curl and twist. Weeds will gradually die, taking several weeks to completely disappear.

STORAGE AND DISPOSAL

Store this product out of reach of children and domestic animals. Keep from freezing. Do not reuse container. Rinse thoroughly before discarding and securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. When using this product, wear goggles, long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves. In case of contact with eyes, immediately flush with plenty of water. If on skin, wash with soap and water. If irritation develops, get medical attention. Avoid contamination of food or feedstuffs. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until sprays have dried.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

TRIMEC is the Reg. T.M. of PBU/Gordon Corporation.

Lilly Miller Brands
16201 SE 98th
Clackamas, OR 97015
EPA Reg. No. 802-580
EPA Est. 33518-CN-1
Form LMT10-01
09 60 6360 7/01
Printed in U.S.A.
Product of Canada
www.lillymiller.com



6"

5-3/4"

LM110-01	09 60 6360-7/01	Date: September 25, 2001	COLORS
Lilly Miller Lawn Weed Killer	Size: 1 Gallon - RTU	UPC: 0 70624 63609 1	Black
Printer: Craftsman Label		Size: Back: 5-3/4" x 6"	
		Bottle: G	

PROOF

SEP 25 2001

IPCO PRINTING