

PM 23

802-586

OFF 19 7

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR 9 1995

Ms. Molly Hickman
The Chas H. Lilly Co.
P.O. Box 83179
Portland, Oregon 97218

Dear Ms. Hickman:

SUBJECT: Label Amendment
Lilly/Miller Hose 'N Go Weed + Feed
EPA Registration No. 802-586
Your Application Dated April 28, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable with the following provisions:

In version B of the label make the following changes:

1. In the section on "What Not to Do", add the phrase "or within the dripline" to the last sentence in the first paragraph. It should read as follows:

"Do not spray Hose 'n Go Weed & Feed in areas where shrub or tree roots may be located, or within the dripline."
2. In the second paragraph of this section, add the phrase "or turf" to the first sentence. It should read as follows:

"Do not use this product ... bentgrass, clover lawns or turf."

CONCURRENCES

SYMBOL ▶	7505C						
SU NAME ▶	DMorgan						
	3/9/95						

Please note, there are a few typographical errors throughout the label that have to be corrected. A stamped copy of the accepted label is enclosed for your records. Please submit one copy for the above mentioned labels before releasing the products for shipment.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

ACCEPTED
with COMMENTS
In EPA Letter Dated

MAR 9 1995

Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended for the pesticide
registered under EPA Reg. No.
802-586

MASTER LABEL

LILLY/MILLER
HOSE 'N GO WEED & FEED 15-0-0

Contains TRIMEC

Control weeds and feed grass in one application. Just attach to a garden hose and spray.

Ready to use. Covers up to 3,750 sq. ft.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	5.673%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	2.738%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.629%
INERT INGREDIENTS	90.96%

*2,4-Dichlorophenoxyacetic acid equivalent 4.708% (0.44 lb. per gallon). Isomer specific by AOAC method.
**2-(2-methyl-4-chlorophenoxy)propionic acid equivalent 2.272% (0.21 lb. per gallon)
***Dicamba (3,6-dichloro-o-anisic acid) equivalent 0.522% (0.048 lb. per gallon)

TRIMEC is the Reg. T.M. of PBI/Gordon Corporation.

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements.

NET CONTENTS 24 FL. OZ. (709 ml)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. When using this product, wear goggles, long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves. In case of contact, immediately flush eyes or skin with plenty of water. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. remove saturated clothing as soon as possible and shower. Avoid contamination of food or feedstuffs. Do not allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until sprays have dried.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

=====
DIRECTIONS FOR USE (Version A)

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The maximum number of broadcast applications per treatment site is 2 per year. For household use only.

STOP. READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

WHEN TO USE: Spray at any time during the growing season when weeds are actively growing. On new lawns, wait until the grass has been mowed two or three times and has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results, mow 1 to 2 days before treating. Do not water lawn within 24 hours after treatment.

WHERE TO USE: HOSE 'N GO WEED & FEED may be used on Bahia, Bentgrass*, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns to control broadleaf weeds. HOSE 'N GO WEED & FEED controls Bedstraw, Buckhorn, Buttercup, Chickweed, Clover, Dandelion, Dock, English Daisy, Ground Ivy, Henbit, Japanese Clover (Black Medic), Knotweed, Lambsquarter, Mallow, Morningglory, Oxalis, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Sheep Sorrel, Shepardspurse, Speedwell, Spurge, Yarrow, and most other broadleaved lawn weeds.

*See Use Precautions.

HOW TO USE: Shake well before using. 1. Connect spray nozzle to garden hose. Be sure that valve is in "off" position. 2. Remove bottle cap and screw bottle onto nozzle. Turn on water. 3. Switch valve to "on" position to start flow of water. Use valve to shut off flow of water at any time. Spray directly over area requiring application evenly and uniformly. (Check handy measuring guide to determine remaining area to be covered).

USE PRECAUTIONS: Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy. Do not

apply to newly seeded lawn grasses until well established. Do not spray when the temperature exceeds 85 degrees F. Seed can be safely sown 3 weeks after application. Do not use on carpetgrass, dichondra, St. Augustine, Centipede, closely-mowed bentgrass, or on lawns or turf where desirable clovers are present. Do not apply to lawn areas above the root zone of trees and ornamentals, or within the dripline.

=====
=====
DIRECTIONS FOR USE (Version B)

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only.

What is this product? And what will it do?

Hose 'n Go Weed & Feed is the fast, easy, no-mix way to kill lawn weeds while making your grass green and lush. This product contains Trimec, a special three-way weed killer, widely used by professional landscapers, for even the hardest to kill weeds; such as dandelions, clover or oxalis.

Hose 'n Go Weed & Feed will kill most lawn weesd, including:

- Bedstraw
- Black Medic
- Buckhorn
- Buttercup
- Chickweed
- Clover
- Dandelion
- Dock
- English Daisy
- Ground Ivy
- Henbit
- Japanese clover
- Knotweed
- Lambsquarters
- Mallow
- Morning glory
- Oxalis
- Pigweed
- Plantain
- Poison Ivy
- Poison Oak
- Purslane
- Sheep sorrel
- Shepherdspurse
- Speedwell
- Spurge
- Yarrow

How do I use this product?

When to use: You will get better results if you spray when the temperatures are warm and the lawn is well watered. Pick a day when rain is not expected for at least 24 hours. For new lawns, wait until the grass has been mowed 2 or 3 times and is over 2 inches tall before trying to kill the weeds.

What to do: Water the lawn well 1 to 2 days before you spray.

How to use this sprayer: Shake the container well before getting started. Attach the bottle of Hose 'n Go Weed & Feed to your garden hose. Be sure the blue ON/OFF knob is in the OFF position. Turn on the water from the faucet. When you are ready to spray, turn the red knob so the triangle mark points at the triangle on the spray head. Push it in. Turn the blue knob one-quarter turn counter-clockwise and begin spraying.

To stop spraying at any time, turn the blue knob back to the OFF position. When you are finished with the job, push the red knob out from the back side of the spray head and turn it so the triangle points away from the mark on the spray head. This will prevent the container from leaking.

Spray this whole bottle over 3,750 sq. ft. (50' x75'). One quarter of the bottle (see markings on the side) will cover about 938 sq. ft. (30' x31'). Let the spray dry before you let adults, children or pets onto the lawn.

Wait for 24 hours after you spray, before watering the lawn. Then continue to water the lawn as needed. After 4 weeks, you may re-seed any bare spots where weeds have died.

What not to do: Do not use this product on your lawn more than two times in one year. Do not allow spray mist to drift onto vegetables, fruits, flowers, ornamental shrubs and trees, or any other desirable plants. They will be damaged. Do not water the lawn for 24 hours after spraying. Do not spray Hose 'n Go Weed & Feed in areas where shrub or tree roots may be located.

Do not use this product on newly seeded lawns or on carpetgrass, dichondra, St. Augustinegrass, Centipedegrass, closely cut bentgrass, or clover lawns. Do not spray when it is over 85 degrees. Do not reseed or overseed the area for 4 weeks.

What will I see?

Within 10 days you will see the leaves begin to curl and twist. Weeds will gradually die, taking several weeks to completely disappear. In cool or very hot weather, weeds may die more

slowly.

=====

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) 15%
15% Urea Nitrogen
Primary nutrients from Urea.

STORAGE AND DISPOSAL

Keep from freezing. Store this product in its original container out of reach of children and domestic animals. Do not reuse container. Rinse thoroughly before discarding and securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Reg. No. 802-586
EPA Est. 802-OP-1
91111