802-586

11/8/2002

10

NOV 8 2002

Ms. Molly Hickman Central Garden & Pet DBA Lilly Miller Brands P.O. Box 2289 Clackamas, Oregon 97015

Dear Ms. Hickman:

SUBJECT: Label Revision Amendment - First Aid Statement EPA Registration No. 802-586 Application Dated September 17, 2002

The labeling, referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended, is acceptable.

The amended label supersede all previously accepted ones. A stamped copy is enclosed for your records. Please submit one copy of your printed label before you release the product for shipment.

Sincerely yours,

Joanne I. Miller Product Manager 23 Herbicide Branch Registration Division (7505C)

Enclosure

1) Coake 11-8-02

-



LILLY MILLER HOSE `N GO® WEED & FEED 15-0-0

Under the Federal Insecticide. Fungicide. and Rodenticide Act. as amended. for the pesticide registered under EPA Reg. No. 202-586

Fast & effective Weed & feed up to 5,000 sq. ft. of lawn in minutes Kills even the toughest lawn weeds roots & all Kills dandelions, clover, plantain, spurge and over 200 additional lawn weeds Begins working overnight Won't harm lawn grasses

Contains TRIMEC® Herbicide

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	5.673%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)	
propionic acid	2.738%
***Dimethylamine Salt of Dicamba	
(3,6-dichloro-o-anisic acid)	0.629%
INERT INGREDIENTS	90.96%

*2,4-Dichlorophenoxyacetic acid equivalent 4.708% (0.44 lb. per gallon). Isomer specific by AOAC method.

**2-(2-methyl-4-chlorophenoxy)propionic acid equivalent 2.272% (0.21 lb. per gallon)

***Dicamba (3,6-dichloro-o-anisic acid) equivalent 0.522% (0.048 lb. per gallon)

Keep out of reach of children CAUTION See back panel for additional precautionary statements

NET CONTENTS 1 QUART (946 ml)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. When using this product, wear goggles, long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Avoid contamination of food or feedstuffs. Do not allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until sprays have dried.

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. If on skin or on clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 15 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only.

What is this product? And what will it do?

Hose 'n Go® Weed & Feed is the fast, easy, no-mix way to kill lawn weeds while making your grass green and lush. This product contains Trimec®, a special three-way weed killer, widely used by professional landscapers, for even the hardest to kill weeds; such as dandelions, clover or oxalis.

Hose 'n Go® Weed & Feed will kill most lawn weeds, including: OR Controls more than 200 weeds! Including any or all of the following:

Annual yellow sweetclover Aster Austrian fieldcress Bedstraw Beggarticks Betony, Florida Bindweed, field Bird vetch Bitter wintercress Bittercress, hairy Bitterweed Black-eyed Susan

Black medic Black mustard Blackseed plantain Blessed thistle Bloodflower milkweed Blue lettuce Blue vervain Bracted plantain **Brassbuttons** Bristly oxtongue Broadleaf dock Broadleaf plantain Broomweed Buckhorn/ Buckhorn plantain Bulbous buttercup Bull thistle Bullnettle Burclover Burdock Burning nettle Burweed Buttercup Buttonweed Canada thistle Carolina geranium Carpetweed Catchweed bedstraw Catnip Catsear Chickweed, common Chickweed, mouseear Chicory Cinquefoil Clover, crimson Clover, hop Clover, red Clover, strawberry Clover, sweet Clover, white Cockle Cocklebur Common mullein Creeping jenny Cudweed Curly dock

-

. ;

5/10

Daisy, English Daisy fleabane Daisy, oxeye Dandelion Dichondra Dogbane Dogfennel Dollarweed Elderberry False dandelion False flax False sunflower Fiddleneck Florida pusley Frenchweed Galinsoga Goathead Goldenrod Ground ivy Gumweed Hairy fleabane Hawkweed Healall Heartleaf drymary Heathaster Hedge bindweed Hedge mustard Hemp Henbit Hoary cress Hoary plantain Hoary vervain Horsenettle Jimsonweed Knawel Knotweed Kochia Lambsquarters Lespedeza Mallow Matchweed Mexicanweed Milk vetch Morningglory Mouseear hawkweed Mugwort

6/10

Musk thistle Mustard Narrowleaf plantain Narrowleaf vetch Nettle Orange hawkweed Oriental cocklebur Oxalis Parsley-piert Parsnip Pearlwort Pennycress Pennywort Peppergrass Pepperweed Pigweed Pineywoods bedstraw ∠ Plains coreopsis (tickseed) Plantain Poison ivy Poison oak Pokeweed Poorjoe Prairie sunflower Prickly lettuce Prickly sida Prostrate knotweed Prostrate pigweed Prostrate spurge Prostrate vervain Puncturevine Purslane, common Ragweed Red sorrel **Redroot** pigweed Redstem filaree Rough cinquefoil Rough fleabane Russian pigweed Russian thistle Scarlet pimpernel Scotch thistle Sheep sorrel Shepherdspurse Slender plantain Smallflower galinsoga

7/10

Smooth dock Smooth pigweed Sorrel Sowthistle Spanishneedles Speedwell Spiny amaranth Spiny cocklebur Spiny sowthistle Spotted catsear Spotted spurge Spurweed Stinging nettle Strawberry, India mock Tall nettie Tall vervain Tansy ragwort Tansy mustard Tanweed Thistle Trailing crownvetch Tumble mustard Tumble pigweed Velvetleaf Venice mallow Virginia buttonweed Virginia creeper Virginia pepperweed Water pennywort Wavyleaf bullthistle Western clematis Western salsify White mustard Wild aster Wild buckwheat Wild carrot Wild four-o'clock Wild garlic Wild geranium Wild lettuce Wild marigold Wild mustard Wild onion Wild parsnip Wild radish Wild rape

Wild strawberry Wild sweet potato Wild vetch Woodsorrel Woolly croton Woolly morningglory Woolly plantain Wormweed Yarrow Yellow rocket Yellowflower pepperweed And other broadleaf weeds

How do I use this product?

When to use: You will get better results if you spray when the temperatures are warm and the lawn is well watered. Pick a day when rain is not expected for at least 24 hours. For new lawns, wait until the grass has been mowed 2 or 3 times and is over 2 inches tall before trying to kill the weeds.

What to do: Water the lawn well 1 to 2 days before you spray.

TO USE THIS SPRAYER: Sprays up to 20 feet!

1. Shake container well.

2. Connect spray nozzle to garden hose.

3. Turn on the water from the faucet.

4. When you are ready to spray, turn the knob on top so that it points to the MIX position on the spray head. (*Fig.1*)

5. The spray deflector on the front of the hose-end applicator can be rotated to give a stream or fan spray. (Fig. 2)

TO STOP SPRAYING:

1. When you are finished spraying or if you have to stop spraying at any time, turn the knob back to the OFF position. (*Fig. 3*)

2. Turn off the water from the faucet.

3. Turn the knob to H2O then OFF, to drain the water from the hose. (Fig. 4)

4. Unscrew spray nozzle from hose.

Spray this whole bottle over 5,000 sq. ft. (50' x 100'). One quarter of the bottle ($3\varepsilon\varepsilon$) markings on the side) will cover about 1,250 sq. ft. (25' x 50'). Let the spray dry before you let adults, children or pets onto the lawn.

Wait for 24 hours after you spray, before watering the lawn. Then continue to water the lawn as needed. After 4 weeks, you may re-seed any bare spots where weeds have died.

9/10

What not to do: Do not use this product on your lawn more than two times in one year. Do not allow spray mist to drift onto vegetables, fruits, flowers, ornamental shrubs and trees, or any other desirable plants. They will be damaged. Do not water the lawn for 24 hours after spraying. Do not spray Hose 'n Go® Weed & Feed in areas where shrub or tree roots may be located, or within the dripline.

Do not use this product on newly seeded lawns or on carpetgrass, dichondra, St. Augustinegrass, Centipedegrass, closely cut bentgrass, or clover lawns or turf. Do not spray when it is over 85 degrees. Do not reseed or overseed the area for 4 weeks.

What will I see?

Within 10 days you will see the leaves begin to curl and twist. Weeds will gradually die, taking several weeks to completely disappear. In cool or very hot weather, weeds may die more slowly.

STORAGE AND DISPOSAL

Store this product in its original container and keep out of reach of children and domestic animals. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

GUARANTEED FERTILIZER ANALYSIS Total Nitrogen (N) 15% 15% Urea Nitrogen Derived from Urea.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.wa.gov/agr/.

TRIMEC is the Reg. T.M. of PBI/Gordon Corporation.

NOTICE: Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

LILLY MILLER BRANDS PO BOX 2289 CLACKAMAS, OREGON 97015 EPA Reg. No. 802-586 EPA Est. 2217-KS-2 www.lillymiller.com EPA draft 9/17/2002

-

•

,

``