

802-586

001212006

1/10

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 802-586	2. EPA Product Manager Joanne I. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Lilly Miller 'Hose 'n Go Weed & Feed	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Central Garden & Pet 15750 N. Lombard St., Suite 200 Portland, OR 97203 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION FEB 15 2006
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION OF ADDITIONAL OPTIONAL MARKETING TEXT AND SPRAYER INSTRUCTIONS PER PR NOTICE 98-10(I)(M)(3) AND (N): This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Molly Hickman		Title House Counsel		Telephone No. (Include Area Code) 503-205-2242	
<p style="text-align: center;">Certification</p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>					6. Date Application Received (Stamped)
2. Signature <i>Molly Hickman</i>		3. Title House Counsel			
4. Typed Name Molly Hickman		5. Date 1/30/2006			

2/10

NOTIFICATION

FEB 15 2006

LILLY MILLER
HOSE 'N GO® WEED & FEED
15-0-0

Fast & effective
Weed & feed up to 5,000 sq. ft. of lawn in minutes
Kills even the toughest lawn weeds roots & all
Kills dandelions, clover, plantain, spurge and over 200 additional lawn weeds
Begins working overnight
Won't harm lawn grasses
(Fertilizer) makes grass green and lush

Contains TRIMEC® Herbicide

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	5.673%
Dimethylamine Salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid	1.370%
Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.629%
INERT INGREDIENTS	<u>92.328%</u>
Total	100.00%

This product contains:

- 0.44 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 4.71%
 - 0.10 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 1.13%
 - 0.04 lbs. 3,6-Dichloro-o-anisic acid equivalent per gallon or 0.52%
- Isomer Specific by AOAC Methods.

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements


NET CONTENTS 1 QUART (946 ml)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. When using this product, wear goggles, long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Avoid contamination of food or feedstuffs. Do not allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until sprays have dried.

FIRST AID



Have product container or label with you when calling a poison control center or doctor, or going for treatment.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or on clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only.

What is this product? And what will it do?

Hose 'n Go® Weed & Feed is the fast, easy, no-mix way to kill lawn weeds while making your grass green and lush. This product contains Trimec®, a special three-way weed killer, widely used by professional landscapers, for even the hardest to kill weeds; such as dandelions, clover or oxalis.

Hose 'n Go® Weed & Feed will kill most lawn weeds, including:

OR

Controls more than 200 weeds! Including any or all of the following:

Annual yellow sweetclover

Aster

Austrian fieldcress

Bedstraw

Beggarticks


Betony, Florida

Bindweed, field


Bird vetch

Bitter wintercress



Bittercress, hairy



Bitterweed
 Black-eyed Susan
 Black medic
 Black mustard
 Blackseed plantain
 Blessed thistle
 Bloodflower milkweed
 Blue lettuce
 Blue vervain
 Bracted plantain
 Brassbuttons
 Bristly oxtongue
 Broadleaf dock
 Broadleaf plantain
 Broomweed
 Buckhorn
 Buckhorn plantain
 Bulbous buttercup
 Bull thistle
 Bullnettle
 Burclover
 Burdock
 Burning nettle
 Burweed
 Buttercup
 Buttonweed
 Canada thistle
 Carolina geranium
 Carpetweed
 Catchweed bedstraw
 Catnip
 Catsear
 Chickweed, common
 Chickweed, mouseear
 Chicory
 Cinquefoil
 Clover, crimson
 Clover, hop
 Clover, red
 Clover, strawberry
 Clover, sweet
 Clover, white
 Cockle
 Cocklebur
 Common mullein
 Creeping jenny



- Cudweed
- Curly dock
- Daisy, English
- Daisy fleabane
- Daisy, oxeye
- Dandelion
- Dichondra
- Dogbane
- Dogfennel
- Dollarweed
- Elderberry
- False dandelion
- False flax
- False sunflower
- Fiddleneck
- Florida pusley
- Frenchweed
- Galinsoga
- Goathead
- Goldenrod
- Ground ivy
- Gumweed
- Hairy fleabane
- Hawkweed
- Healall
- Heartleaf drymary
- Heathaster
- Hedge bindweed
- Hedge mustard
- Hemp
- Henbit
- Hoary cress
- Hoary plantain
- Hoary vervain
- Horsenettle
- Jimsonweed
- Knawel
- Knotweed
- Kochia
- Lambsquarters
- Lespedeza
- Mallow
- Matchweed
- Mexicanweed
- Milk vetch
- Morningglory



Mouseear hawkweed
Mugwort
Musk thistle
Mustard
Narrowleaf plantain
Narrowleaf vetch
Nettle
Orange hawkweed
Oriental cocklebur
Oxalis
Parsley-piert
Parsnip
Pearlwort
Pennycress
Pennywort
Peppergrass
Pepperweed
Pigweed
Pineywoods bedstraw
Plains coreopsis (tickseed)
Plantain
Poison ivy
Poison oak
Pokeweed
Poorjoe
Prairie sunflower
Prickly lettuce
Prickly sida
Prostrate knotweed
Prostrate pigweed
Prostrate spurge
Prostrate vervain
Puncturevine
Purslane, common
Ragweed
Red sorrel
Redroot pigweed
Redstem filaree
Rough cinquefoil
Rough fleabane
Russian pigweed
Russian thistle
Scarlet pimpernel
Scotch thistle
Sheep sorrel
Shepherdspurse

Slender plantain
Smallflower galinsoga
Smooth dock
Smooth pigweed
Sorrel
Sowthistle
Spanishneedles
Speedwell
Spiny amaranth
Spiny cocklebur
Spiny sowthistle
Spotted catsear
Spotted spurge
Spurweed
Stinging nettle
Strawberry, India mock
Tall nettle
Tall vervain
Tansy ragwort
Tansy mustard
Tanweed
Thistle
Trailing crownvetch
Tumble mustard
Tumble pigweed
Velvetleaf
Venice mallow
Virginia buttonweed
Virginia creeper
Virginia pepperweed
Water pennywort
Wavyleaf bullthistle
Western clematis
Western salsify
White mustard
Wild aster
Wild buckwheat
Wild carrot
Wild four-o'clock
Wild garlic
Wild geranium
Wild lettuce
Wild marigold
Wild mustard
Wild onion
Wild parsnip

Wild radish
Wild rape
Wild strawberry
Wild sweet potato
Wild vetch
Woodsorrel
Woolly croton
Woolly morningglory
Woolly plantain
Wormweed
Yarrow
Yellow rocket
Yellowflower pepperweed
And other broadleaf weeds

How do I use this product?

When to use: You will get better results if you spray when the temperatures are warm and the lawn is well watered. Pick a day when rain is not expected for at least 24 hours. For new lawns, wait until the grass has been mowed 2 or 3 times and is over 2 inches tall before trying to kill the weeds.

What to do: Water the lawn well 1 to 2 days before you spray.

TO USE THIS SPRAYER:

Sprays up to 20 feet!

1. Shake container well.
2. Connect spray nozzle to garden hose.
3. Turn on the water from the faucet.
4. When you are ready to spray, turn the knob on top so that it points to the MIX position on the spray head. (Fig. 1)
5. The spray deflector on the front of the hose-end applicator can be rotated to give a stream or fan spray. (Fig. 2)

TO STOP SPRAYING:

1. When you are finished spraying or if you have to stop spraying at any time, turn the knob back to the OFF position. (Fig. 3)
2. Turn off the water from the faucet.
3. Turn the knob to H₂O then OFF, to drain the water from the hose. (Fig. 4)
4. Unscrew spray nozzle from hose.

OR

TO USE THIS SPRAYER:

9/10

1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.
2. Turn water on at faucet, aim nozzle toward lawn and turn control lever to ON to begin spraying. The product will automatically siphon and mix with water.
3. When finished turn control lever to OFF position. Turn faucet off. Discharge residual water pressure by turning control lever ON and OFF again.

Spray this whole bottle over 5,000 sq. ft. (50' x 100'). One quarter of the bottle (see markings on the side) will cover about 1,250 sq. ft. (25' x 50'). Let the spray dry before you let adults, children or pets onto the lawn.

Wait for 24 hours after you spray, before watering the lawn. Then continue to water the lawn as needed. After 4 weeks, you may re-seed any bare spots where weeds have died.

What not to do: Do not use this product on your lawn more than two times in one year. Do not allow spray mist to drift onto vegetables, fruits, flowers, ornamental shrubs and trees, or any other desirable plants. They will be damaged. Do not water the lawn for 24 hours after spraying. Do not spray Hose 'n Go® Weed & Feed in areas where shrub or tree roots may be located, or within the dripline.

Do not use this product on newly seeded lawns or on carpetgrass, dichondra, St. Augustinegrass, Centipedegrass, closely cut bentgrass, or clover lawns or turf. Do not spray when it is over 85 degrees. Do not reseed or overseed the area for 4 weeks.

What will I see?

Within 10 days you will see the leaves begin to curl and twist. Weeds will gradually die, taking several weeks to completely disappear. In cool or very hot weather, weeds may die more slowly.

STORAGE AND DISPOSAL

Store this product in its original container and keep out of reach of children and domestic animals. *If empty:* Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) 15%
15% Urea Nitrogen
Derived from Urea.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>.

TRIMEC is the Reg. T.M. of PBI/Gordon Corporation.

10/10

NOTICE: Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

LILLY MILLER BRANDS
1340 Treat Blvd, Suite 650
Walnut Creek, CA 94597
EPA Reg. No. 802-586
EPA Est. 2217-KS-2
www.lillymiller.com
EPA notification 1/30/2006