

802-586

12/08/2008

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

18 DEC 2008

Rebecca M. Horton
Central Garden & Pet
dba Lilly Miller Brands
1340 Treat Blvd., St. 650
Walnut Creek, CA 94597

Dear Ms. Horton:

Subject: Label Amendment for RED: 2,4-D, Dicamba and MCP-P-p
Lilly Miller Hose 'n G Weed & Feed
EPA Registration Number 802-586

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:


1. Based on toxicity ranking per the acute toxicity review, the First Aid statements should be placed on the label in the following order:
"IF SWALLOWED:...
IF ON SKIN OR CLOTHING:...
IF IN EYES:...
IF INHALED:..."
2. As specified in the acute toxicity review, a phone number for emergency medical treatment information should be added to the label.
3. Per the acute toxicity review, the first 2 sentences of the Hazards to Humans and Domestic Animals section must be revised to read "Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing."
4. Per the REDs for 2,4-D, Dicamba and MCP-P-p, the first sentence of the Environmental Hazard section must be revised to read "This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants."

- 5. Per MCPP-p RED, the following text must also be added to the label and any conflicting text must be removed:

“Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.”
- 6. Per the MCPP-p RED, add the text “Minimum of 30 days between applications.”
- 7. Under the Storage and Disposal section, add the bullets “Pesticide Storage” and “Pesticide Disposal”. Also add the statement “Do not contaminate water, food or feed by storage and disposal”, under the Storage and Disposal heading.
- 8. Please note: Final product reregistration cannot be considered until after all active ingredients in this product are eligible for reregistration.
- 9. Add the following statements to the labeling: Use of this product in certain portions of California, Oregon and Washington is subject to the January 22, 2004 Order for injunctive relief in Washington Toxics Coalition, et al. v. EPA, C01-0132C, (W.D. WA). For further information, please refer to EPA Web Site:
<http://www.epa.gov/espp>.

One copy of the label stamped “Accepted with Comments” is enclosed for your records. Please submit one copy of the final printed label before the product is released for shipment. If you have any questions, please contact Tracy White by phone at (703) 308-0042 or via email at white.tracy@epa.gov.

Sincerely,



Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505P)

Enclosure

rec'd 9/17/07 3/8

LILLY MILLER® HOSE `N GO!® WEED & FEED [15-0-0]

Optional Marketing Statements:

Fast & effective
Weed & feed up to 5,000 sq. ft. of lawn in minutes
Kills even the toughest lawn weeds roots & all
Kills dandelions, clover, plantain, spurge and over 200 additional lawn weeds
Begins working overnight
Won't harm lawn grasses
(Fertilizer) makes grass green and lush

Contains TRIMEC® Herbicide

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	5.673%
Dimethylamine Salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid.....	1.370%
Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid).....	0.629%
OTHER INGREDIENTS	92.328%
Total	100.000%

This product contains:

- 0.44 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 4.71%
 - 0.10 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 1.13%
 - 0.04 lbs. 3,6-Dichloro-o-anisic acid equivalent per gallon or 0.52%
- Isomer Specific by AOAC Methods.

Keep out of reach of children

CAUTION

See back/side/other panel(s) for Additional Precautionary Statements and First Aid

NET CONTENTS 1 QUART (946 ml)

**ACCEPTED
with COMMENTS
in EPA Letter Dated:
8 DEC 2008**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

802-586

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. When using this product, wear goggles, long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Avoid contamination of food or feedstuffs. Do not allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until sprays have dried.

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or on clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark except as noted on appropriate labels. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried. For household use only.

What is this product? And what will it do?

Hose 'n Go!® Weed & Feed is the fast, easy, no-mix way to kill lawn weeds while making your grass green and lush. This product contains Trimec® , a special three-way weed killer, widely used by professional landscapers, for even the hardest to kill weeds; such as dandelions, clover or oxalis.

Hose 'n Go!® Weed & Feed will kill most lawn weeds, including:

[OR]

Controls more than 200 weeds! Including any or all of the following:

- | | | |
|---------------------------|---------------------|---------------------|
| Annual yellow sweetclover | Carpetweed | Ground ivy |
| Aster | Catchweed bedstraw | Gumweed |
| Austrian fieldcress | Catnip | Hairy fleabane |
| Bedstraw | Catsear | Hawkweed |
| Beggarticks | Chickweed, common | Healall |
| Betony, Florida | Chickweed, mouseear | Heartleaf drymary |
| Bindweed, field | Chicory | Heathaster |
| Bird vetch | Cinquefoil | Hedge bindweed |
| Bitter wintercress | Clover, crimson | Hedge mustard |
| Bittercress, hairy | Clover, hop | Hemp |
| Bitterweed | Clover, red | Henbit |
| Black-eyed Susan | Clover, strawberry | Hoary cress |
| Black medic | Clover, sweet | Hoary plantain |
| Black mustard | Clover, white | Hoary vervain |
| Blackseed plantain | Cockle | Horsenettle |
| Blessed thistle | Cocklebur | Jimsonweed |
| Bloodflower milkweed | Common mullein | Knawel |
| Blue lettuce | Creeping jenny | Knotweed |
| Blue vervain | Cudweed | Kochia |
| Bracted plantain | Curly dock | Lambsquarters |
| Brassbuttons | Daisy, English | Lespedeza |
| Bristly oxtongue | Daisy fleabane | Mallow |
| Broadleaf dock | Daisy, oxeye | Matchweed |
| Broadleaf plantain | Dandelion | Mexicanweed |
| Broomweed | Dichondra | Milk vetch |
| Buckhorn | Dogbane | Morningglory |
| Buckhorn plantain | Dogfennel | Mouseear hawkweed |
| Bulbous buttercup | Dollarweed | Mugwort |
| Bull thistle | Elderberry | Musk thistle |
| Bullnettle | False dandelion | Mustard |
| Burclover | False flax | Narrowleaf plantain |
| Burdock | False sunflower | Narrowleaf vetch |
| Burning nettle | Fiddleneck | Nettle |
| Burweed | Florida pusley | Orange hawkweed |
| Buttercup | Frenchweed | Oriental cocklebur |
| Buttonweed | Galinsoga | Oxalis |
| Canada thistle | Goathead | Parsley-piert |
| Carolina geranium | Goldenrod | Parsnip |

Pearlwort	Sheep sorrel	Water pennywort
Pennycress	Shepherdspurse	Wavyleaf bullthistle
Pennywort	Slender plantain	Western clematis
Peppergrass	Smallflower galinsoga	Western salsify
Pepperweed	Smooth dock	White mustard
Pigweed	Smooth pigweed	Wild aster
Pineywoods bedstraw	Sorrel	Wild buckwheat
Plains coreopsis (tickseed)	Sowthistle	Wild carrot
Plantain	Spanishneedles	Wild four-o'clock
Poison ivy	Speedwell	Wild garlic
Poison oak	Spiny amaranth	Wild geranium
Pokeweed	Spiny cocklebur	Wild lettuce
Poorjoe	Spiny sowthistle	Wild marigold
Prairie sunflower	Spotted catsear	Wild mustard
Prickly lettuce	Spotted spurge	Wild onion
Prickly sida	Spurweed	Wild parsnip
Prostrate knotweed	Stinging nettle	Wild radish
Prostrate pigweed	Strawberry, India mock	Wild rape
Prostrate spurge	Tall nettle	Wild strawberry
Prostrate vervain	Tall vervain	Wild sweet potato
Puncturevine	Tansy ragwort	Wild vetch
Purslane, common	Tansy mustard	Woodsorrel
Ragweed	Tanweed	Woolly croton
Red sorrel	Thistle	Woolly morningglory
Redroot pigweed	Trailing crownvetch	Woolly plantain
Redstem filaree	Tumble mustard	Wormweed
Rough cinquefoil	Tumble pigweed	Yarrow
Rough fleabane	Velvetleaf	Yellow rocket
Russian pigweed	Venice mallow	Yellowflower pepperweed
Russian thistle	Virginia buttonweed	And other broadleaf weeds
Scarlet pimpernel	Virginia creeper	
Scotch thistle	Virginia pepperweed	

How do I use this product?

When to use: You will get better results if you spray when the temperatures are warm and the lawn is well watered. Pick a day when rain is not expected for at least 24 hours. For new lawns, wait until the grass has been mowed 2 or 3 times and is over 2 inches tall before trying to kill the weeds.

What to do: Water the lawn well 1 to 2 days before you spray.

TO USE THIS SPRAYER:

Sprays up to 20 feet!

1. Shake container well.
2. Connect spray nozzle to garden hose.
3. Turn on the water from the faucet.
4. When you are ready to spray, turn the knob on top so that it points to the MIX position on the spray head. (Fig. 1)
5. The spray deflector on the front of the hose-end applicator can be rotated to give a stream or fan spray. (Fig. 2)

TO STOP SPRAYING:

1. When you are finished spraying or if you have to stop spraying at any time, turn the knob back to the OFF position. (Fig. 3)
2. Turn off the water from the faucet.
3. Turn the knob to H₂O then OFF, to drain the water from the hose. (Fig. 4)
4. Unscrew spray nozzle from hose.

OR

TO USE THIS SPRAYER:

1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.
2. Turn water on at faucet, aim nozzle toward lawn and turn control lever to ON to begin spraying. The product will automatically siphon and mix with water.
3. When finished turn control lever to OFF position. Turn faucet off. Discharge residual water pressure by turning control lever ON and OFF again.

Spray this whole bottle over 5,000 sq. ft. (50' x 100'). One quarter of the bottle (see markings on the side) will cover about 1,250 sq. ft. (25' x 50'). Let the spray dry before you let adults, children or pets onto the lawn.

Wait for 24 hours after you spray, before watering the lawn. Then continue to water the lawn as needed. After 4 weeks, you may re-seed any bare spots where weeds have died.

What not to do: Do not use this product on your lawn more than two times in one year. Do not allow spray mist to drift onto vegetables, fruits, flowers, ornamental shrubs and trees, or any other desirable plants. They will be damaged. Do not water the lawn for 24 hours after spraying. Do not spray Hose 'n Go![®] Weed & Feed in areas where shrub or tree roots may be located, or within the dripline.

Do not use this product on newly seeded lawns or on carpetgrass, dichondra, St. Augustinegrass, Centipedegrass, closely cut bentgrass, or clover lawns or turf. Do not spray when it is over 85 degrees. Do not reseed or overseed the area for 4 weeks.

What will I see?

Within 10 days you will see the leaves begin to curl and twist. Weeds will gradually die, taking several weeks to completely disappear. In cool or very hot weather, weeds may die more slowly.

STORAGE AND DISPOSAL

Store this product in its original container and keep out of reach of children and domestic animals. *If empty:* Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

8/8

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) 15%
15% Urea Nitrogen
Derived from Urea.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>.

Lilly Miller and Hose 'n Go! are registered trademarks of Central Garden & Pet.

TRIMEC is the Reg. T.M. of PBI/Gordon Corporation.

NOTICE: Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

LILLY MILLER BRANDS
1340 Treat Blvd, Suite 650
Walnut Creek, CA 94597
www.lillymiller.com