



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

September 8, 2026

Sarah Kuetemeier
Agent for: LILLY MILLER BRANDS
Lilly Miller Brands
1000 Parkwood Circle, Ste. 700
Atlanta, GA 30339
sarahk@lumos.net

Subject: Label Amendment - Registration Review Mitigation for Mecoprop-p
Product Name: LILLY/MILLER ULTRAGREEN WEED & FEED WITH TRIMEC
HERBICIDE
EPA Registration Number: 802-588
Case Number: 472796
Application Dates: December 4, 2020

Dear Sarah Kuetemeier:


The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Mecoprop-p Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact DeMariah Cotton by phone at (202)-566-2288, or via email at cotton.demariah@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Julie Javier". The signature is fluid and cursive, with the first name "Julie" and last name "Javier" clearly distinguishable.

Julie Javier, Team Leader
Risk Mitigation and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

LILLY/MILLER ULTRAGREEN WEED & FEED WITH TRIMEC HERBICIDE

Optional Marketing Statements:

Kills Dandelions, Clover, Chickweed & other broadleaf weeds
Kills even the tough weeds like dandelion, plantain, clover
Greens-up your lawn quickly
Quick green that lasts up to two months
Covers up to 4,000 square feet
With Trimec® Herbicide

ACCEPTED

Sep 8, 2026

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 802-588

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	0.44%
Dimethylamine Salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid	0.10%
Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.04%
OTHER INGREDIENTS	99.42%
Total	100.00%

This product contains:

0.36% 2,4-Dichlorophenoxyacetic acid equivalent
0.08% (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent
0.04% 3,6-Dichloro-o-anisic acid equivalent
Isomer Specific by AOAC Methods.

Trimec Reg. TM of PBI/Gordon Corp.

Keep out of reach of children

CAUTION

See back panel for Additional Precautionary Statements and First Aid.

Net Weight 20 lbs. (9 kg)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact [1-800-265-0761] [the National Pesticide Information Center at 1-800-858-7378] for emergency medical treatment information.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or on clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

Optional marketing statements:

- LILLY/MILLER ULTRAGREEN WEED & FEED WITH TRIMEC HERBICIDE contains Trimec®-- the long time choice of lawn care specialist. It kills even the toughest weeds you have: dandelion, clover, plantain. We carefully blend LILLY/MILLER ULTRAGREEN WEED & FEED WITH TRIMEC HERBICIDE to give your lawn all the nitrogen university experts say it needs. Some of the nitrogen goes to work right away and some works slowly over time. Your lawn looks great and you won't have to feed it again for another two months.
- The best defense against weed and disease attack is a thick, vigorous lawn. Promoting the overall vigor of your lawn will help fight against weeds and diseases. LILLY/MILLER ULTRAGREEN WEED & FEED WITH TRIMEC HERBICIDE contains the three essential nutrients for your lawn: Nitrogen (N) to stimulate thick, rich, green growth; Phosphorus (P) for early root formation; Potash (K) helps build resistance to disease.
- One application of LILLY/MILLER ULTRAGREEN WEED & FEED WITH TRIMEC HERBICIDE will control the following weeds: Dandelion, Henbit, Plantain, Buttercup, Chickweed, Lawn Daisy, Clover, Spurge, Japanese Clover, Puncture Vine.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Precautions and Restrictions

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled. The maximum number of broadcast applications per treatment site is 2 per year. Do not exceed 20 lbs per 1000 sq. ft. per application [equivalent to 0.75 lb ae mecoprop-p/A]. Wait a minimum of 30 days between applications. For residential use only.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

2,4-D, MCPP and Dicamba are injurious to most plants other than grasses, so this material should be applied carefully on a day with low wind velocity to avoid drift onto valuable plants. Applications during hot weather (over 80 degrees F) are apt to cause some temporary damage to turf. Do not use on St. Augustine grass, Dichondra, carpetgrass or clover lawns. Can cause possible injury to bentgrass. Do not apply within the drip line of desirable trees and shrubs.

For best results, do not mow lawn for two days prior to application. Do not apply to new lawns under three months old. Apply to moist soil and foliage using an accurate spreader and the appropriate dial setting from the chart below. Do not water for at least 24 hours after application. A second application can be applied after one month to control any particularly hard-to-control weeds.

Captions for illustrations:

Lawns must be thoroughly watered the day before application. Then water again lightly, just prior to application. Begin spreading by laying down two strips of lawn food at each end of lawn. Fill in remaining area as shown here. Close the spreader when you stop walking or make turns to avoid uneven coverage. Stopping and starting with the spreader box open will waste lawn food. Overlap previous wheel track slightly, as shown, to avoid gaps in coverage. Wait 24 hours for herbicide to work. Then, water in to start the greening process.

SPREADER SETTINGS

SPREADER SETTINGS ARE APPROXIMATE. USE AS A GUIDE ONLY. NOT A GUARANTEE OF EXACT COVERAGE. Condition of spreader, walking speed and roughness of area affect coverage. If fertilizer appears to be coming out too fast, adjust the setting to slow the flow. Close spreader when filling, turning or stopping. Rinse spreader with clear water after use. Avoid stains to concrete.

IRON WILL STAIN. USE THIS PRODUCT ON LAWNS ONLY. KEEP THIS PRODUCT OFF SURFACES SUCH AS SIDEWALKS, PATIOS, WOODEN DECKS, DRIVEWAYS AND CLOTHING. Sweep concrete surfaces IMMEDIATELY to prevent staining. If concrete is wet when contact occurs, staining may be impossible to prevent.

	Settings
Drop Spreader Models	(20 lbs. for 4,000 sq. ft.)
Earthway Ev-N-Spread	10
Green Thumb (True Value)	8.25
Ortho 5000	8.25
Republic EZ Drop	8.25
Scotts AccuGreen 1000	8.75
Scotts AccuGreen 2000	10
Scotts AccuGreen 3000	9
Scotts PF-3	8
Sta Green 4500	2.5
TurfKing #530	8.25

Rotary Spreader Models

These spreaders can toss lawn food a great distance. Do not allow granules to fall in flower or shrub beds or around trees. These plants can be hurt.

Red Devil SB1000	11
Republic Broadcast	3.75
Vigoro SB 4000V	8
Earthway Ev-N-Spread	13
Scotts EZ Green (EG-3)	27
Scotts SpeedyGreen 1000	8
Scotts SpeedyGreen 2000	9.5
Scotts SpeedyGreen 3000	9
Sta Green 4500	7
TurfKing #540	3.75

STORAGE AND DISPOSAL

Store this product in its original container and keep out of reach of children and domestic animals. Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

GUARANTEED ANALYSIS:

Total Nitrogen (N) 20%

17.6% Ammoniacal Nitrogen

2.4% Urea Nitrogen

Available Phosphate (P_2O_5) 2%

Soluble Potash (K_2O) 5%

Sulfur (S) 19%

Derived from Ammonium Sulfate, Ammonium Phosphate, Urea, and Muriate of Potash.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>.

Filled by weight not by volume. Product may settle after packaging.

If you are not satisfied with the performance of this product, simply send your name, address, and proof of purchase to the address shown and we will be happy to refund your purchase price.

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

LILLY MILLER BRANDS
303 South Grand Street
Greenfield, MO 65661
www.lillymiller.com