

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (75-767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.

802-590

DATE OF ISSUANCE

APR 21 1992

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Lilly/Miller Esfenvalerate  
Ready-to-Use

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

The Chas. H. Lilly Company  
7737 NE Killingsworth St.  
Portland, OR 97218

161 5405055  
161 5408083  
161 5409299  
~~161 5412797~~

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) since you have agreed to:

1. Submit and/or cite all data or other material for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase, "EPA Registration No. 802-590."

b. Highlight/move the restriction "FOR HOUSEHOLD USE ONLY" to the front panel.

c. Add a corresponding asterisk to "EVERCII - registered..."

3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your

SIGNATURE OF APPROVING OFFICIAL

DATE

274

ESFENVALERATE READY-TO-USE

Controls aphids, leafhoppers, caterpillars and many other insects on ornamentals, flowers, vegetables and fruits.

Ready-To-Use

Contains EVERCIDE\*

ACTIVE INGREDIENT:

(S)-cyano(3-phenoxyphenyl)methyl-(S)- 4-chloro-alpha-(1-methylethyl) benzeneacetate . . . . .	0.0033%
INERT INGREDIENTS . . . . .	99.9967%

EVERCIDE - registered trademark of McLaughlin Gormley King Co.

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements.

NET CONTENTS 24 FL. OZ.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and water after use. Obtain medical attention if irritation develops or persists. Avoid contamination of food or feedstuffs.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If In Eyes: Flush with plenty of water. Get medical attention if irritation persists. If On Skin Or Clothing: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists. If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and other wildlife. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For Household Use Only.

USE PRECAUTION

Do not spray in or near fish ponds or other bodies of water.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

APR 21

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

802-590

SHAKE WELL BEFORE USING. Apply when insects are observed or damage is evident. Spray to thoroughly cover all plant surfaces, including undersides of leaves. Repeat weekly throughout the growing season or as needed for control.

For optimum control of Plant Bugs, Leaf and Stem Phylloxera, and Rosy Apple Aphid, consult your State Agricultural Experiment Station or State Extension Service Specialist for timing of sprays in your area.

On food crops, follow the time interval between last application and harvest indicated by the number in ( ) following each crop. For example, a (1) indicates this product may be applied up to one day before harvest.

ORNAMENTAL PLANTS such as African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Gladiolus, Marigold and Roses. Use ESFENVALERATE READY-TO-USE to control Aphids, Armyworm, Cutworm, Flea Beetle, Grasshopper, Leafhopper, Looper, Lygus Bug, Stink Bug, Tarnished Plant Bug, and Whitefly.

VEGETABLES

Artichoke\* (7), Broccoli (3), Cabbage (3), Carrots (7), Cauliflower (3), Chinese Cabbage - tight headed varieties only (3), Collards (7), Cucumber (3), Dry Beans (21), Dry Peas (21), Eggplant (7), Green Peas (3), Lentils (21), Peppers (7), Potatoes (7), Pumpkins (3), Radishes (7), Snap Beans (3), Squash - winter and summer (3), Sweet Corn (1), Tomatoes (1).

Use ESFENVALERATE READY-TO-USE to control Aphids (including Buckthorn, Corn Leaf, Oat Bird-Cherry, Pea, Potato), Armyworms (including Western Yellow-Striped, Beet, Southern), Artichoke Plume Moth, Beetles (including Banded Cucumber, Colorado Potato, Cucumber adults - spotted and striped, Flea, Mexican Bean, Sap adults), Borers (European Corn, Southwestern Corn, Squash Vine, Stalk), Carrot Weevil, Caterpillar (Alfalfa, Painted Lady, Saltmarsh, Velvetbean), Chinch Bug, Corn Earworm, Corn Rootworm (adults), Cowpea Curculion, Cutworms (including Western Bean), Diamondback Moth, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhoppers (including Aster, Potato), Loopers (including Alfalfa, Cabbage, Celery), Pea Weevil, Pepper Weevil, Pickleworm, Plant Bugs (Tarnished Plant Bug, Stink Bug, Lygus Bug), Potato Psyllid, Potato Tuberworm, Rindworm, Squash Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer and Whitefly.

\*When spraying Artichokes, repeat treatment every two weeks.

FRUITS

Apples (21), Melons including Cantaloupe, Honeydew, Watermelon, Muskmelon (3), Pears (28), Stone Fruits including Peaches, Apricots, Nectarines, Plums, Prune Plums, Cherries (all 14).

494

Use ESFENVALERATE READY-TO-USE to control Aphids (Apple, Rosy Apple, Black Cherry), Apple Maggot, Borers\* (Peach Twig, Peach Tree, Lesser Peach Tree, American Plum), Cherry Fruit Fly, Codling Moth, Green Fruitworm, Leafhoppers, Leafrollers, Lesser Appleworm, Oriental Fruit Moth, Pear Psylla, Pear Slug, Periodical Cicada, Plum Curculio, Tarnished Plant Bug, Tentiform Leaf Miner, Tufted Apple Budmoth, San Jose Scale, Stink Bug, Western Cherry Fruit Fly.

\*For Borer control, spray to thoroughly cover trunk and lower limbs.

NUTS

Almonds (21), Filberts (21).

Use ESFENVALERATE READY-TO-USE to Control Naval Orangeworm, Peach Twig Borer, Filbert Worm, Oblique Banded Leafroller.

STORAGE AND DISPOSAL

Store this product out of reach of children and domestic animals. Do not reuse container. Rinse container before discarding. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.  
PORTLAND, OREGON 97218  
EPA Reg. No. 802-  
EPA Est. 802-OR-1