· PM 25	802-594 p-age	174	
Please read instructions on reverse before completing form.  United States Environmental Protect Washington, DC 2	tion Agency Amendment  Other	ovel expires 05-31-98 Identifier Number	
Application for Pesticide - Section I			
1. Company/Product Number 802-594	2. EPA Product Manager 3. Proposed Robert Taylor None	Classification	
4. Company/Product (Name) Lilly/Miller Blackberry & Brush Kille	PM#	Trestricted	
Name and Address of Applicant (Include ZIP Code)  The Chas. H. Lilly Company PO Box 83179 Portland, OR 97283-0179  Check if this is a new address  6. Expedited Review. In accordance with FIFRA Section 3 (b)(i), my product is similar or identical in composition and is to:  EPA Reg. No.  Product Name			
	Section - II		
Amendment - Explain below.  Resubmission in response to Agency letter dated  X Notification - Explain below.  Explanation: Use additional page(s) if necessary. (For sec	Final printed labels in response to Agency letter dated "Me Too" Application.  Other - Explain below.	-	
Explanation: Use additional page(s) if necessary. (For section I and Section II.)  Notification Per PR Notice 95-2: Revision of descriptive Text.  Section - III			
Material This Product Will Be Puckaged In:			
Child-Resistant Packaging  Yes*  No  No  ** Certification must. be submitted  Unit Packaging   Vas  Yes  Vas  No  No  No  No  No. per  Containe		n)	
Label Container	Retail Container  5. Location of Label Directions On Label On Labeling accompanyi	ng product	
6. Manner in Which Label is Affixed to Product Lithograph Other			
	Section - IV		
1. Contact Point (Complete items directly below for identification)	ation of individual to be contacted, if necessary, to process this applic	ation.)	
Name Daria Mills		(Include Area Code)	
Certifi		ste Application	
2. Signature  Ocusia Mills	3. Tide  Registration Specialist		
4. Typed Name  Daria Mills	5. Date 9/4/96	6 6 6	

Addendum to explanation for Notification concerning:

Lilly/ Miller BlACKBERRY BRUSH KILLER (802-594)

This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Date: 9/4/96

Daria Mills

Registration Specialist





Kills woody plants and deep-rooted weeds including blackberries, poison oak and Scotch broom

Kills completely - stumps and roots won't regrow

ACTIVE INGREDIENT:
Trickopyr (3.5.6-trichkoro-2-pyrldinykxyacellc ackl),
trichtylamine salt\*

8.0%
INERT INGREDIENTS 92.0%

\*Equivalent to 5.7% acid, Keep out of reach of children

See back panel for additional precautionary statements.

**NET CONTENTS** 1 QUART (946 ml)

## STORAGE AND DISPOSAL

Store this product in its original container out of reach of children and domestic animats. Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Causes eye Irritation. Harmfut if swallowed, inhaled, of absorbed through the skin. Avoid contact with eyes, skin or clothing, Avoid breathing spray mist. Wash thoroughly with sap and water after handling. Do not allow children or pets onto treated areas until sprays have dried. Remove saturated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center Immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If Inhaled: Remove affected person to fresh air. Give artificial respiration if indicated. If In Eyes: Flush eyes with plenty of water for at least 15 minutes. Get medical attention. If On Skin: Wash thoroughly with soap and water. Get medical attention if irritation persists.

### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters,

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO. PORTLAND, OREGON 97283 EPA Reg. No. 802-594 EPA Est. No. 033518-CN-001 25025-8/96

Printed in U.S.A. Product of Canada



Base Label

# WHAT IS THIS PRODUCT? AND WHAT WILL IT DO?

BLACKBERRY & BRUSH KILLER kills blackberry vines, plus many kinds of brush and unwanted woody plants. This product can be used in many places around your yard, such as along fences and driveways, under decks, around patios and buildings, or in driveways and parking areas. The area can be planted again just a few weeks after spraying.

BLACKBERRY & BRUSH KILLER will also prevent woody plants from sending up sprouts from the roots, once they are cut down.

# Use BLACKBERRY & BRUSH KILLER to Kill These Plants:

Alder, Arkansas Rose, Arrowwood, Ash, Aspen, Beech, Birch, Blackberry, Blackgum, Box Elder, California Rose, Cascara, Ceanothus, Cherry, Chinquapin, Choke Cherry, Cottonwood, Douglas Fir, Dogwood, Elderberry, Elm, Hawthorn, Hazel, Honeysuckle, Hornbeam, Horsetail Rush (Field), Kudzu, Locust, Madrone, Maples, Mesquite, Mimosa, Mulberry, Oaks, Persimmon, Pine, Polson Ivy, Poison Oak, Poplar, Raspberry, Salmonberry, Sassafras, Scotch Broom, Sumac, Sweetbay Magnolia, Sweetgum, Sycamore, Tanoak, Thimbleberry, Trumpet Creeper, Tulip Poplar, Vine Maple, Virginia Creeper, Western Hemlock, Wild Grape, Wild Rose, Willow, Winged Elm.

# **HOW DO I USE THIS PRODUCT?**

When To Use: Spray brush anytime it is actively growing—in Spring, after leaves are fully open; in Summer, when there is sufficient water; or in the Fall, before the leaves begin to change color.

What To Do: Spray BLACKBERRY & BRUSH KILLER using a pump sprayer or a hose-end sprayer. Use a spray pattern which gives small droplets without a fine mist.

Over-pumping the sprayer will make a fine mist, Spray when the air is calm and there is no wind. Wet the brush completely with the spray. This product works through the leaves and bark; there's no need to wet the soil. After leaves have dropped off (4–6 weeks after spraying), cut down the brush and dispose of it. Once the brush is gone, the area may be replanted.

What Not To Do: Do not spray when it is windy. Do not allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. Do not spray when rain is expected. Do not water the area for 24 hours after spraying. Do not use this product around vegetables, fruits or other plants you eat. Do not use this product when temperatures are above 85° F.

Mixing and Measuring—Shake well before using. It's a good idea to have a separate sprayer just for weed and brush killers, to avoid mix-ups.

Use this amount of BLACKBERRY & BRUSH KILLER	in this amount of water	to cover this area
1/2 -1 cup (4-8 fl. oz.)	1 gallon	500 sq. ft.
1-2 cups (8-16 ft. oz.)	2 gailons	1000 sq. ft.
1½-3cups (12-24ff. oz.)	3 gallons	1500 sq. ft.

Use the higher amounts when conditions are especially dry and on mature or hard to kill brush (such as ash, blackgum, chokecherry, elm, maple, oak, pine or winged elm), to prevent resprouting. Coverage will vary somewhat depending on the amount of brush to be sprayed.

Page 2

Page 3

# WHAT WILL I SEE?

In one to six weeks the leaves will begin to wilt, turn brown and drop off.

# STUMP TREATMENT

BLACKBERRY & BRUSH KILLER can also be used to prevent woody plants and trees from sending up sprouts from the roots. Right after the tree or bush has been cut down, apply BLACKBERRY & BRUSH KILLER to the stump. Use the product straight from the bottle, do not add water. Use a paint brush or small sprayer to completely cover the freshly cut surface. Do not reuse the paint brush; wrap it in several layers of newspaper and discard it in the trash. BLACKBERRY & BRUSH KILLER will be absorbed into the roots and reduce the number of sprouts coming up in the lawn and surrounding areas.

# Blackberry & Brush Killer

- · Controls horsetail rush
- Makes up to 8 gallons of spray
- Easy to apply with a pump-up or hose-end sprayer
- Won't harm the soil replant in just 1 month

DIRECTIONS FOR USE: It is a violation of Federal 'ver' to 'rea this product in a manner inconsistent with its labeling. For household use only. Not for use indoors.

THE CHAS. H. LILLY CO. PORTLAND, OREGON 97283 EPA Reg. No. 802-594 EPA Est. No. 033518-CN-001 25025-8/96



INTEG

Extended Text™ INTEG™ has the following Patents: U.K. & Europe 0130053, U.S.A. 4592572, Canada 1231526,