

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Rebecca M. Horton
Agent for Central Garden & Pet
dba Lilly Miller Brands
c/o Registrations by Design, Inc
118 ½ East Main St., Suite 1
Salem, VA 24153-3805

NOV 20 7008

SUBJECT:

Application for Pesticide Notification - Optional Marketing Statement and

Product Facilities (EPA Est. Nos.) Lilly Miller® Blackberry & Brush Killer

EPA Reg. No. 802-594

Application Dated October 1, 2008

Dear Ms. Horton:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the label changes requested fall within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

Please I	read i	nstruc	tions	on	reverse	<u>before</u>	completing	form

	Registration
	Amendment
,	Other

Form Approved. OMB No. 2070-0060.

<b>\$EPA</b>	n Agency	V	Amend Other	lment	OFF Identifier Number				
		Applicatio	n for Pestici	de - Section	1	<del>- · · · · · · · · · · · · · · · · · · ·</del>			
1. Company/Product Numbe 802-594		2. EPA Product Manager Miller			3. Proposed Classification  None Restricted				
4. Company/Product (Name) Lilly Miller® Blackberry & Brush Killer			PM# 23	PM#					
5. Name and Address of Applicant (Include ZIP Code)  Central Garden & Pet dba Lilly Miller Brands 1340 Treat Blvd., Suite 650  Walnut Creek, CA 94597			(b)(i), m to:	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.  NOV 2 0 2008					
Check if this	is a new address		Produ	Product Name					
			Section - I	l		ť			
Notification - Explain  Explanation: Use addition  Notification of administrative This notification is consistent	below.  nal page(s) if necessar label changes: (1) opti-	y. (For section onal marketing storm Notice 98-10	tatement and (2) alt and EPA regulation	s at 40 CFR 152.4	nted cation. celow. n facilities (EF 6, and no othe	PA Est. Nos. er changes h	nave been made to the		
labeling or the Confidential St false statement to EPA, and f be in violation of FIFRA and I	urther understands tha	t if this notificatio	n is not consistent vorcement action and	with the terms of P d penalties under s	R Notice 98-1	0 and 40 CF	R 152.46, this product may		
·			Section - II	<u> </u>		<u></u>			
1. Material This Product Will	Be Packaged In:		1	10.7	- <del>r</del>				
Child-Resistant Packaging Yes No Certification must	Yes Yes No			Water Soluble Packaging  Yes No  If "Yes" No. per Package wgt container			2. Type of Container  Metal Plastic Glass Paper Other (Specify)		
be submitted				1					
3. Location of Net Contents I  Label Co	nformation ontainer	4. Size(s) Retai	l Container 1 PT / 1 QT	[ • ]					
6. Manner in Which Label is A	Affixed to Product	Lithogra Paper gl Stencile	ph ued d	Other	· · · · · · · · · · · · · · · · · · ·				
			Section - IV	1					
1. Contact Point <i>(Complete i</i>	tems directly below fo	or identification	of individual to be	contacted, if nec	essary, to pi	ocess this	application.)		
Name Rébecca M. Horton			tie Telephone No. (Include Area Consultant/Agent for Lilly Miller Brands 540-375-8826						
f certify that the statem I acknowledge that any both under applicable is	knowlingly false or r		ll attachments the			mplete.	8. Date Application Received  (Stamped)		
Libeaca M. Horton			3. Title  Consultant/Agent for Lilly Miller Brands				1000 1000 1000 1000		
			October 1, 2008						

118½ East Main Street Suite 1 Salem, VA 24153-3805 phone 540.375.8826 fax 540.375.8827 October 1, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs / Registration Division (7505P)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, DC 20460

Re:

**Notification of Minor Label Changes** 

EPA Reg. No. 802-594, Lilly Miller® Blackberry & Brush Killer

Attn:

Linda Arrington, Team Leader

**Minor Formulations & Notifications** 

On behalf of Central Garden & Pet dba Lilly Miller Brands of Walnut Creek, CA, enclosed is notification of the following label changes for the above pesticide registration:

1) optional marketing statement

2) optional product facilities (EPA Est. Nos.)

All areas of revision are highlighted on the enclosed label for your convenience in review.

Best regards,

Rebecca M. Horton Consultant/Agent for CENTRAL GARDEN & PET dba Lilly Miller Brands

e-mail: hortonb@ntelos.net

/bmh

**Enclosure** 

Established 1996

Content the Metro Poetro is distributed. Resp. Faters for mission of substitution of the second for abording the second for a body of the second for a second for

# LILLY MILLER® BLACKBERRY & BRUSH KILLER

[Additional brand name(s): Lilly Miller® Hose 'N Go!® Blackberry & Brush Killer]

For use on woody plants in outdoor areas

Kills woody plants and deep-rooted weeds including blackberries, poison oak and Scotch broom

Kills blackberry(ies), kudzu, poison oak, poison ivy, mesquite, sumac, scotch broom, horsetail rush, and most other woody plants (many kinds of woody plants)

Kills completely-stumps and roots won't grow

Provides a complete kill, No regrowth from the roots

You may replant in treated area in just 1 month (Treated area may be replanted one month after use)

With Crossbow

Connect & Spray Applicator

Also kills Blackberries, Poison Oak, Poison Ivy, and other listed plants Kills Kudzu, Blackberries, Poison Oak, Poison Ivy, Sumac, and other listed plants Kills tough brush [and vines] – roots and all Covers 4,000 square feet

#### **ACTIVE INGREDIENT:**

 NOTIFICATION

NOV 2 0 2008

### Keep out of reach of children

### **CAUTION**

See back/side/other panel(s) [attached booklet] for additional Precautionary Statements & First Aid

NET CONTENTS 1 QUART (946 ml)

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with eyes, skin or clothing during and after application. Avoid breathing spray mist. When applying this product, wear a long-sleeved shirt, long pants, shoes and socks, and waterproof gloves. Wash thoroughly with soap and water after handling. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the treated area during application. Do not allow people or pets onto treated areas until sprays have dried.

EPA Reg. No. 802-594

EPA Est. No. 33518-CN-1A, 44616-MO-1B, (19713-MS-1c, 11715-TN-1D, 5905-AR-1E, 5905-GA-1F)

Subscript is first letter of run code on container.

Oct. 1, 2008 – notification Page 1 of 7 Pages

<sup>\*</sup>Equivalent to 5.7% acid.

#### **USER SAFETY RECOMMENDATIONS**

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove protective clothing and equipment immediately after handling this product. Wash the outside of gloves before removing. Keep and wash protective clothing and equipment separately from other laundry.

#### **FIRST AID**

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or on clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

#### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters and rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only. Not for use indoors.

Controls horsetail rush
Makes up to 8 gallons of spray
Easy to apply with a pump-up or hose-end sprayer
Won't harm the soil-replant in just 1 month

EPA Reg. No. 802-594

EPA Est. No. 33518-CN-1<sub>A</sub>, 44616-MO-1<sub>B</sub>, 19713-MS-1<sub>C</sub>, 11715-TN-1<sub>D</sub>, 5905-AR-1<sub>E</sub>, 5905-GA-1<sub>F</sub> Subscript is first letter of run code on container.

What is this product? And what will it do?

Blackberry & Brush Killer kills blackberry vines, plus many kinds of brush and unwanted woody plants. This product can be used in many places around your yard, such as along fences and driveways, under decks, around patios and buildings, or in driveways and parking areas. The area can be planted again just a few weeks after spraying.

Blackberry & Brush Killer will also prevent woody plants from sending up sprouts from the roots, once they are cut down.

Use Blackberry & Brush Killer to kill these plants:

Alder, Arkansas Rose, Arrowwood, Ash, Aspen, Beech, Birch, Blackberry, Blackgum, Box Elder, California Rose, Cascara, Ceanothus, Cherry, Chinquapin, Choke Cherry, Cottonwood, Douglas Fir, Dogwood, Elderberry, Elm, Hawthorn, Hazel, Honeysuckle, Hornbeam, Horsetail Rush (Field), Kudzu, Locust, Madrone, Maples, Mesquite, Mimosa, Mulberry, Oaks, Persimmon, Pine, Poison Ivy, Poison Oak, Poplar, Raspberry, Salmonberry, Sassafras, Scotch Broom, Sumac, Sweetbay Magnolia, Sweetgum, Sycamore, Tanoak, Thimbleberry, Trumpet Creeper, Tulip Poplar, Vine Maple, Virginia Creeper, Western Hemlock, Wild Grape, Wild Rose, Willow, Winged Elm.

How do I use this product?

When to use: Spray brush anytime it is actively growing - in Spring, after leaves are fully open, in Summer, when there is sufficient water, or in the Fall, before the leaves begin to change color.

What to do: Spray Blackberry & Brush Killer using a pump sprayer or a hose-end sprayer. Use a spray pattern which gives small droplets without a fine mist. Overpumping the sprayer will make a fine mist. Spray when the air is calm and there is no wind. Wet the brush completely with the spray. This product works through the leaves and bark; there's no need to wet the soil. After leaves have dropped off (4 - 6 weeks after spraying), cut down the brush and dispose of it. Once the brush is gone, the area may be replanted.

What not to do: Do not spray when it is windy. Do not allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. Do not spray when rain is expected. Do not water the area for 24 hours after spraying. Do not use this product around vegetables, fruits or other plants you eat. Do not use this product when temperatures are above 85 degrees F.

Mixing and Measuring - Shake well before using.

It's a good idea to have a separate sprayer just for weed and brush killers, to avoid mix-ups.

Use this amount of Blackberry & Brush Killer	in this amount of water	to cover this area
1/2 - 1 cup (4 - 8 fl. oz.) 1 - 2 cups (8 - 16 fl. oz.)	======================================	500 sq. ft. 1000 sq. ft.
1-1/2 - 3 cups (12 - 24 fl. oz.)	3 gallons	1500 sq. ft.

Use the higher amounts when conditions are especially dry and on mature or hard to kill brush (such as ash, blackgum, chokecherry, elm, maple, oak, pine or winged elm), to prevent resprouting. Coverage will vary somewhat depending on the amount of brush to be sprayed.

What will I see?

In one to six weeks the leaves will begin to wilt, turn brown and drop off.

#### Stump Treatment:

Blackberry & Brush Killer can also be used to prevent woody plants and trees from sending up sprouts from the roots. Right after the tree or bush has been cut down, apply Blackberry & Brush Killer to the stump. Use the product straight from the bottle, do not add water. Use a paint brush or small sprayer to completely cover the freshly cut surface. Do not reuse the paint brush; wrap it in several layers of newspaper and discard it in the trash. Blackberry & Brush Killer will be absorbed into the roots and reduce the number of sprouts coming up in the lawn and surrounding areas.

Alternate Directions For Use for container sold with hose-end sprayer attached:

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only. Not for use indoors.

No mix, no measure—just attach to a garden hose and spray

The easy-to-use sprayer attaches right to your garden hose. There's no mixing. Use only what you need, then put it away for next time.

#### WHAT IS THIS PRODUCT? AND WHAT WILL IT DO?

BLACKBERRY & BRUSH KILLER kills blackberry vines plus many woody plants and deep-rooted perennial weeds. It kills completely -- above <u>and</u> below the ground -- so stumps and roots won't regrow.

The easy-to-use sprayer attaches right to your garden hose. There's no mixing. Use only what you need, then put it away for next time.

#### Use BLACKBERRY & BRUSH KILLER to kill these plants:

Alder, Ash, Aspen, Beech, Birch, Blackberry, Box Elder, Cascara (Buckthorn), Cherry, Chinquapin, Choke Cherry, Cottonwood, Dogwood, Elderberry, Elm, Hawthorn, Honeysuckle, Horsetail Rush (Field), Kudzu, Locust, Madrone, Maples (except Bigleaf and Vine), Mesquite, Mimosa, Mulberry, Oaks, Poison lvy, Poison Oak, Poplar, Raspberry, Scotch Broom, Sumac, Sweetgum, Tanoak, Thimbleberry, Wild Grape, Wild Rose, Willow.

#### HOW DO I USE THIS PRODUCT?

When to use: Spray brush anytime it is actively growing: In spring, after leaves are fully open; in summer, when there is sufficient water; or in the fall before leaves begin to change color.

What to do: There is no mixing or measuring with BLACKBERRY & BRUSH KILLER. See the section "TO USE THIS SPRAYER" for operating instructions.

Spray when the air is calm and there is no wind. Wet the brush completely with the spray. This product works through the leaves and bark -- excess spray that runs off onto the soil will not improve control. After leaves have dropped off (4 - 6 weeks after spraying), cut down the brush and dispose of it. Once the brush is gone, the area may be replanted.

What not to do: DO NOT spray when it is windy. DO NOT allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. DO NOT use this product around vegetables, fruits or other plants you eat. DO NOT spray when rain is expected within 24 hours. DO NOT water the area for 24 hours after spraying or effectiveness may be reduced.

## TO USE THIS SPRAYER: Sprays up to 20 feet!

- 1. Shake container well.
- 2. Connect spray nozzle to garden hose.
- 3. Turn on the water from the faucet.

EPA Reg. No. 802-594

EPA Est. No. 33518-CN-1A, 44616-MO-1B, 19713-MS-1c, 11715-TN-1D, 5905-AR-1E, 5905-GA-1F Subscript is first letter of run code on container.

Oct. 1, 2008 – notification Page 5 of 7 Pages

- 4. When you are ready to spray, turn the knob on top so that it points to the MIX position on the spray head. (Fig.1)
- 5. The spray deflector on the front of the hose-end applicator can be rotated to give a stream or fan spray. (Fig. 2)

#### TO STOP SPRAYING:

- 1. When you are finished spraying or if you have to stop spraying at any time, turn the knob back to the OFF position. (Fig. 3)
- 2. Turn off the water from the faucet.
- 3. Turn the knob to H2O then OFF, to drain the water from the hose. (Fig. 4)
- 4. Unscrew spray nozzle from hose.

OR

Apply at the rate of 1 quart of this product to cover 4,000 sq. ft.

- 1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.
- 2. Turn water on at faucet, aim nozzle toward brush and turn control lever to ON to begin spraying. The product will automatically siphon and mix with water.
- 3. When finished turn control lever to OFF position. Turn faucet off. Discharge residual water pressure by turning control lever ON and OFF again.

WHAT WILL I SEE?								
In one to six weeks the leaves will begin to wilt, turn brown and drop off.								
╀┼╂┼╂┾╫┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼	++++	+++	+++	-++	-4			

#### STORAGE AND DISPOSAL

Pesticide Storage: Store this product in its original container and keep out of reach of children and domestic animals. Pesticide Disposal: If partly filled -- Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. Container Disposal: If empty -- Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

To the extent consistent with applicable law, the registrant guarantees this product to the extent of the purchase price, only when used according to label directions.

IN CASE OF EMERGENCY CALL: xxx-xxx-xxxx

LILLY MILLER BRANDS 1340 Treat Blvd., Suite 650 Walnut Creek, CA 94597

www.lillymiller.com Printed in U.S.A. [Product of Canada]

Lilly Miller and Hose 'n Go! Are registered trademarks of Central Garden & Pet.

[Lot No. to be added at production]

NOTIFICATION NOV 2 0 2008