

B A

A B

ACCEPTED
 813-12
 MAY 31 1979
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 UNITED STATES DEPARTMENT OF AGRICULTURE

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 AND DOMESTIC ANIMALS**

DANGER: Corrosive. May cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

DIXICHLOR

ACTIVE INGREDIENT:
 SODIUM HYPOCHLORITE 10%
 INERT INGREDIENTS: 90%

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

NET CONTENTS: 54 GALLONS

EPA REG NO 813-12

EPA EST NO 813-TX 1

Manufactured by

DIXIE CHEMICAL COMPANY

10701 Bay Area Blvd.
 Pasadena, Texas 77507



**DIRECTIONS
 GENERAL CLASSIFICATION**

It is a violation of federal law to use this product with its labeling

FOR USE IN SWIMMING POOLS—Add to 7.2 to 7.6 and keep it in that range. Add by gravity or by means of a chemical feed pump. Establish and maintain a chlorine residual pH and chlorine levels daily with a test kit.

FOR USE IN TOILETS, LOCKER ROOMS—thoroughly rinse toilets, urinals, drains containing 8 oz DIXICHLOR for each gallon of surfaces with clear water after 10 minutes.

NOTE: This product degrades with age. Increase dosage as necessary to obtain the chlorine.

STORAGE AND DISPOSAL: Store away from direct sunlight. In case of a spill, dilute with water. Rinse empty container thoroughly. Return to manufacturer or discard by placing in an approved landfill. Product or solution should be diluted with water and disposed of so as not to contaminate food or feed by storage, disposal.

