

Jacket

OCT 21 1994

Ronald L. Costa Rica  
Southern Agricultural Insecticides, Inc.  
P.O. Box 218  
Palmetto, FL 34220

Dear Mr. Costa Rica:

Subject: Remove Product from Scope of Worker Protection Standard  
(WPS)  
SA-50 Tomato Dust  
EPA Registration Number 829-6  
Your Submission Dated October 6, 1994

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act. (FIFRA), as amended is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. Add the following exclusionary statements to remove the product from scope of WPS:

For use only on home vegetable gardens.

See PR Notices 93-7 and 93-11.

b. Update the Environmental Hazards Statement to include the following statements:

Do not apply directly to water. Do not contaminate water by disposal of equipment washwaters.

Refer to PR Notices 93-3 and 93-8.panel.

2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

We note you submitted two copies of labeling with application rate of 30 to 60 lbs per acre highlighted. This labeling is unacceptable and this product cannot be marketed with this labeling since it does not comply with the Worker Protection Standard (WPS) required by 40 CFR Part 156, Subpart K. Refer to PR Notices 93-7 and 93-11.

Sincerely yours,



for Cynthia Giles-Parker  
Product Manager (22)  
Fungicide-Herbicide Branch  
Registration Division (7505C)

cc: Jim Tompkins  
Registration Support Branch  
Registration Division (7505W)



50 (R)

# TOMATO DUST

ACTIVE INGREDIENT:	By Wt.
BASIC COPPER SULFATE	13.30%
INERT INGREDIENTS:	86.70%
TOTAL:	100.00%
*Metallic Copper Equivalent	7.10%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**  
 IF IN EYES: Flush eyes with plenty of water. Seek medical attention as soon as possible if irritation persists. IF INHALED: Remove victim to fresh air. Contact a physician if irritation occurs. IF SWALLOWED: Give victim 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. IF ON SKIN: Wash affected area with plenty of soap and water. Contact a physician if irritation occurs.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
 CAUTION: HARMFUL IF SWALLOWED. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. AVOID BREATHING DUST. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. MAY CAUSE SKIN SENSITIZATION REACTIONS IN CERTAIN INDIVIDUALS.  
**ENVIRONMENTAL HAZARDS**  
 This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**  
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**A FUNGICIDE DUST FOR USE ON:**  
**TOMATOES and POTATOES** for the control of early and late blights and as an aid in controlling bacterial spot. Dust plants thoroughly at weekly intervals and following rains. For potatoes make 11-22 ozs. per 1,000 sq. ft. applications beginning when plants are 6 inches high. For tomatoes make 11-22 ozs. per 1,000 sq. ft. applications beginning when plants are set in the field.  
**CUCUMBERS, SQUASH, WATERMELONS and CANTALOUPES** for the control of downy mildew. Dust thoroughly, but lightly, using 5 1/2-15 ozs. per 1,000 sq. ft. Apply at 10 day intervals and following rains. Heavy applications, applications to tender foliage, and applications to wet foliage can cause injury to cucurbits.  
**PEPPER** as an aid in the control of bacterial spot, apply at weekly intervals and if possible preceding heavy rains, using 7 1/2-16 1/2 ozs. per 1,000 sq. ft. applications.  
 There is no time limitation on the use of this dust. Remove excess residue at harvest. Consult proper State Extension specialist to determine if local recommendations are consistent with this label before using. Do not exceed indicated dosages. May cause injury to tender plant parts particularly when applications are excessive, uneven, or when foliage is wet. Control of the indicated diseases may not be satisfactory during periods of frequent or heavy rainfall, when disease infestations are extremely severe, or when applications are uneven, inadequate, or poorly timed.  
 Do not apply or allow drift to corn, grain sorghum, or other copper sensitive plants. Do not apply when conditions favor drift from treated area.

**STORAGE AND DISPOSAL**  
**PESTICIDE STORAGE:** Store pesticide in the original container in a locked storage area out of the reach of children and pets. **PESTICIDE DISPOSAL:** To dispose of pesticide, securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.



Buyer assumes all risks of use, storage, or handling of this material in strict accordance with the directions and precautions given herewith.  
 EPA Est. No. B29-FL-1 (3); B29-NC-1 (4); B29-NC-2 (5) Number following Est. No. corresponds to first digit in Lot No. on bottom of bag.

**Southern Agricultural Insecticides, Inc.**

Palmetto, FL 34220      Hendersonville, NC 28793      Boone, NC 28607  
 EPA Reg. No. 829-6      J2      Net Weight 25 lbs.

*Handwritten notes:*  
 60 lbs = 43,650 sq ft  
 960 cu yds = 43,650 / 1000  
 1000 = 43,650 sq ft

ACCEPTED  
 with COMMENTS  
 In EPA Letter Dated:  
 OCT 21 1994

Under the Federal Insecticide  
 and Fungicide Act  
 registered for the pesticide  
 with Reg. No.  
 829-6

BEST AVAILABLE COPY