

SABRAND 50[®] MARLATE[®] DUST

ACTIVE INGREDIENTS:

Methoxychlor, technical	5.00%
(4.4% 2, 2-bis (p-methoxyphenyl)-1, 1, 1-trichloroethane and 0.6% related compounds)	
INERT INGREDIENTS	95.00%

U. S. Patent No. 2,420,928 100.00%

— DIRECTIONS FOR USE —

Dust entire plants thoroughly. Be sure to cover upper and lower leaf surfaces. Do not exceed indicated dosages. This dust may not give satisfactory control under all conditions.

BEANS for the control of Mexican Bean Beetle and Leafhoppers. Two or more applications as necessary. Make 30 to 45 lbs. per acre applications depending on size and spacing of plants. Do not apply within 3 days of harvest. Do not use vines for feed or fodder.

CABBAGE (in home garden) for the control of imported cabbage worm and flea beetles. This dust will not satisfactorily control cabbage looper. Make 30 to 50 lbs. per acre applications at weekly intervals beginning when first true leaves appear. Do not apply within 3 days of harvest.

CUCUMBERS and SQUASH for the control of Cucumber Beetle adults, Melon Worm, and Pickle Worm. For Cucumber Beetle, apply as needed. For Melon Worm and Pickle Worm, apply at 5- to 7-day intervals beginning just before first blooms show. Make 20 to 35 lbs. per acre applications depending on size and spacing of plants. Do not apply within 1 day of harvest.

BLACKBERRIES, RASPBERRIES, STRAWBERRIES for the control of strawberry weevil. Apply to foliage as needed when insects appear. Make 35 lbs. per acre application. Do not apply within 3 days of harvest.

ORNAMENTALS for the control of Japanese Beetle adults. Apply as needed.

NOTE: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Keep Out of Reach of Children

CAUTION! DO NOT INHALE. AVOID CONTACT WITH SKIN, EYES, AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. STORE IN A SAFE PLACE. DO NOT CONTAMINATE FEED OR FOODSTUFFS.

(Marlate registered trade mark of E. I. DuPont De Nemours & Co., Inc.)

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with the directions and precautions given herewith.

Southern Agricultural Insecticides, Inc.

PALMETTO, FLA. BOONE, N. C. HENDERSONVILLE, N. C.
U. S. D. A. Reg. No. 829-16 D

NET WT.