



DANGER — POISON PRECAUTIONS

Can Kill You If Swallowed

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

Can Kill You By Skin Contact

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

Can Kill You If Breathed

This product can kill you if vapors, spray mist or dust are breathed.

Poisonous To Fish and Wildlife

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated area. Do not apply where runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasm and coma.

FIRST AID TREATMENT

If victim is unconscious, call a physician or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

IF BREATHING HAS STOPPED, start artificial respiration immediately and maintain it until the victim has recovered. **IF SWALLOWED,** and victim is conscious, induce vomiting by sticking the finger down the throat. Repeat until vomit is clear. **IF ON SKIN,** wash immediately with soap and water.

STOP! READ THIS LABEL

POISON

See Side Panels For Antidotes and Precautions

DANGER

Keep Out of Reach of Children



CAN KILL YOU

ACCEPTED

Nov 11, 1971

UNDER THE FEDERAL INSECTICIDE ACT
REGISTERED FOR THE FEDERAL REGISTER
EPA REG. NO. 829-56

NOT FOR HOME USE

SA-50[®] BRAND

PRE HEADING CABBAGE DUST

ACTIVE INGREDIENTS:

Toxaphene	10.0%
Technical chlorinated camphene (chlorine content 67-69%)	
Parathion	1.5%
O, O-Diethyl O-p-nitrophenyl thiophosphate	
INERT INGREDIENTS	88.5%
	100.0%

FOR THE COMBINED CONTROL OF CABBAGE WORMS AND APHIDS IN THE SOUTHEAST

For use on CABBAGE and CAULIFLOWER for the control of cabbage worms and aphids, make 20 to 30 lbs. per acre applications depending on size and spacing of plants. Begin applications as soon as plants are established in the field and repeat as necessary, usually weekly. Do not apply to cabbage after head begins to form. Do not apply to cauliflower or other plants until 30 days before harvest. Do not apply to plants less than 10 days before harvest. Apply to plants in rows of cabbage and cauliflower. Apply to plants in rows of cauliflower. Apply to plants in rows of cabbage and cauliflower. Apply to plants in rows of cabbage and cauliflower.



hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

Can Kill You If Breathed

This product can kill you if vapors, spray mist or dust are breathed.

Poisonous To Fish and Wildlife

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated area. Do not apply when runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscles spasm and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

IF BREATHING HAS STOPPED, start artificial respiration immediately and maintain until doctor sees victim. **IF SWALLOWED** and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treatment procedures.

CONTAINER DISPOSAL

COMPLETELY EMPTY BAG AND DISPOSE OF WASTE PESTICIDE BY BURNING IN A BURNING AREA. DO NOT BURN IN A PLACE WHERE SMOKE AND FUMES DO NOT BREATHE OR SOAK THROUGH CLOTHES AND RESIDUE.

ACCEPTED

Nov 11, 1971

UNIVERSITY OF CALIFORNIA
PACIFIC COAST REGION
PACIFIC COAST REGION
PACIFIC COAST REGION
PACIFIC COAST REGION



CAN KILL YOU

829-56

NOT FOR HOME USE

SA-50[®] BRAND

PRE HEADING CABBAGE DUST

ACTIVE INGREDIENTS:

Toxaphene	10.0%
Technical chlorinated camphene (chlorine content 67-69 %)	
Parathion	1.5%
O, O-Diethyl O-p-nitrophenyl thiophosphate	
INERT INGREDIENTS	88.5%
	<hr/>
	100.0%

FOR THE COMBINED CONTROL OF CABBAGE WORMS AND APHIDS IN THE SOUTHEAST

For use on CABBAGE and CAULIFLOWER for the control of cabbage worms and aphids, make 20 to 30 lbs. per acre applications depending on size and spacing of plants. Begin applications as soon as plants are established in the field and repeat as necessary, usually weekly. Do not apply to cabbage after heads begin to form. Do not apply to cauliflower after edible parts begin to form or within 30 days of harvest. Thorough coverage is essential. Apply to both sides of leaves. Cabbage looper control is difficult to obtain. Applications should begin when worms are very small. This mixture is not effective when maximum daily temperatures are persistently below 70° F.

For recommendation for the control of worms and aphids at intervals closer to harvest than indicated, consult your State Agricultural Extension Entomologist.

Do not apply unless foliage is completely dry. Toxaphene-Parathion mixtures may burn foliage. Do not exceed suggested dosages nor apply at intervals closer to harvest than indicated. Apply only with power equipment. Do not use in home garden.

Follow directions carefully. Timing and method of application, weather and growing conditions and other influencing factors in the use of this dust are beyond the control of the seller. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with the directions and precautions given herewith.

Southern Agricultural Insecticides, Inc.

PALMETTO, FLA. BUREN, N. C. HENDERSONVILLE, N. C.
LAFAYETTE, N. C. WASHINGTON, D. C.

NET WEIGHT