



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 7, 2023

Kasey Ray
Registration Specialist
Southern Agricultural Insecticides, Inc.
P.O. Box 218
Palmetto, FL 34220

Subject: Registration Review Label Mitigation for Aliphatic Solvents
Product Name: SOLUBLE OIL SPRAY
EPA Registration Number: 829-83
Application Date: 5/21/2020
Decision Number: 563348

Dear Kasey Ray:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Aliphatic Solvents Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently

Page 2 of 2
EPA Reg. No. 829-83
Decision No. 563348

approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Julie Javier at javier.julie@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Linda Arrington', with a stylized flourish at the end.

Linda Arrington, Branch Chief
Risk Management and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

Enclosure

MASTER LABEL: INTENDED FOR COMMERCIAL AND AGRICULTURAL USE - SUBLABEL A

SOLUBLE OIL SPRAY **(alternate name: Parafine® Oil)** **SUPERIOR 70-SECOND TYPE**

FOR USE ON CITRUS TREES, APPLE TREES, PALM TREES, WOODY ORNAMENTALS, AND VEGETABLES TO CONTROL WHITE FLIES, SCALE INSECTS, MEALY BUGS, AND OTHER TYPES OF INSECTS AS LISTED ON THIS LABEL.

ACTIVE INGREDIENT

Mineral Oil* 98.00%
(Unsulphonated residue not less than 92%)

INERT INGREDIENTS:..... 2.00%

TOTAL: 100.00%

*Contains petroleum distillates

The oil in this product meets Florida Citrus Standards FC 435-66

KEEP OUT OF REACH OF CHILDREN
CAUTION

The specific directions for use of this product are located inside of label.
NOT FOR SALE IN CALIFORNIA

Southern Agricultural Insecticides, Inc

P.O. Box 218
PALMETTO, FL. 34220
(941) 722-3285

EPA Reg. No. 829-83

P.O. Box 429
HENDERSONVILLE, N.C. 28793
(828) 692-2233

J10

P.O. Box 85
BOONE, N.C. 28607
(828) 264-8843


EPA Est. No. 829-FL-1

Contents Liquid:

2.5 Gallons
(9.46 liters)

30 GALLONS
(113.56 liters)

55 Gallons
(208.23 liters)



MASTER LABEL: INTENDED FOR COMMERCIAL AND AGRICULTURAL USE - SUBLABEL A

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for treatment advice.
Have product container or label with you when calling a poison control center or doctor or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.	
Note to Physician: Contains petroleum distillate and may pose an aspiration pneumonia hazard.	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid contact with eyes, skin or clothing. Harmful if swallowed or inhaled. Avoid breathing of spray, mists, or vapors. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators, flaggers and other handlers must wear: Long-sleeved shirt and long pants, chemical-resistant gloves made of barrier laminate or viton > 14 mils, and shoes plus socks. See "ENGINEERING CONTROLS" for additional requirements.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily damaged by this product's concentrate. Do not reuse them.

ENGINEERING CONTROLS

Pilots must use an enclosed cockpit that meets the requirements listed in the WPS for Agricultural Pesticides [40 CFR 170.240(d)(6)].

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this labeling about personal protective equipment (PPE), restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as soil or water, is:

- coveralls,
- shoes plus socks, and
- chemical-resistant gloves made of any waterproof material.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean highwater mark. Do not contaminate water when disposing of equipment wash water or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Avoid drift or run off into storm drains, drainage ditches, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to maximize the chances that wind, or rain will not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Note: Do not apply this product through any type of Irrigation System.

MASTER LABEL: INTENDED FOR COMMERCIAL AND AGRICULTURAL USE - SUBLABEL A

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter or allow others to enter until spray has dried.

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not apply this product in a way that will contact workers or others persons, either directly or through drift. Only protected handlers may be in the area during application. Mix thoroughly the proper amount of oil and water in the spray tank and continue agitation during spraying. In general, woody ornamentals are more tolerant to oil sprays than tender succulent plants. If oil applications must be made to tender plants, they may be syringed off with clear water about an hour after applying oil.

Do not apply oil sprays to plants that are wilting or are near wilting from lack of moisture. Do not apply oil with sulfur or lime sulfur. Do not apply an oil spray within 3 weeks before or after an application of sulfur or lime sulfur. Avoid spraying during periods of excessively high temperature (above 90°F). Do not exceed three oil sprayings per year. Do not use more than the specified dosage, for to do so may cause plant injury. Do not allow the mixture to stand.

EFFICACY CONSIDERATIONS

For scabicides to be effective, thorough coverage is essential. Better scale control can be anticipated when applications are made when scale insects are in the crawler stage.

SPRAY DRIFT ADVISORIES

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT. BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application (e.g. ground, airblast) can influence pesticide drift.

IMPORTANCE OF DROPLET SIZE: An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide target pest control. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

Controlling Droplet Size – Ground Boom

- Volume - Increasing the spray volume so that larger droplets are produced will reduce spray drift. Use the highest practical spray volume for the application. If a greater spray volume is needed, consider using a nozzle with a higher flow rate.
- Pressure - Use the lowest spray pressure recommended for the nozzle to produce the target spray volume and droplet size.
- Spray Nozzle - Use a spray nozzle that is designed for the intended application. Consider using nozzles designed to reduce drift.

Controlling Droplet Size – Aircraft

- Adjust Nozzles - Follow nozzle manufacturers recommendations for setting up nozzles. Generally, to reduce fine droplets, nozzles should be oriented parallel with the airflow in flight.

BOOM HEIGHT – Ground Boom

For ground equipment, the boom should remain level with the crop and have minimal bounce.

RELEASE HEIGHT - Aircraft

Higher release heights increase the potential for spray drift. When applying aurally to crops, do not release spray at a height greater than 10 ft above the crop canopy, unless a greater application height is necessary for pilot safety.

SHIELDED SPRAYERS

Shielding the boom or individual nozzles can reduce spray drift. Consider using shielded sprayers. Verify that the shields are not interfering with the uniform deposition of the spray on the target area.

TEMPERATURE AND HUMIDITY

When making applications in hot and dry conditions, use larger droplets to reduce effects of evaporation.

TEMPERATURE INVERSIONS: Drift potential is high during a temperature inversion. Temperature inversions are characterized by increasing temperature with altitude and are common on nights with limited cloud cover and light to no wind. The presence of an inversion can be indicated by ground fog or by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing. Avoid applications during temperature inversions.

WIND

Drift potential generally increases with wind speed.

AVOID APPLICATIONS DURING GUSTY WIND CONDITIONS.

Applicators need to be familiar with local wind patterns and terrain that could affect spray drift

Ground Applications: Apply using a nozzle height of no more than 4 feet above the ground or canopy. Applications must be consistent with the limitations for wind speed, temperature inversions, and droplet size indicated above.

Airblast Applications: For airblast applications, turn off outward-pointing nozzles at row ends and when spraying outer row. To minimize spray loss over the top in orchard applications, spray must be directed into the canopy. Applications must be consistent with the limitations for wind speed, temperature inversions, and droplet size indicated above.

MASTER LABEL: INTENDED FOR COMMERCIAL AND AGRICULTURAL USE - SUBLABEL A

NON-DORMANT USES (WHEN PLANT IS ACTIVELY GROWING)

This includes all Florida uses as well as uses on actively growing plants (non-dormant) in other Southeastern areas. Do not use when temperatures fall below 42°F within 3 weeks of application. If a second application of oil is necessary, do not apply within six weeks after first oil spray. Avoid spraying open blooms.

PLANT	INSECT	Qts. per 100 Gal.	Tbls. per Gallon	Note
Azaleas	Azalea Lace Bug, White Fly Larva	5	3 1/2	2 applications after blooming period.
Camellia	Scales, White Fly Larva, Citrus Mealy Bug, Soft Scales	5	3 1/2	2 applications at close of blooming period.
Citrus	Florida Red Scale, Purple Scale, Spider Mite, White Fly Larvae.	5	4	Preferably in June or July.
Crotons	Soft Scales, Meaty Bug	4	2	2 applications, if needed.
Gardenia	White Fly Larvae, Soft Scales, Citrus Mealy Bug	5	3 1/2	2 applications preferably after blooming period.
Holly	White Fly Larvae	5	3 1/2	2 applications.
Hibiscus	White Fly Larvae	4	2	Make a second application only if needed.
Ixora	Soft Scales, Mealy Bug	5	4	2 applications as needed, preferably after blooming.
Ivy	Oleander Scale	2	1	Make a second application preferably spring or fall.
Ligustrum	White Fly Larva Soft Scales	5	3 1/2	Make a second application only if needed.
Mango	Florida Red Scale, Mango Scale	5	3 1/2	Make a second application only if needed.
Palm, outdoor	Soft Scales, Mealy Bug	3	2	Rinse with clear water 1 1/2 to 2 hours after applying.
Pittosporum	Cottony Cushion Scale	5	3	2 applications as needed.
Viburnum	Soft Scale	5	3	2 applications as needed.

The maximum application rate for citrus in Texas and Florida is 159 pounds active ingredient per acre (maximum 1500 gallons of spray mix per acre), and, in California, 212 pounds active ingredient per acre (maximum 2000 gallons of spray mix per acre).

For use on the types of vegetables listed below, do not exceed 3 applications in a growing season and do not apply at intervals of less than 14 days. On these vegetable crops, this product controls Ahids, Mites, Beetle Larvae, Leafminers, Thrips, Leafhopper, and Whitefly (except for avocado as noted in table below).

PLANT	INSECT	Qts. per 100 Gal.	Tbls. per Gallon
Avocado	Wax Scale, White Fly, Latania Scale	5	3 1/2
Beans		4-8	2 1/2-5
Beats		4-8	2 1/2-5
Cabbage		4-8	2 1/2-5
Cauliflower		4-8	2 1/2-5
Celery		4-8	2 1/2-5
Corn		4-8	2 1/2-5
Cucurbit		4-8	2 1/2-5
Eggplant		4-8	2 1/2-5
Melon		4-8	2 1/2-5
Pepper		4-8	2 1/2-5
Squash		4-8	2 1/2-5
Tomato		4-8	2 1/2-5
Tobacco		4-8	2 1/2-5

DORMANT USES

Dormant oil sprays are applied during the winter and early spring in those areas where many plants reach true dormancy (not Peninsular Florida). Dormant oil sprays should not be applied in freezing weather. Preferably, temperatures should be above 40°F. Dormant sprays are generally more effective in the spring just before new growth starts.

PLANT	INSECT	Qts. per 100 Gal.	Tbls. per Gallon	Note
Apples	Scales	8	6	Before visible growth starts.
Azalea	Bark Scales	6	4	On early blooming varieties, apply during warm weather in late fall.
Camellia	Scales	6	4	Supplement to summer applications.
Holly	Holly Scale	8	6	In spring before buds open.

CONTINUED BELOW

MASTER LABEL: INTENDED FOR COMMERCIAL AND AGRICULTURAL USE - SUBLABEL A

PLANT	INSECT	Qty. per		Note
		100 Gal.	Gallon	
Pittosporum	Cottony Cushion Scale	8	6	2 applications.
Privet	White Peach Scale	12	8	2 applications 2 weeks apart.
Pyracantha	Wax Scale	12	8	Before visible growth starts.
Rose	Rose Scale	6	4	Before visible growth starts.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal or cleaning of equipment.

PESTICIDE STORAGE: Store under lock and key in a ventilated room and secure from access by unauthorized persons and children. Store in a cool, dry area away from any heat or ignition source. Do not stack over 2 pallets high. Move containers by handles or cases. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Keep container away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Store in original containers only. If the contents are leaking or material is spilled, follow these steps: 1. Contain spill. Absorb with a material such as sawdust, clay granules or dirt. 2. Collect and place in suitable containers for disposal. 3. Wash area with soap and water to remove remaining pesticide. 4. Follow washing with clean water rinse. 5. Place a leaking container in a plastic tub and transfer contents, as soon as possible, to an empty, original container. 6. Do not allow runoff to enter sewer or contaminate water supplies. 7. Dispose of waste as indicated below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

Nonrefillable Container (rigid material; less than 5 gallons): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container one-fourth full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Container (rigid material; 5 gallons up to < 250 gallons): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container one-fourth full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

WARRANTY—CONDITIONS OF SALE

OUR DIRECTIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

MASTER LABEL: INTENDED FOR RESIDENTIAL USE - SUBLABEL B

SOLUBLE OIL SPRAY

(alternate name: Parafine® Oil)

YEAR-ROUND USE - DORMANT AND GROWING SEASON - ON CITRUS, ORNAMENTALS, PALMS, ROSES, SHRUBS,
WOODY ORNAMENTALS, AND VEGETABLES

CONTROLS WHITE FLIES, SCALE INSECTS, MEALY BUGS, AND OTHER TYPES OF INSECTS AS LISTED ON THIS LABEL

ACTIVE INGREDIENT

Mineral Oil* 98.00%
(Unulfonated residue not less than 92%)

INERT INGREDIENTS:..... 2.00%

TOTAL: 100.00%

*Contains petroleum distillates

The oil in this product meets Florida Citrus Standards FC 435-66

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

The specific directions for use of this product are located inside of label.

For residential garden use only

NOT FOR SALE IN CALIFORNIA

Southern Agricultural Insecticides, Inc

P.O. Box 218
PALMETTO, FL. 34220
(941) 722-3285

P.O. Box 429
HENDERSONVILLE, N.C. 28793
(828) 692-2233

P.O. Box 85
BOONE, N.C. 28607
(828) 264-8843

EPA Reg. No. 829-83

J10

EPA Est. No. 829-FL-1

Contents Liquid:

1 Pint
(0.474 liters)

1 Quart
(0.946 liters)

1 Gallon
(3.785 liters)

MASTER LABEL: INTENDED FOR RESIDENTIAL USE - SUBLABEL B

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for treatment advice.
Have product container or label with you when calling a poison control center or doctor or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.	
Note to Physician: Contains petroleum distillate and may pose an aspiration pneumonia hazard.	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid contact with eyes, skin or clothing. Harmful if swallowed or inhaled. Avoid breathing of spray, mists, or vapors. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Handlers must wear: Long-sleeved shirt and long pants, and shoes plus socks.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily damaged by this product's concentrate. Do not reuse them. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean highwater mark. Do not contaminate water when disposing of equipment wash water or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Avoid drift or run off into storm drains, drainage ditches, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to maximize the chances that wind, or rain will not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Apply this product only as specified on the label. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Do not enter or allow others to enter until spray has dried. Only protected handlers may be in the area during application. **Note:** Do not apply this product through any type of Irrigation System.

Aerial application of this product is prohibited. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter or allow others to enter until spray has dried.

GENERAL PRECAUTIONS AND RESTRICTIONS

Note: Do not apply this product through any type of Irrigation System.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Mix thoroughly the proper amount of oil and water in the spray tank and continue agitation during spraying. In general, woody ornamentals are more tolerant to oil sprays than tender succulent plants. If oil applications must be made to tender plants, they may be syringed off with clear water about an hour after applying oil.

Do not apply oil sprays to plants that are wilting or are near wilting from lack of moisture. Do not apply oil with sulfur or lime sulfur. Do not apply an oil spray within 3 weeks before or after an application of sulfur or lime sulfur. Avoid spraying during periods of excessively high temperature (above

MASTER LABEL: INTENDED FOR RESIDENTIAL USE - SUBLABEL B

90°F). Do not exceed three oil sprayings per year. Do not use more than the suggested dosage, for to do so may cause plant injury.

EFFICACY CONSIDERATIONS: For scaleicides to be effective, thorough coverage is essential. Better scale control can be anticipated when applications are made when scale insects are in the crawler stage.

SPRAY DRIFT ADVISORIES: THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT. BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS. A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application (e.g. ground) can influence pesticide drift.

Handheld Technology Applications: Take precautions to minimize spray drift.

USEFUL CONVERSIONS: 1 Tablespoon = 0.5 fluid ounces, 2 Tablespoons = 1.0 fluid ounces, 3 Tablespoons = 1.5 fluid ounces, 4 Tablespoons = 2.0 fluid ounces.

NON-DORMANT USES (WHEN PLANT IS ACTIVELY GROWING)

This includes all Florida uses as well as uses on actively growing plants (non-dormant) in other Southeastern areas. Do not use when temperatures fall below 42°F within 3 weeks of application. If a second application of oil is necessary, do not apply within six weeks after first oil spray. Avoid spraying open blooms.

PLANT	INSECT	Tbls. per Gallon	Note
Azaleas	Azalea Lace Bug, White Fly Larva	3 1/2	2 applications after blooming period.
Camellia	Scales, White Fly Larva, Citrus Mealy Bug, Soft Scales	3 1/2	2 applications at close of blooming period.
Citrus	Florida Red Scale, Purple Scale, Spider Mite, White Fly Larvae.	4	Preferably in June or July.
Crotons	Soft Scales, Mealy Bug	2	2 applications, if needed.
Gardenia	White Fly Larvae, Soft Scales, Citrus Mealy Bug	3 1/2	2 applications preferably after blooming period.
Holly	White Fly Larvae	3 1/2	2 applications.
Hibiscus	White Fly Larvae	2	2nd application only if needed.
Ixora	Soft Scales, Mealy Bug	4	2 applications as needed, preferably after blooming.
Ivy	Oleander Scale	1	Make only one application, preferably spring or fall.
Ligustrum	White Fly Larva Soft Scales	3 1/2	2nd applications as needed.
Mango	Florida Red Scale, Mango Scale	3 1/2	2nd application only if needed.
Palm, outdoor	Soft Scales, Mealy Bug	2	Rinse with clear water 1 1/2 to 2 hours after applying.
Viburnum	Soft Scale	3	2 applications as needed.

The maximum application rate for citrus in Texas and Florida is 159 pounds active ingredient per acre (maximum 1500 gallons of spray mix per acre), and, in California, 212 pounds active ingredient per acre (maximum 2000 gallons of spray mix per acre).

For use on the types of fruits and vegetables listed below, do not exceed 3 applications in a growing season and do not apply at intervals of less than 14 days.

PLANT	INSECT	Tbls. per Gallon	Note
Avocado	Wax Scale, White Fly, Latania Scale	3 1/2	
Beets		2 1/2 - 5	
Cabbage		2 1/2 - 5	
Cauliflower		2 1/2 - 5	
Celery		2 1/2 - 5	
Corn		2 1/2 - 5	
Cucurbit		2 1/2 - 5	
Eggplant		2 1/2 - 5	
Melon		2 1/2 - 5	
Pepper		2 1/2 - 5	
Squash		2 1/2 - 5	
Tomato		2 1/2 - 5	
Tobacco		2 1/2 - 5	

MASTER LABEL: INTENDED FOR RESIDENTIAL USE - SUBLABEL B

DORMANT USES

Dormant oil sprays are applied during the winter and early spring in those areas where many plants reach true dormancy (not Peninsular Florida). Dormant oil sprays should not be applied in freezing weather. Preferably, temperatures should be above 40°F. Dormant sprays are generally more effective in the spring just before new growth starts.

PLANT	INSECT	Tbls. per Gallon	Note
Apples	Scales	6	Before visible growth starts.
Azalea	Bark Scales	4	On early blooming varieties, apply during warm weather in late fall.
Camellia	Scales	4	Supplement to summer applications.
Holly	Holly Scale	6	In spring before buds open.
Pittosporum	Cottony Cushion Scale	6	2 applications.
Privet	White Peach Scale	8	2 applications 2 weeks apart.
Pyracantha	Wax Scale	8	Before visible growth starts.
Rose	Rose Scale	4	Before visible growth starts.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal or cleaning of equipment.

PESTICIDE STORAGE: Store under lock and key in a ventilated room and secure from access by unauthorized persons and children. Store in a cool, dry area away from any heat or ignition source. Do not stack over 2 pallets high. Move containers by handles or cases. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Keep container away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Store in original containers only. If the contents are leaking or material is spilled, follow these steps: 1. Contain spill. Absorb with a material such as sawdust, clay granules or dirt. 2. Collect and place in suitable containers for disposal. 3. Wash area with soap and water to remove remaining pesticide. 4. Follow washing with clean water rinse. 5. Place a leaking container in a plastic tub and transfer contents, as soon as possible, to an empty, original container. 6. Do not allow runoff to enter sewer or contaminate water supplies. 7. Dispose of waste as indicated below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

Nonrefillable Container (rigid material; less than 5 gallons): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container one-fourth full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

WARRANTY—CONDITIONS OF SALE

OUR DIRECTIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

MASTER LABEL: INTENDED FOR RESIDENTIAL USE - SUBLABEL B

MASTER LABEL: INTENDED FOR RESIDENTIAL USE - SUBLABEL B

MASTER LABEL: INTENDED FOR RESIDENTIAL USE - SUBLABEL B