



DO NOT SWALLOW



DO NOT TOUCH



DO NOT BREATHE

DANGER — POISON PRECAUTIONS

Can Kill You If Swallowed

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

Can Kill You By Skin Contact

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

Can Kill You If Breathed

This product can kill you if vapors, spray mist or dust are breathed.

Poisonous To Fish and Wildlife

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated area. Do not apply where runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.



POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscles tremor and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

IF BREATHING HAS STOPPED, start artificial respiration immediately and maintain until doctor sees victim. **IF SWALLOWED** and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

STOP! READ THIS LABEL

ACCEPTED

NOV 10, 71

RECEIVED BY THE NATIONAL INSTITUTE FOR ENVIRONMENTAL HEALTH SAFETY
U.S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE
RECEIVED BY THE NATIONAL INSTITUTE FOR ENVIRONMENTAL HEALTH SAFETY
U.S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE

POISON

See Side Panels For Antidotes and Precautions



CAN KILL YOU

DANGER

Keep Out of Reach of Children

NOT FOR HOME USE

SA-50® BRAND

Pre-Head Dust 2-20

ACTIVE INGREDIENTS:

Parathion 2.0%

O, O-Diethyl O-p-nitrophenyl thiophosphate

Toxaphene 20.0%

Technical chlorinated camphene (chlorine content 67-69%)

INERT INGREDIENTS

78.0%

100.0%

FOR THE COMBINED CONTROL OF CABBAGE WORMS AND APHIDS IN THE SOUTHEAST

FOR USE ON CABBAGE AND CAULIFLOWER for the control of cabbage worms and aphids. Thorough application is essential. Apply 15 to 20 lbs. per acre applications depending on size and spacing of plants. Begin applications when plants become established in the field and repeat as necessary, usually weekly. Do not apply after heads begin to form. Do not exceed indicated dosages.

Parathion is not effective at low temperatures. This mixture may not control cabbage looper under all conditions. Apply to both sides of leaves when worms are small.

For recommendations for the control of cabbage worms and aphids at intervals closer to harvest than indicated, consult your State Agricultural