

DIRECTIONS FOR USE

For use on noncropland and non-food crop areas such as sod, ornamental turf, industrial sites, roadsides and ornamental plant nurseries in areas covered by Federal or State quarantine programs for the two insects listed below. These treatments may be used to certify to pest free conditions as well as for use in suppression and control programs.

FIRE ANTS: BROADCAST SOIL TREATMENT

Mix with water and apply at a rate of 1 to 1½ pints per acre (2 teaspoonfuls - 1 tablespoonful per 1,000 sq. ft.).

FIREANTS: MOUND APPLICATION

Mix with water at the rate of 2 quarts per 100 gallons of water (4 fl. oz. per 5 gallons). Thoroughly saturate mounds using up to 5 gallons for large colonies.

JAPANESE BEETLE LARVAE:

Mix with water and apply at a rate of 5 to 10 pints per acre (2 to 3½ fl. oz. per 1,000 sq. ft.).

S A BRAND **5 O**®

72% CHLORDANE EMULSION CONCENTRATE

Contains 8 lbs. Technical Chlordane per gallon

ACTIVE INGREDIENT:

Technical Chlordane*	72.0%
INERT INGREDIENTS	28.0%
	100.0%

*Equivalent to 43.2% Octachloro -4, 7 - Methanotetrahydroindane and 28.8% related compounds.

KEEP OUT OF REACH OF CHILDREN

WARNING: MAY BE FATAL IF SWALLOWED.

Contact with skin can cause toxic symptoms. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. In case of contact with skin wash with soap and water. For eyes flush with water and get medical attention. Avoid contamination of feed and foodstuffs. Do not use or store near heat or open flame.

Rinse empty container thoroughly with water and destroy. Bury waste and container in an isolated area.

ANTIDOTE—Internal: Emetic of 1 tablespoonful of mustard in tumbler of water. Call a physician.

Southern Agricultural Insecticides, Inc.

Palmetto, Fla. Boone, N. C. Hendersonville, N. C.

EPA Reg. No. 829-89 E Net Contents Liquid: 1 pt.

Do not apply to pastures or range land or graze livestock on treated areas within 1 year of application.

Do not exceed suggested dosages. Shake well before using. Do not apply to lawns or other turf areas when people or animals are on them. Do not allow spray to drift to areas where they might injure people or animals or contaminate food or feed. Keep children and pets off treated areas until the insecticide has been washed off by sprinkling, and grass has completely dried.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with the directions given herewith.

EPA EST 829-F1-1 (3); 829-NC-1 (4); 829-NC-2 (5) Number following Est. No. Corresponds to first digit in Lot No. on side of label.

LOT NO.

