

5-1-65

SUGGESTIONS FOR USE

Dosages indicated may not give satisfactory control under all conditions. Do not exceed indicated dosages. Application to plants in bloom may cause injury. Do not apply to wet foliage or when drying conditions are poor. Shake well before using.

ORNAMENTALS: Aphids, white fly, foliage feeding thrips, lace bugs, spider mites, mealy bugs, purple scale, Florida red scale, azalea scale, oyster shell scale, soft brown scale, Euonymus scale (apply to scale insects in the crawler stage), Japanese beetle adult, tarnished plant bug, boxwood leaf miner. Use 2 teaspoonfuls per gallon of water (2 pints per 100 gallons of water). Apply when insects appear, repeat applications when necessary. Do not apply to Hibiscus, Papaya, or sensitive ferns including Boston, Maiden Hair and Pteris as well as some species of Crassula.

DOGS: For control of fleas on dogs apply a spray containing 2 tablespoons of Malathion per gallon of water wetting thoroughly by means of a hand sprayer. If the animal has free run, treatments may have to be made every second or third week. To avoid unnecessary applications, animals should be closely examined for fleas before re-treating. If the animal is confined to an area free of fleas, one treatment may be sufficient. Do not repeat application for 7 days and only then if infestation is present.

ANIMAL QUARTERS: For control of fleas in dog kennels, in pens, yard, lawns, and under houses, apply a spray containing 10 tablespoonfuls of Malathion per 1 gallon of water at rate of 1 gallon per 1000 sq. ft. (50 x 20) using a garden sprayer. Remove manure and debris before spraying.

BEANS: For control of Mexican Bean Beetle, apply 2 or more applications beginning when insects first appear. Use 2 teaspoonfuls per gallon of water (2 pints per 100 gals. of water per acre). Do not use within 1 day of harvest.




BRAND

EMULSION
MALATHION

ACTIVE INGREDIENTS:

Malathion (O,O-Dimethyl dithiophosphate of diethyl mercaptosuccinate)	53.0
Aromatic Solvent	30.0
INERT INGREDIENTS	17.0



REACH

Harmful
N: breathing
contact
er using. In
er and get r
or foodstuffs
me. Do not a
crop area tre
FISH. Do n

NOTE TO PHYSICIAN: Malathion, upon repeated, prolonged, or careless use may cause cholinesterase inhibition. Atropine is antidotal.

Southern Agricultural Insecticides, Inc.

Palmetto, Fla. Boone, N. C. Hendersonville, N. C.

U.S.D.A. Reg. No. 829-101 Net Cont. Liquid

SUGGESTIONS FOR USE (Cont.)

CITRUS: (Florida) for the control of purple scale, red scale, and soft brown scale, use 2 teaspoonfuls per gallon of water (2 pints per 100 gallons water). Apply one spray post bloom and second during June through September. Do not apply more than 5 gal. of 53 Malathion per acre in any spray. Do not apply within 7 days of harvest.

CUCUMBER AND SQUASH: (in home gardens only), for the control of aphids, apply when aphids first appear and repeat applications as necessary. Use 2 1/2 teaspoonfuls per gallon of water (2 1/2 pints per 100 gals. of water per acre). Do not apply within 1 day of harvest.

BROCCOLI, CABBAGE, COLLARDS, KALE, MUSTARD, and TURNIPS (in home gardens only), for the control of aphids and caterpillars. Begin applications when true leaves appear or when plants are set in the field. Repeat applications at weekly intervals. Apply to obtain thorough coverage. Use 3 teaspoonfuls per gallon of water (3 pints per 100 gals. of water per acre). Do not apply to broccoli or turnips within 7 days of harvest. Do not apply to cabbage, collards, kale, or mustard within 7 days of harvest.

HOUSEHOLD INSECTS: For the control of roaches, ants, spiders, silverfish, crickets, clover mites, and earwigs in and about the home, use 12 tablespoonfuls per gallon of water. Apply by means of a coarse spray or paint brush to window sills, baseboards, drain boards, under sinks, under stoves, and to other areas frequented by insects. This spray can cause stain to some finished surfaces.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with the directions given here-with.

S A

5 0^(R)

**53% SOLUBLE
MATERIALION**

**KEEP OUT OF
CAUTION**

wash thoroughly after use. flush with water. Do not contaminate food. Do not use or store near heat or open flame. Do not allow spray drift from the container. **HIGHLY TOXIC** to aquatic life.

**KEEP OUT OF
CHILDREN**

Do not swallow. Avoid contact with skin and eyes. Avoid contact with clothing. Do not use or store near heat or open flame. Do not allow spray drift from the container. Do not contaminate any