

JAN 21 1986

Mr. Ronald L. Costa Rica
Registration Specialist
Southern Agricultural Insecticides, Inc.
P.O. Box 218
Palmetto, FL 33561-0218

3611 163460
171 2

Dear Mr. Costa Rica:

Subject: Amendment - Revised Label: SA-50 Brand Ciodrin
Livestock Insecticide
EPA Registration No. 829-135
Your Letter Dated November 14, 1985

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. Refer to comment (6) of our September 18, 1985 letter and revise the pesticide disposal paragraph in accordance with paragraph 4 (page 4) of PR Notice 83-3. Your present disposal statements are for household-type products only.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

85882:Shell/LaRocca:PM-15/L-3:KENCQ:1/7/86:1/16/86:bw:lf

CONCURRENCES

▶								
▶								
▶								

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIPRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING May be fatal if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin, or clothing. During commercial exposure in spraying and loading operations, wear clean, synthetic rubber gloves and a respirator. Do not eat, drink, or use tobacco. Wash hands and face thoroughly with soap and water after handling and before eating or drinking. Do not use of stream near head or clothing.

ENVIRONMENTAL HAZARDS
 This product is extremely toxic to aquatic invertebrates. It is also toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Do not use on or near streams, ponds, or other aquatic life. Do not use on or near any type of water. Avoid contact with water.

PHYSICAL HAZARDS
 Do not use of stream near head or clothing.

NOTE Do not contaminate feed, foodstuffs, drinking water, feed and watering utensils, milks or milking equipment.
 Do not apply to Brahma or Brahma cross cattle as they may show hypersensitivity. Do not apply to weak or sick animals or animals under stress. Do not apply to animals less than 3 months old. Apply only lightly and not regularly to animals under 6 months old. Do not apply in conjunction with oral drenches, other internal medications, or other organic phosphates. Do not combine indicated treatments. Indicated high volume treatments should not be made with one week of any other Ciodrin or other organophosphate treatment.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FACE FLIES, HORN FLIES, AND STABLE FLIES ON DAIRY CATTLE
 Low Volume: Fine mist spray daily, covering all parts of animal. Use 1 to 2 fluid ounces (not to exceed 2 fluid oz) of 2% solution per animal. Do not wet skin. Control applications only as long as control measures are necessary. High volume: Use low pressure sprays weekly but not more than weekly. If needed, covering all of the body. Use 1 to 2 pints of 1% solution per animal. High volume: High Pressure Perforated Spraying weekly but not more than once a week, as needed. Use 1 to 2 quarts of 1% solution per animal. Back.

ACCEPTED
 with COMMENTS
 in EPA Letter Dated
 JAN 2 1 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 829-135

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING May be fatal if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin, or clothing. During commercial exposure in spraying and loading operations, wear clean, synthetic rubber gloves and a respirator. Do not eat, drink, or use tobacco. Wash hands and face thoroughly with soap and water after handling and before eating or drinking. Do not use of stream near head or clothing.

ENVIRONMENTAL HAZARDS
 This product is extremely toxic to aquatic invertebrates. It is also toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Do not use on or near streams, ponds, or other aquatic life. Do not use on or near any type of water. Avoid contact with water.

PHYSICAL HAZARDS
 Do not use of stream near head or clothing.

NOTE Do not contaminate feed, foodstuffs, drinking water, feed and watering utensils, milks or milking equipment.
 Do not apply to Brahma or Brahma cross cattle as they may show hypersensitivity. Do not apply to weak or sick animals or animals under stress. Do not apply to animals less than 3 months old. Apply only lightly and not regularly to animals under 6 months old. Do not apply in conjunction with oral drenches, other internal medications, or other organic phosphates. Do not combine indicated treatments. Indicated high volume treatments should not be made with one week of any other Ciodrin or other organophosphate treatment.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FACE FLIES, HORN FLIES, AND STABLE FLIES ON DAIRY CATTLE
 Low Volume: Fine mist spray daily, covering all parts of animal. Use 1 to 2 fluid ounces (not to exceed 2 fluid oz) of 2% solution per animal. Do not wet skin. Control applications only as long as control measures are necessary. High volume: Use low pressure sprays weekly but not more than weekly. If needed, covering all of the body. Use 1 to 2 pints of 1% solution per animal. High volume: High Pressure Perforated Spraying weekly but not more than once a week, as needed. Use 1 to 2 quarts of 1% solution per animal. Back.

Ciodrin Livestock Insecticide Concentrate

(Contains 3.2 lbs. of Ciodrin Insecticide Per Gallon)
FOR USE ON DAIRY CATTLE, SHEEP, HOGS, GOATS, and ANIMAL PREMISES to aid in control of Face Flies, Hornflies, Lice and Ticks

ACTIVE INGREDIENTS
 Dimethyl phosphorate of alpha methylbenzyl 38.2%
 2-hydroxy-2-cyanoethyl acetate 44.5%
 Xylene 17.3%

INERT INGREDIENTS
 TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Call physician or Poison Control Center immediately. Spas or vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger. Do not induce vomiting if a patient is unconscious or convulsing. Person.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.
IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
IF IN EYES: Flush eyes with plenty of water. Call physician immediately.
NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidote. 2-Pam is also antidote and may be administered in conjunction with atropine.
 See Side Panel For Additional Precautionary Statements

Southern Agricultural Insecticides, Inc.
 Palmetto, FL Hendersonville, NC Boone, NC
 EPA REG NO 829-135 AA Net Contents 1 Pint Liquid

DIRECT
 Rubbers—M of mixture in diesel fuel
LICE AN
 Apply a 1% 4 quart per **HOUSE FLIES**
BARN in rooms. Apply resting places where M's Ciodrin drench can Where do dosage to la
 Percent of Amount of pint of co Amount of 100 gals Amount of 1 gal of

Store original discard
 Buyer Assn
 EPA EST
 Est No corr

Ciodrin Livestock Insecticide Concentrate

(Contains 3.2 lbs. of Ciodrin Insecticide Per Gallon)
FOR USE ON DAIRY CATTLE, SHEEP, HOGS, GOATS, and ANIMAL PREMISES to aid in control of Face Flies, Hornflies, Lice and Ticks

ACTIVE INGREDIENTS
 Dimethyl phosphorate of alpha methylbenzyl 38.2%
 2-hydroxy-2-cyanoethyl acetate 44.5%
 Xylene 17.3%

INERT INGREDIENTS
 TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Call physician or Poison Control Center immediately. Spas or vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger. Do not induce vomiting if a patient is unconscious or convulsing. Person.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.
IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
IF IN EYES: Flush eyes with plenty of water. Call physician immediately.
NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidote. 2-Pam is also antidote and may be administered in conjunction with atropine.
 See Side Panel For Additional Precautionary Statements

Southern Agricultural Insecticides, Inc.
 Palmetto, FL Hendersonville, NC Boone, NC
 EPA REG NO 829-135 AA Net Contents 1 Pint Liquid

DIRECT
 Rubbers—M of mixture in diesel fuel
LICE AN
 Apply a 1% 4 quart per **HOUSE FLIES**
BARN in rooms. Apply resting places where M's Ciodrin drench can Where do dosage to la
 Percent of Amount of pint of co Amount of 100 gals Amount of 1 gal of

Store original discard
 Buyer Assn
 EPA EST
 Est No corr