SUGGESTIONS FOR USE

FACE AND BACK RUBBER APPLICATION . . .

SA-50 Brand 1% Ciodrin Insecticide Solution is a specially prepared solution for use in conventional back and face rubber applicators. It is ready to use and does not require dilution. Face rubbers should be saturated and fresh solution should be added daily to insure continued saturation.

Back rubbers should be saturated. When cable type back rubbers are used use 1 gallon of solution for each 20 ft. of cable. Add solution frequently to keep back rubbers saturated. When used with automatic mechanical cattle oilers adjust dosage to coat animal with fine deposit without run-off.

SPRAY APPLICATION . . .

Spray top and upper sides of animals, taking care not to spray in eyes or other sensitive areas. Spray dairy cattle after milking. Apply at a rate of 2 fl. oz. per animal at daily intervals. When daily applications are not feasible, two applications of 3 fl. oz. per animal may be made at a 14 day interval, as an aid in horn fly control.

Begin treatment when fly control becomes necessary. Continue only as long as fly control measures are needed.

S A BRAND 5 O®

1% Ciodrin Insecticide Solution

FOR USE ON DAIRY AND BEEF CATTLE TO CONTROL HORN FLIES AND FACE FLIES

ACTIVE INGREDIENTS:

Dimethyl phosphate of alpha-methylbenzyl 3-hydroxy-cis-crotonate	1.0%
Petroleum hydrocarbons	97.6%
INERT INGREDIENTS	1.4%
	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: Avoid inhalation. Avoid contact with skin, eyes and clothing. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. If swallowed induce vomiting immediately and get medical attention. Atropine is antidotal.

Do not contaminate feed or foodstuffs, feed and watering utensils, milk or milking equipment.

See side panels for precautions and suggestions for use.

Southern Agricultural Insecticides, Inc.

PALMETTO, FLORIDA — BOONE, N.C. — HENDERSONVILLE, N.C.

U.S.D.A. Reg. No. 829-146 — C — Net Liquid Contents 5 gal

USE PRECAUTIONS

CAUTION: Do not apply regularly to calves under 6 months of age. Do not treat Brahma Cattle or Brahma Cross Cattle as they may show hypersensitivity. Do not treat sick animals or animals under stress. Do not apply in conjunction with oral drenches, other internal medications, or other organic phosphates or insecticides.

Decontaminate and destroy used containers. Do not reuse. Rinse thoroughly with water and detergent. Destroy containers and bury. Dispose of rinsings in a way as not to constitute a hazard to or contaminate water supplies.

Follow directions carefully. Timing and method of application, weather conditions, and other influencing factors are beyond the control of the seller. Buyer assumes all risk of use, storage or handling of this material not in strict accordance with the directions given herewith.

ACCEPTED
JAN