SA BRAND 50° SEVIN* 7.5% DUST

WITH 40% SULFUR

ACTIVE INGREDIENTS: Carbaryl (1-Naphthyl N-methylcarbamate) Sulfur	40.00/
INERT INGREDIENTS	
*Trade Mark of Union Carbide Cor oration for: 1-Naphthyl N-methylcarbamate	100.0% U. S. Pat. No. 2,903.478

FOR USE ON beans for the control of Mexican bean beetle, Japanese bean beetle adults, bean leaf beetle, cucumber beetle, corn ear worm, and army worm. Make 20 lbs. per acre applications to foliage as needed to maintain control.

Dosage given is for maturing beans. When applied with ground equipment, use proportionately less for younger plants. Plant injury may occur, particularly when applied to damp foliage, during periods of sustained high humidity, or at excessive rates. This dust may not give satisfactory control under all conditions. Severity of insect infestation, weather conditions, application methods and timing are factors influencing control.

Do not contaminate any body of water nor apply when conditions favor drift from treated area.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

KEEP OUT OF REACH OF CHILDREN

CAUTION! Harmful if swallowed or inhaled. May irritate eyes, nose, throat, and skin. Do not breathe dust. Avoid contact with skin, eyes, and clothing. Wear clean, long sleeved, work clothing daily. Wash thoroughly after using. Do not contaminate feed or foodstuffs. Burn empty container. Stay out of smoke and fumes.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Buyer assumes all risks of use, storage, and handling of this material not in strict accordance with the directions and precautions given herewith.

Southern Agricultural Insecticides, Inc.

PALMETTO, FLA BOONE, N. C. HENDERSONVILLE, N. C.

U. S. D. A. Reg. No. 829-158

B

