

pm 21

829-163

Page 1 of 5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

NOV 18 1994

RONALD L. COSTA RICA
SOUTHERN AGRICULTURAL INSECTICIDES, INC.
BOX 218
PALMETTO, FL. 34220

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 6/28/94 in Response to PR Notice 93-7
EPA Reg. No. 829-163
SA-50 WETTABLE OR DUSTING SULFUR

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

Ronald L. Costa Rica
Southern Agricultural Insecticides, Inc.

Comments for: EPA REG. NO. 829-163
SA 50 Wettable or Dusting Sulfur

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

Add the following User Safety Recommendation to the label:
"Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing."

Chemical-resistant headgear is not required for early entry for this product. You may remove it.

Retain in the Non-Agricultural Use Box on your proposed label the statement "Keep children and pets off treated areas until dust has settled or sprays have dried".

Correct the typographical errors circled on your proposed label.

Delete the crossed out statements on your proposed label. They are redundant statements or phrases.

BEST AVAILABLE COPY



WETTABLE OR DUSTING SULFUR

ACCEPTED
with COMMENTS
In EPA Letter Dated

NOV 18 1994

after the Federal Insecticide,
Fungicide, and Rodenticide Act
amendments for the pesticide
material under EPA Reg. No.
829-163

ACTIVE INGREDIENTS: Sulfur	90.0%
INERT INGREDIENTS	10.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician.
 IF INHALED: Remove victim to fresh air. Contact physician if irritation persists.
 IF IN EYES: Flush eyes for 15 minutes with plenty of water, while lifting upper and lower lids. Seek medical attention if irritation persists.
 IF ON SKIN: Remove contaminated clothing and wash all exposed skin surfaces with soap and water. Contact a physician if irritation develops.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May be harmful if swallowed. Avoid inhalation of dust. Avoid contact with skin and eyes.
 May cause allergic response

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:
 1. Long-sleeved shirt and long pants
 2. Waterproof gloves
 3. Shoes plus socks
 4. ~~Chemical-resistant headgear for overhead exposure~~

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions; for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor runoff from the areas treated. Do not apply where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZARDS

When dusting, keep fire and sparks away from dustier and dust stream.

EPA EST. NO. 829-FL-1 (3); 829-NC-1 (4); 829-NC-2 (5) Number following Est. No. corresponds to first digit in Lot No. on bottom of bag

Southern Agricultural Insecticides, Inc.

Palmetto, FL 34220 Hendersonville, NC 28793 Boone, NC 28607
 EPA Reg. No. 829-163 J3 Net Weight: 2 lbs.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with the label. This product in a way that will contact workers or other persons, either directly or through their clothing, equipment, or animals, other than the intended target. For any requirements specific to your state, consult the agency responsible for pesticide registration.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR Part 170). This standard contains requirements for the protection of agricultural workers, handlers, and greenhouses, and handlers of agricultural pesticides. It covers training, decontamination, notification, and emergency assistance. It also contains provisions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box only apply to uses of the product covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) unless you wear the PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated such as plants, soil, or water.

1. Coveralls
2. Waterproof gloves
3. Shoes plus socks
4. Chemical-resistant headgear for overhead exposure

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies to uses of this product to produce agricultural plants on farms, forests, nurseries, or greenhouses. ~~See the label for more information on non-agricultural uses.~~

BEANS as an aid in the control of rust. Apply at 4-7 day intervals using 40 lbs. per acre to obtain thorough coverage using 16 lbs. per 100 gallons (2/3 cup full per gallon) of water. Rust first appears and continues thereafter through harvest.

ASTER, AZALEA, CALENDULA, CHRYSANTHEMUM (nearly), CRAPE-MYRTLE, DELPHINIUM, LIGUSTRUM, LILAC, MAPLE, PHLOX, RHODODENDRON, ROSE, SNAKE PLANT, VIBURNUM to control powdery mildew. Apply to obtain thorough coverage as a dust or spray (200 gallons (2 tablespoons per gallon)). Make applications at 4 to 7 day intervals if mildew appears and continue applications as long as disease threatens.

PEACHES to control brown rot. Apply to obtain thorough coverage using 5 to 6 tablespoons per gallon. Apply at 3 day intervals during blossom period. Apply after blossoms have fallen, and repeat when 75% of the shucks have come off. Repeat applications at 3 day intervals to harvest. Use lower rate when disease pressure is light. Use higher rate if rainfall and heavy disease pressure. Applications may be continued through harvest period if humid or rainy weather occurs.

CITRUS as a supplemental control of rust mite. Apply to obtain thorough coverage (3 tablespoons per gallon) as a spray or dust using 1/4 to 1 1/2 lbs. per tree (200 gallons).

NOTE: Sulfur may cause injury to open blooms. Do not combine sulfur with oil sprays. Do not apply more than 3 weeks to an oil application and this period should be early in the season. Applications during very hot weather 90° or above may cause injury. Before application, consult U.S.D.A. or State Agricultural Authority for specific application procedures. Do not apply more than 50 lbs. per acre to Beans, 125 lbs. per acre to Citrus or 170 lbs. per acre to Citrus in any one application.

PROCESSING NOTE: When growing crops for processing, consult processor for sulfur.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store pesticide in the original container in a locked storage area. **PESTICIDE DISPOSAL:** Securely wrap container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with DIRECTIONS FOR USE and PRECAUTIONARY STATEMENTS stated on this label.

EPA REG. NO. 829-163 J3



0 51538

