

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY AND POLLUTION PREVENTION

Cynthia Huffman Southern Agricultural Insecticides, Inc. P.O. Box 218 Palmetto, FL 34220

OCT 1 1 2011

**Product Name:** 

Wettable or Dusting Sulfur

EPA Reg. No.:

829-163

Subject:

Application for Pesticide Notification dated 8/10/11

EPA Decision Number: 453048

### Dear Ms. Huffman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10.

The Agency acknowledges the new primary brand name "Wettable or Dusting Sulfur." The Agency also acknowledges the amended First Aid and Storage and Disposal sections.

The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have questions concerning this letter, please contact Erin Malone at 703-347-0253 or via email at malone.erin@epa.gov.

Sincerely,

Mary L. Waller Mary Waller

Product Manager 21 Fungicide Branch

Registration Division (7504P) Office of Pesticide Programs

Please read instructions	on re	verse before complet	ting form.			Form Appr	oved.	OMB No. 2	070-0060	Print Form
United States  Environmental Protection Age Washington, DC 20460					ncy		×	Registra Amenda Other		OPP Identifier Number
·			Applicatio	n for F	esticio	e - Sect	tion	Ī.		· · · · · · · · · · · · · · · · · · ·
Company/Product Number     Southern Agricultural Insecticides, Inc./829-163				2. EPA Product Manager 3. Pr Mary Waller						oposed Classification
4. Company/Product (Name) SA-50 Wettable or Dusting Sulfur					PM# X None					None Restricted
Southern Agricultural Insecticides, Inc. P.O. Box 218 Check if this is a new address					6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.  Product Name					
				Sec	tion - II					
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.					Final printed labels in response to Agency letter dated "Me Too" Application.  Other - Explain below.					
Explanation: Use additional page(s) if necessary. (For section I and Section II.)  Amendment to change product name to Wettable or Dusting Sulfur  Amend First Aid Statements to conform to PR Notice 2001-1  Notification of revisions to conform to PR Notice 2007-4 and 2008-1										
				Sect	ion - II					
1. Material This Produc	t Will	Be Packaged In:								
Child-Resistant Packaging  Yes  No  * Certification must be submitted  Unit Packaging  Yes  X No  H "Yes" Unit Packaging  Wo. per Container				Water Soluble Packaging  Yes  X No  If "Yes" No. per Package wgt container			2. Type of	pe of Container  Metal Plastic Glass Paper Other (Specify)		
3. Location of Net Contants Information  4. Size(s) Retail Container  5. Location of Label Directions  Container  1 lb. and 5 lb.  On Labeling accompanying prod										
6. Manner in Which Label is Affixed to Product    Lithograph   Other     Paper glued   Stenciled										
Section - IV										
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)										
Name Cynthia Huffman				Product Posistrations				Telephone 941-722	No. (Include Area Code) 2-3285	
Certification I certify that the statements I have made on this form and all attach I acknowledge that any knowingly false or misleading statement ma both under applicable law.										6. Date Application Received (Stamped)
2. Signeture Huffman				3. Title  Product Registrations						
4. Typed Name				5. Date						
Cynthia Huffman				Aug 10, 2011						



### Southern Agricultural Insecticides, Inc.

P.O. Box 218 Palmetto, FL 34220 Office: (941) 722-3285 Fax: (941) 723-2974 P.O. Box 429 Hendersonville, NC 28793 Office: (828) 692-2233 Fax: (828) 693-7554 P.O. Box 85 Boone, NC 28607 Office: (828) 264-8843 Fax: (828) 264-5236

August 10, 2011

Fungicide-Herbicide Branch
Document Processing Desk (AMEND)
Office of Pesticide Programs (7504-C)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave. NW
Washington, DC 20460-0001

Subject:

EPA Reg. No. 829-163

SA-50 Wettable or Dusting Sulfur

Amendment to change product name to Wettable or Dusting Sulfur Amendment to First Aid section and update of Storage and Disposal and Environmental Hazards sections to conform to appropriate PR Notices.

Southern Agricultural Insecticides, Inc. is submitting the following amendment and revisions to the above product label:

- 1. Revise the First Aid Section to conform to PR Notice 2001-1
- 2. Revise the Storage and Disposal Section to conform to PR Notice 2007-4
- 3. Revise the Environmental Hazards Section to conform to PR Notice 2008-1

If you have any questions, I can be reached at (941) 722-3285 or by email at cynthia.huffman@southernag.com

Sincerely,

Cynthia Huffman

## SASOUTHERN 50AG®

Notification of label changes relative to PR Notices 2001-2, 2007-4 and 2008-1.

This notification is consistent with the guidance on PR Notices 2001-2, 2007-4 and 2008-1 and the requirements of EPA's regulations at 40 CFR 156.10, 156.80 and 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notices 2001-2, 2007-4 and 2008-1 and the requirements of 40 CFR 156.10, 156.80 and 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Cepithia Huffman

u 5017

# S A SOUTHERN 5 D AG®

# WETTABLE OR DUSTING SULFUR

ACTIVE INGREDIENT:		NOTIFICATION
Sulfur	90.0%	
OTHER INGREDIENTS:	10.0%	OCT 1 1 2011
TOTAL:	100.0%	001 1 1 2011

# CAUTION

### **FIRST AID**

### If on skin or clothing

- •Take off contaminated clothing.
- •Rinse skin immediately with plenty of water for 15-20 minutes.
- •Call a poison control center or doctor for treatment advice.

### If in eyes

- •Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- •Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** May be harmful if swallowed. Avoid inhalation of dust. Avoid contact with skin and eyes. Prolonged or frequently repeated skin contact may cause an allergic reaction in some individuals.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- 1. long-sleeved shirt and long pants 2. o
  - 2. chemical/water resistant gloves
- 3. shoes plus socks

4. Goggles or face shield...

Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

### Southern Agricultural Insecticides, Inc.

Palmetto, FL 34220

Hendersonville, NC 28793

Boone, NC 28607

EPA Reg. No 829-163

Net Weight: 5 lbs.(2,27 kg.)

#### **USER SAFETY RECOMMENDATIONS**

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment of disposal of wastes. Do not apply when weather conditions favor drift from treated areas.

### PHYSICAL OR CHEMICAL HAZARDS

When dusting, keep fire and sparks away from dust stream.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (**REI**) of 24 hours. **PPE** required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls over long sleeved shirt and long pants, chemical/water resistant gloves, shoes plus socks and goggles or face shield.

### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, nurseries or greenhouses. Keep children and pets of treated areas until dust has settled or sprays have dried.

**BEANS** as an aid in the control of rust. Apply at 4-7 day intervals using 40 lbs. per acre as a dust, or spray to obtain thorough coverage using 16 lbs. per 100 gallons (1/2 cup per gallon). Begin applications when rust first appears and continue thereafter through harvest.

ASTER, AZALEA, CALENDULA, CHRYSANTHEMUM (hardy), CRAPE-MYRTLE, DOGWOOD, DAHLIA, DELPHINIUM, LIGUSTRUM, LILAC, MAPLE, PHLOX, RHODODENDRON, ROSE, SNAPDRAGON AND ZINNIA to control powdery mildew. Apply to obtain thorough coverage as a dust or spray thoroughly using 4 lbs. per 100 gallons (2 tablespoons per gallon). Make applications at 4 to 7 day intervals beginning when powdery mildew appears and continue application as long as disease threatens.

**PEACHES** to control brown rot. Apply to obtain thorough coverage using 5 to 6 lbs. per 100 gallons (3 tablespoons per gallon). Apply at 3 day intervals during blossom period. Apply again as soon as all petals have fallen, and repeat when 75% of the shucks have come off. Repeat applications thereafter at 10 to 14 day intervals to harvest. Use lower rate when disease presence is light. Use higher rate during periods of high rainfall and heavy disease pressure. Applications may be continued through harvest period if brown rot is present or if humid or rainy weather occurs.

**CITRUS** as a supplemental control of rust mite. Apply to obtain thorough coverage. Using 5 lbs. per 100 gallons (3 tablespoons per gallon) as a spray or dust using 1/2 to 1 1/2 lbs. per tree depending on size of trees.

**NOTE:** Sulfur may cause injury to open blooms. Do not combine sulfur with oil sprays. Applications of sulfur should not be closer than 3 weeks to an oil application and this period should be extended during dry or cold weather. Applications during very hot weather (90°F or above) may cause injury. Before applying this product consult proper U.S.D.A. or State Agricultural Authority for specific application procedures and dosages. Do not apply more than 50 lbs. per acre to Beans, 125 lbs. per acre to Citrus or 170 lbs. per acre to Peaches in any one application. **PROCESSING NOTE:** When growing crops for processing, consult processor before applying sulfur.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store product in original container in a cool, dry, locked place out of reach of children and pets.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING:** Non refillable container. Do not reuse or refill this container. Completely empty bag into application equipment, then offer for recycling if available or dispose of bag in a sanitary landfill or by incineration or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke

**CONTAINER HANDLING:** (For Residential/Household Uses): Non refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place

unused product down any indoor or outdoor drain.

**NOTICE:** Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with DIRECTIONS FOR USE and PRECAUTIONARY STATEMENTS stated on this label.

For information or questions contact our website at Southernag.com or email us at support@southernag.com



0 51538 12305 1

EPA EST. NO. 829-FL-1 (3); 829-NC-1 (4); 829-NC-2 (5) Number following Est. No. corresponds to first digit in Lot No.

Southern Agricultural Insecticides, Inc. P.O. Box 218 Palmetto, FL 34220