



**DANGER — POISON
PRECAUTIONS**

Can Kill You If Swallowed

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



Can Kill You By Skin Contact

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



Can Kill You If Breathed

This product can kill you if vapors, spray mist or dust are breathed.

Poisonous To Fish and Wildlife

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated area. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

STOP! READ THIS LABEL

POISON

**See Side
Panels For
Antidotes
and
Precautions**

DANGER

**Keep Out
of Reach
of Children**



CAN KILL YOU

NOT FOR HOME USE

RECORDED
Nov. 3, 1972
829-13

SA-50® BRAND

**1½% Parathion Dust
WITH 6% SEVIN***

ACTIVE INGREDIENTS:

Parathion (O,O-Diethyl O-p-nitrophenyl thionophosphate)

1.5%

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK**, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.



POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscles spasm and coma.

✚ FIRST AID TREATMENT ✚

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

IF BREATHING HAS STOPPED, start artificial respiration immediately and maintain until doctor sees victim. **IF SWALLOWED** and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS. DO NOT GIVE MORPHINE OR TRANQUILIZERS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

COMPLETELY EMPTY BAG AND DISPOSE OF WASTE PESTICIDE BY BURYING. BURN BAG IMMEDIATELY. STAY OUT OF SMOKE AND FUMES. DO NOT BREATHE SMOKE. BURY ASHES AND RESIDUE.

SA-50® BRAND

1½% Parathion Dust WITH 6% SEVIN*

ACTIVE INGREDIENTS:

Parathion (O,O-Diethyl O-p-nitrophenyl thiophosphate)	1.5%
Carbaryl (1-Naphthyl N-methylcarbamate)	6.0%
INERT INGREDIENTS	92.5%
	100.0%

SUGGESTED FOR USE ON:

BEANS to control aphids, corn ear worm, Mexican bean beetle, and potato leafhopper. Apply to the foliage as needed to maintain control, using 30 lbs. per acre applications. Do not apply to beans within 15 days of harvest.

BROCCOLI, CAULIFLOWER, CABBAGE, COLLARDS, KALE, MUSTARD and TURNIPS to control aphids, imported cabbage worm, and cabbage looper. Make 32 lbs. per acre applications to foliage every seven days beginning when first true leaves appear. Do not apply to broccoli, cabbage or cauliflower within 10 days of harvest. Do not apply to collards, kale, mustard, or turnips within 14 days of harvest.

This material may not give satisfactory control, particularly to cabbage loopers, under all conditions. Be sure to apply to cover both sides of leaves.

Parathion is not effective at low temperatures. If maximum daily temperatures persist below 70°F, after application, add an additional 7 days to the number of days between last application and harvest.

Indicated dosages are for maturing crops. Do not exceed indicated dosages. Use proportionately smaller dosages on younger plants and wide plant spacings when applications are made by ground equipment. This mixture may cause injury particularly to tender parts and should not be applied when foliage is wet or when drying conditions are poor. Before applying check with proper state agricultural extension authority to determine if directions for the use of this mixture, for the control of the indicated insects, is consistent with local recommendations.

When control of the indicated insects is necessary at intervals closer to harvest than shown, use an insecticide recommended by the U.S.D.A. for control under these conditions.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. Buyer assumes all risks of use, handling, or storage of this material not in strict accordance with the directions and precautions given herewith.

*Trademark of Union Carbide Corp
1-Naphthyl N-methylcarbamate

U. S. Pat. No. 2,903,478

Southern Agricultural Insecticides, Inc.

PALMETTO, FLA. BOONE, N. C. HENDERSONVILLE, N. C.

EPA Reg. No. 829-173

C

NET WEIGHT