

Best Available COPY

GENERAL INFORMATION

To be applied by uniform broadcasting for the control of certain weed grasses including smooth and hairy crabgrass, foxtail, and barnyard grass.

For use on the following grasses in newly seeded or established turf: Blue grass, fescue, redtop, smooth brome, perennial ryegrass, orchardgrass, and the following strains of bentgrass: Pennrose, Seaside, Highland, Astoria, Gemma, G-1, G-4, and G-19.

Do not use on other bentgrass strains nor on bermuda grass, as injury to turf may result. The effect of SA-50 Brand Dupersan Crabgrass Killer on golf course greens may vary with turf management practices and environmental conditions; therefore, its use on golf greens is not recommended, as injury to the turf may result. Treatment will not control annual bluegrass (poa annua), clover, or most broadleaf weeds.

SA-50 Brand Dupersan Crabgrass Killer may be applied at any stage of turf development, including new seeding. At least 1/2 inch of water must be provided by rainfall or irrigation within 3 days after treatment in order to carry the chemical into the root zone of germinating weeds.

BRAND

ERSAN

CRABGRASS KILLER

GRANULES

Trade Name of E. I. du Pont de Nemours and Co., Inc., 265 S. Dairmont St., Wilmington, Delaware. U.S. Patent Pending.

ACTIVE INGREDIENTS

Siduron [1-(2-Methylcyclohexyl)-3-phenylurea] 1.5%
INERT INGREDIENTS 98.5%

Keep Out of Reach of Children

Caution! May irritate eyes, nose, throat, and skin. Avoid contact with skin, eyes, nose, and mouth.

Do not apply to crops used for food or feed purposes.

NON-WARRANTY: Seller makes no warranty of any kind, expressed or implied, concerning the use of this product. Buyer assumes all risk of use or handling, whether in accordance with directions or not.

SOUTHERN AGRICULTURAL INSECTICIDES, INC.
HENDERSONVILLE, N. C. BOONE, N. C. PALMETTO, FLA.

NEW SPRING SEEDINGS

Apply as a final operation following seeding. Use 25 lbs. of SA-50 Brand Dupersan Crabgrass Killer per 3000 sq. ft.

NEW TARB SEEDINGS AND ESTABLISHED TURF

Apply in the spring just before expected emergence of annual weed grasses. Use 25 lbs. of SA-50 Brand Dupersan Crabgrass Killer per 2000 sq. ft.

All spreaders should be calibrated before using. To calibrate, determine the spread width (swath) of the spreader. Place one lb. (1 quart) of granules in the spreader and apply granules in a straight line. Determine the distance covered. Adjust spreader setting and repeat the process until the spreader will deliver one lb. over distance given on the chart for desired dosage and spread width.

Feet of Travel by Spreader at Dosage

| Spread Width | of 25 lbs. per | |
|--------------|----------------|--------------|
| | 3000 Sq. Ft. | 2000 Sq. Ft. |
| 5 ft. | 24 | 16 |
| 4 ft. | 30 | 20 |
| 3 ft. | 40 | 26 |
| 2 ft. | 60 | 40 |

NET WEIGHT 25 LBS.

ACCEPTED

MAY 17 1967

UNITED STATES FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ORGANIC POISON REGISTERED UNDER NO. 829-178 SUBJECT TO APPROVAL

5/17/67
SOUTHERN AGRICULTURAL INSECTICIDES, INC.
HENDERSONVILLE, N. C.
RECEIVED
MAY 9 1967

PM 25
829-178
5/17/67
P181