1000 1 1 1

JUN 2 4 1994

Ronald L Costa Rica Southern Agricultural Insecticides, Inc P.O. Box 218 Palmetto, Florida 34220

Dear Costa Rica:

Subject: Revise Precautionary Statement SA-50 Brand Bait Tellets Kill Land EPA Registration No. 829-182 Resubmission of June 22, 1994

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), sec. 3(c)(7)(A), is acceptable provided that you:

- 1. Submitted and/cr cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Submit five (5) copies of your final printed labeling with the following labeling changes before you release the product for shipment.
- a) Revised the precautionary scatement to include the following:

"This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area."

- b) The active ingredient (Metaldehyde) must be declare as:
 - Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane).................3.25%
- c) Add the heading "Storage and Disposal" directly above the storage and disposal statement.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.


A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DitE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide Rodenticide Branch Registration Division (H-7505C)

Enclosure



FOR USE ON ORNAMENTALS, CERTAIN VEGETABLES AND TOBACCO



Note to Physician -- Atropuo sullate is autidutal

Man - Fr - 1944



ACTIVE INGREDI	ENIS:		
Melaldehyde .		 	3.25%
	hyl 14-methylcarbaniale)		
, , .	ทำร		
	• • • • • • • • • • • • • • • • • • • •		
	A regulered trademark		
Insecticide.			

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. If it is necessary to induce vomiting, give victim one or two glasses of water and insort linger in back of throat. Repost until vomit fluid is clear. Do not induce vamiling or give anything by mouth to an unconscious person. If Inhaled — Remove victim to least nic Apply respiration If Indicated If on skin - Wash immediately with soap and water, Binso thoroughly If In eyes - Flush eyes with plenty of water. Call a physician immediately,

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION *

May be latel if swellowed. May cause tritition of the skin. Avoid contact with skin, oyes, and clothing. Avoid breathing dust. Wash thoroughly after handling. Keep container closed. May be fatal to children and dogs or other pets if eaten. Keep children and pels out of treated area.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Store in a safe, cool, dry place away from heat and open flame

EPA EST NO 1929 FL-1 (4): 829-NC-1 (4) 829-NC-2 (5); Humber following Est. No. corresponds to first digit in Lot No. on bullom of bag.

Southern Agricultural Insecticides, Inc.

Pelmetto, FL 34220 EPA Reg. No. 829-182 Hendersonville, NC 28793

Boone, NC 28607

NET WEIGHT: 4 LBS.

WILL COMMENTS in EPA Letter Dated

ACCEPTED

BEST AVAILABLE COP

JUN 2 4 1994

lard Inserticide d Rodenticide Ac for the penticld e EPA Reg. No

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use land shads and shags.

as an aid in the control of

Apply to soil surface around plants. In greenhouses where tomatoes and ornamentals are grown. In plant beds, fields, and gardens where tobacco, ornamentals, ornamental turfs, and the following food crops are grown: Beans, broccoll, Brussels sprouts, cabbage, cauliflower, eggplant, lettuce, okra, pepper, and tomatoes.

Distribute pellets evenly around plants using 1 lb. per 1000 square feet. When applying to areas planted in food crops, do not contaminate edible parts of plants. Do not apply to lettuce within 14 days of harvest, to broccoli, Brussels sprouts, cabbage or cauliflower within 3 days of har rest.

When slugs are moving from a known area into a planting, pellets may be placed in a "guard line" at the edge of the planting. Pellets should be applied in late afternoon. Pellets will be less effective when placed in very dry locations. Applications should be repeated at 10-day intervals as necessary to maintain control. Three applications at 10-day intervals should cover a complete life cycle of snails or slugs.

Keep children, pets and domestic animals from treated areas until pellets have disintegrated.

NOTE: Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

Pesticide should be stored in the original container and placed in a locked storage area. Dispose of Pesticide waste by securely wrapping the original container in several layers of newspaper and discard in trash. Do not reuse bag. Discard bag in trash.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with the directions given herewith.

EPA Reg. No. 829-182 J1



0 51538 10914 7

