Keg # 829-182



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

NOV 18 1994

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

PM-19

RONALD L. COSTA RICA SOUTHERN AGRICULTURAL INSECTICIDES, INC. BOX 218 PALMETTO, FL. 34220

Subject: Label Amendment Submission of 6/24/94 in Response to PR Notice 93-7 EPA Reg. No. 829-182 SA-50 BAIT PELLETS KILL LAND SNAILS AND SLUGS

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

BEFORE selling or distributing any product bearing the final printed labeling
AND

WITHIN one year from date of this acceptance.



Page 2

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs (7505C) U.S. Environmental Protection Agency 401 M Street, SW Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

Sincerely, im Fompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

~ 95

Attachment

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division


395

Ronald L. Costa Rica SOUTHERN AGRICULTURAL INSECTICIDES, INC. BOX 218 PALMETTO FL 34220

Comment for: EPA Reg Nr.829-182 SA-50 BRAND BAIT PELLETS KILL LAND SNAILS & SLUGS

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

Delete the crossed-out statements on your proposed label. They are redundant statements or phrases.



FOR USE ON ORNAMENTALS, CERTAIN VEGETABLES AND TOBACCO



AUTIVE INGREDIENTS:	
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetracxycylo-octane)	3.25%
Carbaryl (1-Naphthyl N-methylcarbamate)	4.25%
INERT INGREDIENTS	
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT N-METHYL CARBAMATE

vial was taken internally. If it is necess IF SWALLOWED: Call a physician immediately. Gastric lavage is indicated if ma iary lo induce vomiting, give vicism one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vormiting or give anything by mouth to an unconscious person IF IN EYES: Flush eyes with plenity of water. Call a physician immediately

IF ON SKIN. Wash immediately with soap and water. Rinse thoroughly IF INHALED Remove victim to fresh air Apply respiration if indicated

NOTE TO PHYSICIAN Atropine suifate is antidotal

PRECAUTIONARY STATEMENTS HAZADDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION May be fatal if swallowed. May cause initation of the skin. Avoid contact with skin, eyes, and clothing. Avoid breathing dust. Keep container closed. This pesticide may be fatal to dogs or other pets if eeten. Keep pets out of treated area dust. Keep container closed This pesticide may be fatal to dogs or other pets if earlier PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear long-sleeved shirt and long pants and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash FPE separately from other laundry

USER SAFETY RECOMMENDATIONS

Users should, wash hands before eating, dinnking, chewing gum, using tobacco or using the tolet ENVIRONMENTAL HAZARDS

This product is loss: to fish, pets, birds, and other wildlife. For terrestnal uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wester.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal PESTICIDE STORAGE. Store this pesticide in original container in a locked storage area

PESTICIDE DISPOSAL (HOUSEHOLD ONLY) Securely wrap original container in several layers of newspaper and discard in

CONTAINER DISPOSAL(HOUSEHOLD ONLY) Do not reuse container Discard empty beg in trash

PESTICIDE DISPOSAL (EXCEPT HOUSEHOLD) Wastes resulting from the use of this product may be disposed of on site or waste facility at an P

CONTAINER DISPOSAL (EXCEPT HOUSEHOLD) Completely empty bag into application equipment. Then dispose of empty beg in a senitery lendhil or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke

EPA EST No 829-FL-1(3),829-NC-1(4),829-NC-2(5) Number following establishment No. corresponds to first digit in lot number

SOUTHERN AGRICULTURAL INSECTICIDES, INC. Hendersonville, N.C. 28793

Palmetto, Fla. 34220 EPA REG. No. 829-182

.13

Boone, N.C. 28607 Net Weight, 50 lb.

ACCEPTED with COMMENTS in EPA Letter Dated

NOV 18 1994

Under the Foderal Insecticido, Fundicide, and Rodouticide Act as amended, for the posticide registered under RPA Neg. No. 829-182.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralts, waterproof gloves, and shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Keep children and pets off treated area until subsequent rainfall or irrigation has washed the bait into the soil and the area is dried.

For use as an aid in the control of land snails and slugs.

Apply to soil surface around plants. In greenhouses where tomatoes and ornamentals are grown. In plant beds, fields, and gardens where tobacco, ornamentals, ornamental turfs, and the following food crops are grown: Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Eggplant, Lettuce, Okra, Pepper, and Tomatoes.

Distribute pellets evenly around plants using 1 lb. per 1,000 square feet. When applying to areas planted in food crops, do not contaminate edible parts of plants. Do not apply to lettuce within 14 days of harvest, to broccoli, brussels sprouts, cabbage or cauliflower within 3 days of harvest.

When slugs are moving from a known area into a planting, pellets may be placed in a "guard line" at the edge of the planting. Pellets should be applied in late afternoon. Pellets will be less effective when placed in very dry locations. Applications should be repeated at 10-day intervals as necessary to maintain control. Three applications at 10-day intervals should cover a complete life cycle of snails or slugs.

Keep children; pets and domestic animals from treated areas until pellets-have disintegrated.

NOTE: Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

Follow instructions carefully. Timing and care of application, weather and lawn conditions, and other factors influencing the results obtained by the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with the directions and precautions given herewith.



ļ