

S A BRAND **5 O**®

10% Heptachlor Granules

For use on Ornamental Turfs only and Nursery Environs
Do not Graze or Feed Forage from Treated Areas

ACTIVE INGREDIENTS:

Heptachlor (Heptachlorotetrahydro-4,7-methanoindane)	10.0%
Related Compounds	3.8%
INERT INGREDIENTS:	86.2%
	<hr/>
	100.0%

For the control of ants, mole crickets, Japanese beetle larvae and white grubs. Treat when examination of soil or ornamental turf shows insects present. Apply broadcast using (1 lb. per 1,500 ft.). Wash or work into the top few inches of soil. Do not apply when ground is frozen.

NOTE: Certain areas are under Imported Fire Ant Quarantine and other soil borne insect quarantines. Transportation of plant materials from these areas requires inspection, treatment and certification prior to shipping. Contact your State Plant Board or U. S. D. A. Official responsible for inspection, for treatment details and inspection instructions, before shipment of Plant materials from quarantined areas.

KEEP OUT OF REACH OF CHILDREN

WARNING: May be fatal if swallowed. Hazardous if inhaled or absorbed through skin. Do not breathe dust. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after using and before eating or smoking. Wear clean clothing. In case of spillage on person or clothing remove contaminated clothing and wash exposed skin and clothing thoroughly with soap and water. For eyes flush with water and get medical attention. Do not apply when people or animals are in treatment area. Keep children and animals off treated areas until insecticide has been thoroughly washed into soil by rain or sprinkling and grass has completely dried. Do not contaminate feed or foodstuffs. Antidote—Internal—emetic of 1 tablespoonful of mustard in tumbler of water. Call a physician.

Highly toxic to fish and wildlife. Do not apply where runoff is a problem. Do not contaminate any body of water by application, disposal of waste material or equipment cleaning. Birds feeding over treated areas may be killed. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative agricultural extension service.

Burn empty container. Stay out of smoke and fumes. Bury waste insecticide in an isolated area.

Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with the directions and precautions given herewith.

Southern Agricultural Insecticides, Inc.

Hendersonville, N. C.

Palmetto, Fla.

Boone, N. C.

U. S. D. A. Reg. No. 10000

E. I. du Pont de Nemours & Co.