

ACCEPTED

DEC 15 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 27-193 SUBJECT
TO ATTACHED COMMENTS.

SA-50[®] BRAND

NET WEIGHT

8% Maneb Dust

ACTIVE INGREDIENTS:

MANEB (manganous ethylene bisdithiocarbamate) 8.0%
(Manganese equivalent as metallic 1.65%)

INERT INGREDIENTS 92.0%

100.0

Dosages are indicated for broadcast applications and row applications for maturing plants. Use proportionately less dust when making row treatments with ground equipment to younger plants.

Cabbage and Cauliflower to control alternaria leaf spot and downey mildew. Begin 30 lbs. per acre applications when disease threatens and continue applications as necessary. In plant beds repeat applications at 3-day intervals. For cabbage in field apply at weekly intervals. For cabbage in field, apply 3 to 5-day intervals, depending on severity of disease and weather conditions. Do not apply to cabbage within 7 days of harvest.

Collards, kale, mustard greens, and turnips to control alternaria leaf spot and downey mildew. Begin 30 lb. per acre applications when disease threatens. Repeat applications at 7-day intervals as needed. Do not apply within 10 days of harvest. Remove dust residue by washing.

Tomatoes and Potatoes for the control of early and late blights. For potatoes begin applications when plants are 2 to 8 inches high. For tomatoes begin applications when plants are set in field. Repeat at weekly intervals (more frequently when blights threaten.) Make 40 lb. per acre applications to potatoes, 50 lb. per acre applications to tomatoes. Do not apply on tomatoes within 5 days of harvest.

Remove dust residue at harvest from tomatoes.

May cause injury to tender plant parts especially when application is uneven or when foliage is damp. Control of the indicated diseases may not be satisfactory during periods of frequent and heavy rainfall, when disease is extremely severe or when applications are uneven, inadequate, or poorly timed.

Keep Out of Reach of Children

CAUTION! May be harmful if swallowed. May irritate eyes, nose, throat, and skin. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after handling. Do not contaminate feed or foodstuffs. Store in a safe dry place. Burn empty container. Stay out of smoke and fumes. Toxic to fish. Do not contaminate any body of water nor allow drift from the crop area treated.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with the directions and precautions given herewith.

Southern Agricultural Insecticides, Inc.

PALMETTO, FLA. BOONE, N. C. HENDERSONVILLE, N. C.
EPA Reg. No. 829-193 B