

SA BRAND 50

Sevin* 5% Dust

Maneb 5.6% - Sulfur 70%

A Dust for the Combined Control of Mexican Bean Beetle, Anthracnose, and Rust on Beans

ACTIVE INGREDIENTS:

Maneb (manganous ethylene bisdithiocarbamate) 5.6%

Carbaryl (1-naphthyl N-methylcarbamate) 5.0%

Sulfur 70.0%

INERT INGREDIENTS 19.4%

100.0%

*Trade Mark of Union Carbide Corporation for 1-Naphthyl N-methylcarbamate

U. S. Pat. No. 2,908,178

Applications of this mixture to control Mexican bean beetle should be made as needed to maintain control. Applications of this mixture for anthracnose and rust control be made at 4 to 7-day intervals beginning when plants are young or when disease threatens. Frequency of applications depends on weather conditions and severity of the disease. This mixture is recommended for use when Mexican bean beetle control should be included with applications of Maneb for the indicated diseases.

Dust to obtain thorough coverage using 40 lbs. per acre applications on maturing crops. Use proportionately less when applied by row equipment to smaller plants. Do not use on succulent beans within 4 days of harvest. No time limitation on dried beans.

This mixture may cause injury to tender plant parts, particularly when application is uneven or when foliage is damp. Sulfur in this mixture may burn foliage when temperatures are excessively high. Insect and disease control may not be satisfactory during periods of frequent or heavy rainfall, when insect infestations or disease infections are severe, or when applications are uneven, inadequate or poorly timed.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning equipment, or disposal of wastes. Apply this product only as specified on this label.

Keep Out of Reach of Children

CAUTION! Harmful if swallowed or inhaled. May irritate eyes, nose, throat, and skin. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after handling. Change to clean clothing.

Do not contaminate feed or feedstuffs. Store in a safe dry place. Destroy empty container and bury with waste dust in an isolated area.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

This product is highly toxic to bees exposed to direct treatment and residue crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

Buyer assumes all risks of use, storage, or handling not in strict accordance with the directions and precautions given herewith.

Southern Agricultural Insecticides, Inc.

Palmetto, Florida Boone, N. C. Hendersonville, N. C.

Finished label cut size: 4" x 7"

