

829-197

ACCEPTED
Jan 17 1972
UNDER THE FEDERAL PESTICIDE
REGULATION AND REVISION ACT
FOR ECONOMIC POISON CONTROL
NO UNIT NO. [unclear]
TO ATTACHED COMMENTS.

DINITRO GENERAL WEED KILLER

IMPORTANT:

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, ponds and streams. Rinse equipment and containers and dispose of wastes by burying in noncrop areas away from water supplies. Do not apply in any manner not specified on the label.

Do not allow livestock to graze on treated areas. To avoid staining of carpets, upholstery, etc., keep contaminated clothing and shoes outdoors until cleaned. Do not store at temperatures below 20°F. If stored for extended periods below 20°F, bring the contents of the container up to 32°F and agitate by rolling.

Excessive rainfall immediately after application may reduce effectiveness of this material. Do not use when rainfall is expected within 48 hours. This material is non-selective in action and may be toxic to all types of vegetation. Care should be taken to confine the use or application to the treated area. Avoid contact with desirable plants which are not intended to be injured or destroyed.

GENERAL DIRECTIONS:

Select the proper amount of Dinitro General Weed Killer, depending on temperature, from the following table. To mix, fill the spray tank half full of water and add the recommended amount of material with agitator running. Add the remaining required amount of water and continue agitation during application.

TEMPERATURE	DOSAGE PER ACRE
Less than 70°F	4 quarts — Non-crop lands only
70-80°F	3 quarts
80-95°F	2 quarts
Over 95°F	Do not apply

herbaceous perennial weeds and grasses in non-crop lands and orchard floors.

ACTIVE INGREDIENT:	
4,6-dinitro-o-sec-butylphenol	29.0%
INERT INGREDIENTS:	71.0%
Contains 2.5 pounds 4,6-dinitro-o-sec-butylphenol per gallon.	100.0%

 **Keep Out Of Reach Of Children** 
DANGER-POISON

Absorbed through the skin. May be fatal if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid breathing spray drift. Do not take internally. Do not wear contaminated clothing or shoes. Keep out of reach of children and farm animals. Keep away from feed and food products.

FIRST AID TREATMENT — ANTIDOTE

Symptoms of poisoning: Excessive Fatigue, Sweating, Thirst and Fever. If symptoms of poisoning develop from any type of exposure, send for a physician.

If swallowed, send for a physician. Induce vomiting by giving an emetic such as 2 tablespoonfuls of table salt in a glass of warm water; repeat until vomit fluid is clear, then give two tablespoonfuls of baking soda in a glass of warm water. Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water.

If spilled on skin, immediately remove contaminated clothing, including shoes, and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician. Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water. Discard contaminated clothing and shoes, or clean them thoroughly before re-use.

If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

Note To Attending Physician: Active ingredient is a metabolic stimulant. Treat symptomatically. Do not use, pour, spill or store near heat or open flame.

839-11
 Jan 17 1972
 UNDER THE FEDERAL INSECTICIDE ACT
 AND THE FEDERAL FERTILIZER ACT
 POISON REGISTER
 COMMENTS

SA BRAND
DINITRO
GENERAL WEED KILLER

IMPORTANT:

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, ponds and streams. Rinse equipment and containers and dispose of wastes by burying in noncrop areas away from water supplies. Do not apply in any manner not specified on the label.

Do not allow livestock to graze on treated areas. To avoid staining of carpets, upholstery, etc., keep contaminated clothing and shoes outdoors until cleaned. Do not store at temperatures below 20°F. If stored for extended periods below 20°F, bring the contents of the container up to 32°F and agitate by rolling.

Excessive rainfall immediately after application may reduce effectiveness of this material. Do not use when rainfall is expected within 48 hours. This material is non-selective in action and may be toxic to all types of vegetation. Care should be taken to confine the use or application to the treated area. Avoid contact with desirable plants which are not intended to be injured or destroyed.

GENERAL DIRECTIONS:

Select the proper amount of Dinitro General Weed Killer, depending on temperature, from the following table. To mix, fill the spray tank half full of water and add the recommended amount of material with agitator running. Add the remaining required amount of water and continue agitation during application.

TEMPERATURE	DOSAGE PER ACRE
Less than 70°F	4 quarts — Non-crop lands only
70-80°F	3 quarts
80-95°F	2 quarts
Over 95°F	Do not apply

For the control of broad-leaved weeds and grasses and for killing top growth of herbaceous perennial weeds and grasses in non-crop lands and orchard floors.

ACTIVE INGREDIENT:
 4,6-dinitro-o-sec-butylphenol 29.0%
INERT INGREDIENTS: 71.0%
 Contains 2.5 pounds 4,6-dinitro-o-sec-butylphenol per gallon. 100.0%

 **Keep Out Of Reach Of Children** 
DANGER-POISON

Absorbed through the skin. May be fatal if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid breathing spray drift. Do not take internally. Do not wear contaminated clothing or shoes. Keep out of reach of children and farm animals. Keep away from feed and food products.

FIRST AID TREATMENT — ANTIDOTE

Symptoms of poisoning: Excessive Fatigue, Sweating, Thirst and Fever. If symptoms of poisoning develop from any type of exposure, send for a physician.

If swallowed, send for a physician. Induce vomiting by giving an emetic such as 2 tablespoonfuls of table salt in a glass of warm water; repeat until vomit fluid is clear, then give two tablespoonfuls of baking soda in a glass of warm water. Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water.

If spilled on skin, immediately remove contaminated clothing, including shoes, and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician. Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water. Discard contaminated clothing and shoes, or clean them thoroughly before re-use.

If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

Note To Attending Physician: Active ingredient is a metabolic stimulant. Treat symptomatically. Do not use, pour, spill or store near heat or open flame.

829-197

ACCEPTED
MAY 17 1972
BY THE FEDERAL BUREAU OF INVESTIGATION
AND ECONOMIC POLICE
UNDER NO. 100-100000
ATTACHED COPY

DINITRO

GENERAL WEED KILLER

For the control of most annual weeds and grasses and for killing top growth of herbaceous perennial weeds and grasses in non-crop lands and orchard floors.

ACTIVE INGREDIENT:	
4,6-dinitro-o-sec-butylphenol	29.0%
INERT INGREDIENTS:	71.0%
Contains 2.5 pounds 4,6-dinitro-o-sec-butylphenol per gallon.	100.0%

 **Keep Out Of Reach Of Children**
DANGER - POISON 

Absorbed through the skin. May be fatal if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid breathing spray drift. Do not take internally. Do not wear contaminated clothing or shoes. Keep out of reach of children and farm animals. Keep away from feed and food products.

FIRST AID TREATMENT — ANTIDOTE

Symptoms of poisoning: Excessive Fatigue, Sweating, Thirst and Fever. If symptoms of poisoning develop from any type of exposure, send for a physician.

If swallowed, send for a physician. Induce vomiting by giving an emetic such as 2 tablespoonfuls of table salt in a glass of warm water; repeat until vomit fluid is clear, then give two tablespoonfuls of baking soda in a glass of warm water. Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water.

If spilled on skin, immediately remove contaminated clothing, including shoes, and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician. Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water. Discard contaminated clothing and shoes, or clean them thoroughly before re-use.

If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

Note To Attending Physician: Active ingredient is a metabolic stimulant. Treat symptomatically. Do not use, pour, spill or store near heat or open flame.

Dinitro General Weed Killer is intended for use in non-crop areas such as roadsides, fence rows, around farm buildings, industrial buildings and industrial sites. Use 2 to 4 quarts as indicated in the preceding table. If 100 gallons of water is required, use the listed amount in each 100 gallons of water. Apply this mixture in sufficient volume to thoroughly wet all weed and grass foliage to the "run off" point.

ORCHARD FLOOR:

Apply as a directed spray to weed ground cover under Apples, Cherries, Citrus, Peaches, Pears, Pecans, and Plums. For best results treat when weeds are 3 - 12 inches high. Mix 2 to 3 quarts of General Weed Killer in 100 gallons of water as indicated in the preceding table. Apply as a coarse spray and thoroughly cover all weed foliage. Do not apply below 70°F or above 95°F. Do not apply more than 3 quarts of Dinitro General Weed Killer per acre to the indicated crop areas. Keep spray off fruit and foliage. Destroy any fruit accidentally sprayed. Avoid spraying the base of trees as girdling may occur.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. Buyer assumes all risks of use, handling, or storage of this material not in strict accordance with the directions and precautions given herewith.

Southern Agricultural Insecticides, Inc.
Palmetto, Florida Hendersonville, N.C. Boone, N.C.

NET CONTENTS LIQUID