

SA BRAND 50

AMMATE X

WEED & BRUSH KILLER

ACTIVE INGREDIENTS: _____ 95.0%
 Ammonium Sulfamate _____ 5.0%
 INERT INGREDIENTS _____ 100.0%

Keep Out of Reach of Children

CAUTION! Avoid contact with skin and eyes. Do not breathe spray mist. In case of contact, wash with plenty of water; for eyes flush with water and obtain medical attention.

"Ammate" X Weed and Brush Killer is highly effective for killing undesirable woody plants and for use as a contact spray for control of weeds and grasses. Temporary non-productivity of soil may be caused by heavy applications of "Ammate" X; this condition usually disappears in the "over-winter" period.

Do not reuse containers. Destroy when empty.

Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions and precautions given herewith.

*Registered trademark of E. I. du Pont de Nemours & Co. (Inc.)

PACKAGED AND DISTRIBUTED BY

Southern Agricultural Insecticides, Inc.

Palmetto, Florida Hendersonville, N. C. Boone, N. C.
 U. S. D. A. Reg. No. 829-180

NET WEIGHT

DIRECTIONS

"AMMATE" X is water-soluble, non-volatile, and non-flammable. It may be applied by a sprayer or sprinkling can. Direct sprays away from lawns and desirable plants to avoid injury. Coarse sprays are less likely to drift. "Ammate" X is non-selective; do not apply to, drain, or flush equipment on desirable plants or vegetation.

IMPORTANT: Wash sprayer thoroughly after use to remove all "Ammate" X and to reduce corrosion.

"Ammate" X absorbs moisture readily; keep package tightly closed.

Some species of plants are difficult to control, and retreatment may be necessary if regrowth occurs. The degree of control and duration of effect will vary with weed species, rainfall, temperature, and other conditions.



NOTE: 1 lb. of "Ammate" X is equivalent to 1 1/4 cupsfuls.

For control of woody plants, such as poison ivy, poison oak, poison sumac, tree sprouts, brambles and other brush, use 1 lb. of "Ammate" X per gallon of water. Apply as drenching spray after foliage is well developed. Wet foliage thoroughly. For best results, spray during periods of high humidity. For foliage difficult to wet, add 1/4 teaspoonful of Du Pont Spreader-Sticker or liquid household detergent per gallon. Respray if any recovery is noted.

To control vegetation in driveways, walks, tennis courts, and similar locations, use 1 lb. of "Ammate" X per gallon of water for 25 sq. ft. Apply uniformly with a sprinkling can or sprayer.

To prevent sprouting of tree stumps, apply dry "Ammate" X liberally on freshly cut stump surface especially around the outer edge, or spray surface thoroughly with solution of 4 lbs. of "Ammate" X per gallon of water.

To kill undesirable trees, make a continuous cut or "frill" around the base of the tree with downward axe strokes, cutting into the sapwood. Apply dry "Ammate" X as a continuous band in the frill, or saturate frill with solution of 4 lbs. of "Ammate" X per gallon of water.



829-180