


SA-50 Brand MSMA, is DACONATE®-6 manufactured by Diamond Shamrock Corporation and contains all the Surfactant needed for proper application.

TURF GRASS: For the selective control of bahia grass, dallis grass, barnyard grass and certain other grassy weeds as well as chickweed, nutsedge, sandbur and wood sorrel in certain turf grasses.

Before treatment, turf should be mowed to a height of 1 to 1½ inches. Application should be made at a rate of 1 fluid ounce (2 tablespoonfuls) in 5 gallons of water per 1,000 square feet or 1 1/3 quarts (43 fluid ounces) in 100 to 200 gallons of water per acre.

Application should be made with compressed air hand or power operated sprayers. Hose attached sprayers are not recommended. Spray should be directed in a manner to give uniform, thorough coverage and should wet all weeds to be controlled. Two or more repeat applications at 14-day intervals are usually necessary for effective control. MSMA should be applied during warm weather when temperatures are between 80° and 90°F. Water should not be applied for at least 24 hours after application.



BRAND

MSMA GRASS AND WEED KILLER

For use on Bermuda Grass, Blue Grass and Zoysia Grass.
Use 2 tablespoonful in 5 gallons of water for 1,000 sq. ft.

ACTIVE INGREDIENT	
Monosodium Acid Methanesulfonate	48.35%
INERT INGREDIENTS	51.65%
	100.00%

Contains 6 lbs. MSMA per gallon.
Total arsenic elementals, all in water soluble form 12.58%.

KEEP OUT OF REACH OF CHILDREN

CAUTION Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Wash hands after using. Avoid storage near feed or food products. Keep away from children and domestic animals.

Do not contaminate water used for domestic consumption or by animals or water used for irrigation purposes. Do not feed treated forage to livestock, or grow crops for animal feed. Rinse container thoroughly with water and discard when empty.

Produced and sold by
Southern Agricultural Chemicals, Inc.
Palmetto, Fla. Hendersonville, N.C. Boone, N.C.


Keep children and animals off treated area until MSMA has been washed into the soil with rain or watering. Avoid spray or drift onto vegetables, ornamentals or other desirable grasses. Do not apply to lawn or turf grass under stress from drought, excessive water or other causes. Do not use on newly seeded lawns.

Do not use on bentgrass, St. Augustine grass, dichondra, carpetgrass, bahia grass, centipede grass, or clover lawns since injury to lawn may occur.

MSMA may be combined with 2,4-D to broaden the spectrum of weeds controlled. Mix should be made in spray water only, since concentrates may not be compatible. Fill spray tank half full of water, add 2,4-D according to rate recommended on label, add MSMA, and fill tank. Follow carefully all directions and precautions on 2,4-D label. Spray in the same manner as recommended above.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions and precautions given herewith.

Net Contents Liquid:
EPA Reg. No. 829-209



ACCEPTED WITH COMMENTS