ACTIVE INGREDIENT:

COPPER SULFATE GRANULAR CRYSTALS

INERT INGREDIENTS		
	ា	00%

..... 25.2%

000/

COPPER EXPRESSED AS METALLIC

Culfate (Dantahudanta)

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. Avoid contact with skin and eyes. Wash thoroughly after using.

Do not reuse container. Destroy when empty.

Copper reacts rapidly with zinc, and iron. Do not mix in steel or galvanized containers. Plastic containers are recommended.

DIRECTIONS FOR USE

ALGAE CONTROL IN PONDS: Treatment rates and fish sensitivity vary, contact an appropriate state agency for local recommendations for algae control and fish protection. Copper sulfate may be dissolved and applied as a spray to the water surface or crystals may be placed in a cloth bag and pulled in the water behind a boat until dissolved. Good dispersal is essential no matter what method is used. Most algae can be controlled with a single application of 0.1 to 1.0 ppm (.27 to 2.7 lbs. per acre foot of water). Difficult to kill alage may require 3 to 5 applications at daily intervals.

NOTE: Fish kill may result from use of copper sulfate directly or from oxygen depletion as algae mass decays. Do not apply to moving water. Do not treat with over 2 ppm. Do not use water for drinking, livestock watering or swimming for 24 hours after treatment.

ROOT CONTROL IN SEWER CONNECTIONS: Copper sulfate used according to directions will kill roots that clog sewers with no damage to well established trees or shrubs.

Apply 1/2 pound into toilet at night after the final use for the day and flush it down the drain. Repeat until a total of 2 pounds has been applied. If sewer line is completely clogged, some flow must be established mechanically before use of this product. Repeat treatment every 6 months. Never add through sinks or wash basins where thin metal drains might corrode. Do not use in sewer systems with septic tanks, cess pools or lagoons.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Southern Agricultural Insecticides, Inc. Palmetto, Fla.

Hendersonville, N.C.

Boone, N.C.

EPA Reg. No. 829-210

Net Weight____

ACCEPTED 3-8-72 829-210 INDER THE PEOGRAL INSECTICIDE

UNGIGIDE AND RODENTIGIDE ACT OR E O COMIC POISON REGISTER-D UNDER NO. months. Never add through sinks of drains might corrode. Do not use in cess pools or lagoons. Buyer assumes all risks of use, storag in strict accordance with directions a

ed mechanically before use of this r

Southern Agriculture

Hendersonv Palmetto, Fla.

EPA Reg. No. 829-210

ACCEPTED 3-8-72 829-210 INDER THE PEOGRAL INSECTICIDE

UNGIGIDE AND RODENTIGIDE ACT OR E O COMIC POISON REGISTER-D UNDER NO.