OCT 1 7 1994

Hr. Ronald L. Costa Rica Southern Agricultural Insecticides, Inc. P.O. Box 218 Palmetto, Plorida 34220

Dear Mr. Costa Rica:

Subject: SA-50 Brand 7 1/2% Captan Fungicide Dust EPA Registration No. 829-215 Applicatin To Amend Registration in Compliance with the EPA Worker Protection Standard, To Comply with PR Notice 93-7 and 93-11

The proposed label amendments reflecting the requirements to comply with the subject Worker Protection Standard and subject PR Notices have been reviewed and found acceptable for registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended, provided that you:

- 1. Delete the phrase "For terrestrial uses," from the wetlands statement in the "Environmental Hazards" section of the label, in accordance with PR Notice 93-8.
- Submit one (1) copy of the final printed label before releasing the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIFRA, Section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C)

Enclosure

EWilson:Diskette#14:10-17-94

Ph Mail E. W. Jan 9 3 10-17-94



7 1/2% CAPTAN FUNGICIDE DUST

ACTIVE INGREDIENTS: Captan 7.3% Related Derivatives INERT INGREDIENTS *N-trichloromethyithio-4-cyclohexene-1,2-dicarboximide

KEEP OUT OF REACH OF CHILDREN Danger — Peligro

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detaile. (If you do not understand this tabel, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

IN CASE OF EYE CONTACT, immediately flush eyes with fresh water for 15 minutes. If irritation persists, see a doctor. IF SWALLOWED, give water or milk to drink and telephone for medical advice. Consult medical personnel before inducing vomiting. If medical advice cannot be obtained, then take person and product container to the nearest medical emergency treatment center or hospital. IF ON SKIN, wash thoroughly with soap and water. If a skin rash develops, see a doctor. IF INHALED, remove person from exposure area.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid contact with skin and clothing.

PERSONAL PROTECTIVE EQUIPMENT APPLICATORS AND OTHER HANDLERS MUST WEAR:

Long-sleeved shirt and long pants

Shoes plus socks

Waterproof gloves MIXERS AND LOADERS MUST WEAR:

Protective eyewear

Long-sleeved shirt and long pants

Waterproof gloves

Shoes plus socksProtective eyewear

Chemical-resistant apron when mixing or loading DusUmist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not clean equipment or dispose of equipment wash waters in a manner that will contaminate water resources.

EPA EST. NO. 829-FL-1(3); 829-NC-1(4); 829-NC-2(5) — Number following Est. No. corresponds to first digit in Lot No. on bottom of bag.

Southern Agricultural Insecticides, Inc.

Palmetto, FL 34220 EPA REG. NO. 829-215 Hendersonville, NC 28793

Boone, NC 28607

NET WEIGHT. 50 ILE.

ACC with COmpanyro
In EPA Letter Dated

OCT 17 1994

Under the Federal Insecticide. Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

ST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about porsonal protective equipment and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 days.

Exception: For the last 48 hours of the REI, workers may enter the treated area to perform hand labor or other tasks involving contact with anything that has been treated, such as plants, soil, or water, without time limit, if they wear the early-entry personal protective equipment listed below.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water, is:

- Coveralis
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

POTATOES (Seed Pieces): Damp Off — Dust at 10 ozs. per bushel cut seed pieces (16 oz. or 1 lb. to 100 lbs. cut seed pieces). Apply in convenient container or by duster attachment over belt. Cut pieces should be treated within 6 hours of cutting. If planting is to be delayed more than 1 or 2 days the treated pieces should be stored for 2 days in open crates before bagging. Do not use treated seed for food or feed purposes.

GREENHOUSE BENCH TREATMENT (SOIL): Use 2-2½ ibs. per 1000 sq. ft. Work into upper 3 or 4 inches of soil before planting. For damp-off and root rot diseases of seedlings and transplants of roses, other shrubs, flowers, and tawn seedbeds. Use the lower rate when climatic conditions are unfavorable for disease development and the higher rate when disease(s) are present or when climatic conditions are favorable for development. If you are unaware of the climatic conditions favorable for specific disease development, you should contact your State Agricultural Extension Service.

NOTE: Only the applicator is permitted to be in the greenhouse during application of Captan to soil. Open vents to greenhouse during application and for at least 1 hour after application.

ORNAMENTALS: Rose, black spot; Carnation, rust, leal spot; Chrysanthernums, flower blight — Apply at first sign of disease to give even coverage of upper and lower leaf surfaces. Repeat at 7 to 10-day intervals as necessary. Shorten interval during periods of frequent rain and heavy dew.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container. Store in cool, dry place. Protect from excessive heat.

PESTICIDE DISPOSAL

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Do not reuse container. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with the directions and precautions given herewith.