

SA BRAND 50

2% Methomyl Insecticide Dust

FOR CONTROL OF
CERTAIN CABBAGE AND TOBACCO INSECTS

ACTIVE INGREDIENTS: Methomyl
S-methyl-N-[(methylcarbamoyloxy)thioacetimidate] 2%
INERT INGREDIENTS 98%

KEEP OUT OF REACH OF CHILDREN

WARNING: HARMFUL IF SWALLOWED
OR INHALED. Do not breathe
dust. Do not get in eyes, or skin, on clothing.

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use.

Wear goggles and a mask or respirator of a type suitable for protection against Methomyl when loading, applying or otherwise handling. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking. Do not contaminate or store near food or foodstuffs.

ANTIDOTE AND FIRST AID

ATROPINE IS AN ANTIDOTE—CONSULT PHYSICIAN FOR EMERGENCY SUPPLY OF 100 GRAIN ATROPINE TABLETS. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. If inhaled, remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person.

If warning symptoms appear (See warning symptoms below), before physician arrives, immediately swallow two atropine tablets (each 100 grains); thereafter, every 10 to 15 minutes, take one atropine tablet (100 grains) until throat becomes dry and skin becomes dry and flushed. Take additional tablets as necessary to maintain a moist, clear throat and dry, flushed skin until physician arrives.

SOUTHERN AGRICULTURAL INSECTICIDES, INC.

Palmetto, Fla. Asheville, N.C. Pocomoke, N.C.

EPA Reg. No. 829-216 NET WEIGHT, 25 LBS.

NOTE TO PHYSICIAN

Warning Symptoms — Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

Treatment — Atropine sulfate should be used for treatment. Administer repeated doses, 12 to 20 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Do not use morphine or 2-PAM.

DIRECTIONS

SA-50 Brand 2% Methomyl Insecticide Dust is recommended for control of certain insects on cabbage and tobacco. Apply with standard dust application equipment. Use only in commercial plantings; do not use in home plantings.

Application: Apply at the recommended rates when insects first appear. Continue applications at 5 to 7 day intervals or as needed. Apply the low rates on small plants, small worms and light infestation of insects. Use intermediate rates on larger worms and heavier infestation of insects. Use 1 to 3 applications of the highest recommended rate for controlling severe infestations. Thereafter, use the lowest rate possible to maintain control. The number of days in parentheses following the dosage rates is the preharvest interval which must be allowed between the last application and harvest.

Cabbage — Cabbage looper, imported cabbage worm, diamond-back moth: 25 to 45 lbs./acre (1 day).

Tobacco (Except Shade Tobacco) — Flea beetle: 12 to 23 lbs./acre; begin when plants are set in the field. Hornworm: 12 to 23 lbs./acre; begin before largest worms exceed 1 1/2" in length. Cabbage looper: 23 lbs./acre; begin when worms first appear. Budworm: 23 lbs./acre; include 2 to 3 applications before flower buds open, direct dust into bud (7 days flue cured; 14 days air or fire cured).

IMPORTANT

Not for use or storage in or around the home. Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift. Do not reuse container; bury when empty.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams or ponds. Birds feeding on treated areas may be killed.

Do not contaminate water when cleaning equipment or disposing of wastes or containers. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

Follow directions carefully. Timing and method of application, weather conditions and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with the directions and precautions given herewith.

RECEIVED

S A BRAND 5 O®

2% Methomyl Insecticide Dust

FOR CONTROL OF
CERTAIN CABBAGE AND TOBACCO INSECTS

ACTIVE INGREDIENTS: Methomyl
S-methyl-N-[(methylcarbamoyl)oxy]thioacetimidate 2%
INERT INGREDIENTS 98%

KEEP OUT OF REACH OF CHILDREN

WARNING: HARMFUL IF SWALLOWED
OR INHALED. Do not breathe
dust. Do not get in eyes, or skin, on clothing.

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use.

Wear goggles and a mask or respirator of a type suitable for protection against Methomyl when loading, applying or otherwise handling. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking. Do not contaminate or store near food or foodstuffs.

ANTIDOTE AND FIRST AID

ATROPINE IS AN ANTIDOTE—CONSULT PHYSICIAN FOR EMERGENCY SUPPLY OF 1/100 GRAIN ATROPINE TABLETS. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. *If inhaled*, remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. *Never give anything by mouth to an unconscious person.*

If warning symptoms appear (See warning symptoms below), before physician arrives, immediately swallow two atropine tablets (each 1/100 gr.); thereafter, every 10 to 15 minutes, take one atropine tablet (1/100gr.) until throat becomes dry and skin becomes dry and flushed. Take additional tablets as necessary to maintain a moderately dry throat and dry, flushed skin until physician arrives.

SOUTHERN AGRICULTURAL INSECTICIDES, INC.

Palmetto, Fla. Raleigh, N.C. Boone, N.C.

EPA Reg. No. 829-216 NET WEIGHT: 25 LBS

NOTE TO PHYSICIAN

Warning Symptoms — Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

Treatment — Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Do not use morphine or 2-PAM.

DIRECTIONS

SA-50 Brand 2% Methomyl Insecticide Dust is recommended for control of certain insects on cabbage and tobacco. Apply with standard dust application equipment. Use only in commercial plantings; do not use in home plantings.

Application: Apply at the recommended rates when insects first appear. Continue applications at 5 to 7 day intervals or as needed. Apply the low rates on small plants, small worms and light infestation of insects. Use intermediate rates on larger worms and heavier infestation of insects. Use 1 to 3 applications of the highest recommended rate for controlling severe infestations. Thereafter, use the lowest rate possible to maintain control. The number of days in parentheses following the dosage rates is the preharvest interval which must be allowed between the last application and harvest.

Cabbage — Cabbage looper, imported cabbage worm, diamond-back moth: 25 to 45 lbs./acre (1 day).

Tobacco (Except Shade Tobacco) — Flea beetle: 12 to 23 lbs./acre; begin when plants are set in the field. Hornworm: 12 to 23 lbs./acre; begin before largest worms exceed 1 1/2" in length. Cabbage looper: 23 lbs./acre; begin when worms first appear. Budworm: 23 lbs./acre; include 2 to 3 applications before flower buds open; direct dust into bud (7 days flue cured; 14 days air or fire cured).

IMPORTANT

Not for use or storage in or around the home. Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift. Do not re-use container; bury when empty.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams or ponds. Birds feeding on treated areas may be killed.

Do not contaminate water when cleaning equipment or disposing of wastes or containers. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

Follow directions carefully. Timing and method of application, weather conditions and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with the directions and precautions given herewith.

ACCEPTED