Lann langer Communities is an offestive center? The term of the content and plants and similar tenetions. It can also be used for killing many kinds of undesirable woody plants such as poison inc. seison cells poison summe, brombles and tree sprouts.

Mix one pound, the contents of this package, with one gallon of water in either sprayer or sprinkling can. Apply as ,a drenching spray, throughly wet foliage. For difficult to wet foliage add 1/4 teaspoonful of SA-50 Brand Polyethylene Spreader Sticker or liquid household detergent per gallon. For area treatments such as driveways and tennis courts use a gallon of finished spray for each 25 square feet treated.



ACTIVE INGREDIENTS:
Ammonium Sulfamate 95.0%
INERT INGREDIENTS 5.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: Avoid contact with skin and eyes. Do not breathe spray mist. In case of contact, wash with plenty of water; for eyes flush with water and obtain medical attention.

Do not reuse containers. Destroy when empty. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions and precautions given herewith.

species, rainfall, temperature, and other conditions.

Direct sprays away from desirable plants to available from the series of the series of

IMPORTANT: Wash sprayer thoroughly after use to remove all residues and to reduce corrosion.

This material absorbs moisture readily; keep package tightly closed.

PACKAGED AND DISTRIBUTED BY Southern Agricultural Insecticides, Inc.

Palmetto, Fla. Hendersonville, N.C. Boone, N.C.

EPA Reg. No. 829-220 A Net Weight: 1 lb.

ACCEPTED

Tillay 21, 1973

UNDER THE FEDERAL ELECTICIDE FUNGKERF AND FORMUL TIPE ACT FOR ELON WICH FOR ON ALGISTER TO MIDELLE OF THE PROPERTY OF THE PROP