



# LINDANE SPRAY CONCENTRATE

ACTIVE INGREDIENTS:  
LINDANE (gamma isomer of benzene hexachloride)  
Petroleum Hydrocarbons  
INERT INGREDIENTS  
TOTAL

11.0%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Est. 829-FI-1 (3), 829-NC-1 (4), 829-NC-2 (5) Number following Est. No. corresponds to first digit in Lot No. on side of label.

Registered, Filled, and Distributed by  
**SOUTHERN AGRICULTURAL PESTICIDES, INC.**  
Raleigh, N.C. 27601  
EPA Reg. No. 829-221  
Net Contents Liquid 1 Quart

BEST DOCUMENT AVAILABLE

**ACCEPTED**  
APR 27 1984  
EPA Reg. No. 829-221

BEST DOCUMENT AVAILABLE

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

**CAUTION:** May be harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. May be absorbed through skin. In case of contact, wash immediately with soap and water. Wash thoroughly after handling and before eating, drinking, or smoking. Avoid contamination of feed and foodstuffs. Do not use on humans. Do not use or store near heat or open flame. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. **DO NOT ALLOW CHILDREN TO HANDLE OR APPLY THIS PESTICIDE. CHILDREN AND PETS SHOULD NOT BE ALLOWED IN TREATED AREAS UNTIL SPRAYED SURFACES ARE DRY.**

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of waste. Aerial application of Lindane is prohibited.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on treated area. Do not apply when bees are actively visiting the crop, over crop, or weeds blending in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARD

Do not use, pour, spill or store near heat or open flame.

PROTECTIVE CLOTHING REQUIREMENTS

Applicators must wear the following protective clothing during the application process: Long sleeved shirt, long pants, waterproof gloves, full foot covering and a head covering.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ORNAMENTALS

**APHIDS, THRIPS, LEAFMINERS, CUCUMBER BEETLES:** On Azaleas, Boxwood, Chrysanthemum, Larkspur, Rose and other flowers, both ornamental shrubs and trees, use 1 1/2 pint per 100 gallons, or 2 teaspoonful to 1 gallon of water.

**LACEBUG:** On Azalea, Pyracantha, and Rhododendron, use 2 1/2 pints per 100 gallons or 1 tablespoonful to 1 gallon of water. Apply in spring when immature insects first appear, and repeat as necessary.

**PINE BARK BEETLES, TURPENTINE BEETLE:** Use 1 1/2 pint in 5 gallons of water. Wet trunks thoroughly to runoff to height of 6 feet. Apply at first sign of attack and repeat in 3 to 6 months if necessary.

### Directions for Use (Continued)

FLAT-HEADED BORERS, ROUND-HEADED BORERS, PEACH TREE BORER. On Apples, Cherries, Peaches, use 5 pints per 100 gallons or 5 teaspoonful to 1 gallon of water. Apply to trunk, crotch to ground. Soak bark to runoff and around base of tree. For best results the first trunk spray should be made between July 10 and 15 and two subsequent applications at 3 to 4 week intervals. DO NOT APPLY TO FRUIT OR FOLIAGE.

DOGWOOD BORER, RHODODENDRON BORER, LILAC BORER: On Dogwood, Rhododendron, Lilac use 5 pints per 100 gallons or 5 teaspoonful to 1 gallon of water. Make 2 or 3 applications 7 to 10 days apart in May and early June. Apply to trunk and to lower limbs, particularly to injured areas and old borer wounds.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

#### STORAGE INSTRUCTIONS

Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool dry area away from any heat or ignition source. Do not move containers from one area to another unless they are securely sealed. Keep containers tightly sealed when not in use. Keep away from any puncture source. Be careful not to break glass containers. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Store in original containers only. If the contents are leaking or material is spilled, follow these steps while wearing protective clothing:

1. Contain spill, absorb with material such as saw dust, clay granules or dirt.
2. Collect and place in suitable containers for disposal.
3. Wash area with water and soap to remove remaining pesticide.
4. Follow washing with clean water rinse.
5. Do not allow runoff to enter sewer or contaminate water supplies.
6. Keep persons and animals away from spill until it has been decontaminated.
7. Leaking containers should be placed in a plastic tub and the contents transferred as soon as possible to an empty original container.
8. Dispose of waste as indicated below.

#### PESTICIDE DISPOSAL

Dispose of pesticide waste by securely wrapping the original container in several layers of newspaper and discard in trash.

#### CONTAINER DISPOSAL

DO NOT REUSE CONTAINER. Rinse thoroughly and discard in trash.

BEST DOCUMENT AVAILABLE

WARRANTY - CONDITION OF SALE:

DIRECTIONS FOR USE of this product are based on field use and tests believed reliable and should be followed carefully. It is however, impossible to eliminate all risks associated with use of this product. Because such factors as weather conditions, foreign material and manner of use for application are all beyond the control of the Seller of this product, such things as crop injury, ineffectiveness or other unintended consequences may result.

ALL SUCH RISKS ARE ASSUMED BY THE BUYER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the DIRECTIONS FOR USE. Seller makes no other warranties, express or implied, including FITNESS OR MERCHANTABILITY. In no case shall the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by the manufacturer and is accepted as such by the Buyer.

BEST DOCUMENT AVAILABLE

-2-

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

RD/IRB:DCR-04440:LaRocca:eg:Raven:557-2226:CBI-06:6/11/84:Del.6/28/84

BEST DOCUMENT AVAILABLE

PM 15



# LINDANE SPRAY CONCENTRATE

ACTIVE INGREDIENTS:  
LINDANE (Gamma Isomer of Benzene Hexachloride)  
Petroleum Hydrocarbons  
INERT INGREDIENTS  
TOTAL

12.5%  
83.1%  
4.1%  
100.0%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Est. 829-FI-1 (3); 829-NC-1 (4); 829-NC-2 (5) Number following Est. No. corresponds to first digit in Lot Not. on side of label.

Packaged and Distributed by  
**SOUTHERN AGRICULTURAL PESTICIDES, INC.**  
Rumetta, Fla. Hendersonville, N.C. Beane, N.C.  
EPA Reg. No. 829-221 Net Contents Liquid 1 Quart

**ACCEPTED**

APR 27 1984

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under  
EPA Reg. No. 829-221

1001

1001

BEST DOCUMENT AVAILABLE

11/4

PRECAUTIONARY STATEMENTS

829. 231

Hazards to Humans and Domestic Animals.

CAUTION: May be harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. May be absorbed through skin. In case of contact, wash immediately with soap and water. Wash thoroughly after handling and before eating, drinking, or smoking. Avoid contamination of feed and foodstuffs. Do not use on humans. Do not use or store near heat or open flame. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. DO NOT ALLOW CHILDREN TO HANDLE OR APPLY THIS PESTICIDE. CHILDREN AND PETS SHOULD NOT BE ALLOWED IN TREATED AREAS UNTIL SPRAYED SURFACES ARE DRY.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of waste. Aerial application of Lindane is prohibited.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining in treated area. Do not apply when bees are actively visiting the crop, over crop, or weeds blending in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARD

Do not use, pour, spill or store near heat or open flame.

PROTECTIVE CLOTHING REQUIREMENTS

Applicators must wear the following protective clothing during the application process: Long sleeved shirt, long pants, waterproof gloves, full foot covering and a head covering.

DIRECTIONS FOR USE


It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ORNAMENTALS

APHIDS, THRIPS, LEAFMINERS, CUCUMBER BEETLES: On Azaleas, Boxwood, Chrysanthemum, Larkspur, Rose and other flowers, both ornamental shrubs and trees, use 1 1/2 pint per 100 gallons, or 2 teaspoonful to 1 gallon of water.

LACEBUG: On Azalea, Pyracantha, and Rhododendron, use 2 1/2 pints per 100 gallons or 1 tablespoonful to 1 gallon of water. Apply in spring when immature insects first appear, and repeat as necessary.

PINE BARK BEETLES, TURPENTINE BEETLE: Use 1 1/2 pint in 5 gallons of water. Wet trunks thoroughly to runoff to height of 6 feet. Apply at first sign of attack and repeat in 3 to 6 months if necessary.



Directions for Use (Continued)

829-221

FLAT-HEADED BORERS, ROUND-HEADED BORERS, PEACH TREE BORER. On Apples, Cherries, Peaches, use 5 pints per 100 gallons or 5 teaspoonful to 1 gallon of water. Apply to trunk, crotch to ground. Soak bark to runoff and around base of tree. For best results the first trunk spray should be made between July 10 and 15 and two subsequent applications at 3 to 4 week intervals. DO NOT APPLY TO FRUIT OR FOLIAGE.

DOGWOOD BORER, RHODODENDRON BORER, LILAC BORER: On Dogwood, Rhododendron, Lilac use 5 pints per 100 gallons or 5 teaspoonful to 1 gallon of water. Make 2 or 3 applications 7 to 10 days apart in May and early June. Apply to trunk and to lower limbs, particularly to injured areas and old borer wounds.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE INSTRUCTIONS

Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool dry area away from any heat or ignition source. Do not move containers from one area to another unless they are securely sealed. Keep containers tightly sealed when not in use. Keep away from any puncture source. Be careful not to break glass containers. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Store in original containers only. If the contents are leaking or material is spilled, follow these steps while wearing protective clothing:

1. Contain spill, absorb with material such as saw dust, clay granules or dirt.
2. Collect and place in suitable containers for disposal.
3. Wash area with water and soap to remove remaining pesticide.
4. Follow washing with clean water rinse.
5. Do not allow runoff to enter sewer or contaminate water supplies.
6. Keep persons and animals away from spill until it has been decontaminated.
7. Leaking containers should be placed in a plastic tub and the contents transferred as soon as possible to an empty original container.
8. Dispose of waste as indicated below.


PESTICIDE DISPOSAL

Dispose of pesticide waste by securely wrapping the original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL

DO NOT REUSE CONTAINER. Rinse thoroughly and discard in trash.

BEST DOCUMENT AVAILABLE



829-221

WARRANTY - CONDITION OF SALE:

DIRECTIONS FOR USE of this product are based on field use and tests believed reliable and should be followed carefully. It is however, impossible to eliminate, all risks associated with use of this product. Because such factors as weather conditions, foreign material and manner of use for application are all beyond the control of the Seller of this product, such things as crop injury, ineffectiveness or other unintended consequences may result.

ALL SUCH RISKS ARE ASSUMED BY THE BUYER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the DIRECTIONS FOR USE. Seller makes no other warranties, express or implied, including FITNESS OR MERCHANTABILITY. In no case shall the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by the manufacturer and is accepted as such by the Buyer.

BEST DOCUMENT AVAILABLE

4027

4.1.1.1