

29
AG
29

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through skin. Do not breathe spray mist. Causes eye irritation. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling and before eating and smoking. Remove and wash contaminated clothing before reuse. Do not contaminate food or feed. Do not apply when conditions favor drift from area treated.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Combustible liquid. Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: Do not apply this product through any type of irrigation system.



Dosages indicated may not give satisfactory control under all conditions. Do not exceed indicated dosages. Application to plants in bloom may cause injury. Do not apply to wet foliage or when drying conditions are poor. Shake well before using.

ORNAMENTALS: Aphids, white fly, foliage feeding thrips, lace bugs, spider mites, mealy bugs, purple scale, Florida red scale, azalea scale, oyster shell scale, soft brown scale, Euonymus scale (apply to scale insects in the crawler stage), Japanese beetle adults, tarnished plant bug, boxwood leaf miner. Use 2 teaspoonfuls per gallon of water (2 pints per 100 gallons of water). Apply when insects appear, repeat applications when necessary. Do not apply to Hibiscus, Papaya, or sensitive ferns including Boston, Maiden Hair and Pteris as well as some species of Crassula.

DOGS: For control of fleas on dogs apply a spray containing 2 tablespoonfuls of Malathion per gallon of water, wetting thoroughly by means of a hand sprayer. If the animal has free run, treatments may have to be made every second or third week. To avoid unnecessary applications, animals should be closely examined for fleas before re-treating. If the animal is confined to an area free of fleas, one treatment may be sufficient. Do not repeat application for 7 days and only then if infestation is present.



111 15/2 17 17 2



Home and Garden

HOME PEST CONTROL SPRAY

CONTAINS 0.5% DURSBAN®

Controls Roaches, Fleas and numerous other pests in and around households.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: (TO THE USER) If you cannot read English, do not use this product until the label has been fully explained to you.

U.S. Patent No. 3,244,586

AGRICULTURAL CHEMICAL
Do Not Ship or Store with Food,
Feeds, Drugs or Clothing.



ACTIVE INGREDIENTS:	
Chlorpyrifos (0,0-diethyl 0-[3,5,6-trichloro-2-pyridyl] phosphorothioate)	0.50%
INERT INGREDIENTS*	99.50%
TOTAL	100.00%
*Contains Xylene Range Aromatic Solvent	
Dursban® is a registered trademark of Dow Chemical Company for Chlorpyrifos Insecticide	

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT
If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If on Skin: In case of contact remove contaminated clothing and immediately wash skin with plenty of soap and water. If in Eyes: Flush eyes with plenty of water.
NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

SEE SIDE PANEL FOR OTHER PRECAUTIONARY STATEMENTS.
EPA EST NO. 829-FL-1 (3); 829-NC-1 (4); 829-NC-2 (5) Number following Est. No. corresponds to first digit in Lot No. on side of label.

Southern Agricultural Insecticides, Inc.
Palmetto, FL 34228 Hendersonville, NC 28793 Beane, NC 28607
EPA REG. NO. 829-250 JZ Net Contents Liquid: 1 Gal.

Not Registered. Do not use this label in accordance with...
...for Phase 2...
...Change in Status.