

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Mr. Ronald L. Costa Rica
Southern Agricultural Insecticides
P.O. Box 218
Palmetto, FL 34220

SEP 26 1994

829-261/1154
12-8

Dear Mr. Costa Rica:

Subject: Amendment- Revise per Diazinon Registration Standard
SA-50- Diazinon 4E Insecticide
EPA Registration Number 829-261
Your submission dated December 8, 1993

This amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable, provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. On the front panel of label and on front panel of booklet add "For pest control indoors including food and feed handling establishments. Outdoors use only on home lawns and landscaped areas around the home."

b. Under STORAGE AND DISPOSAL on the label and in the booklet add at the end of the section "For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take care to avoid contamination of equipment and facilities during cleanup and disposal of wastes."

c. Under FOOD/FEED AREAS of FOOD/FEED HANDLING ESTABLISHMENTS change "Applications of this product in the food/feed areas of food or feed handling establishments other than as a crack and crevice and limited spot treatments are not permitted." to "Applications of this product in the food/feed areas of food or feed handling establishments other than as a crack and crevice or limited spot treatment is not permitted."

d. Relocate "Try to spray underside of leaves and penetrate dense foliage." to the end of the preceding paragraph (i.e., after "...in the following chart."). This would eliminate any possible user confusion that spraying the underside of leaves would let someone treat ferns, poinsettias, hibiscus, papaya, pilea, and gardenia in this manner with the consequence of thereby avoiding potential phytotoxic effects.

SYMBOL	112715						
SURNAME	LAO						
DATE	12/1/93						

2 7 12

e. You may want to add the word "Precaution:" at the beginning of the sentence "Do not use Ferns, Poinsettias, Hibiscus, Papaya, Pilea, and Gardenia since injury to the plants may occur.". Also, you may want this whole sentence in italics, as it is on all other diazinon labels.

f. In the first block of pest names, revise "Twospotted spider mites" to read "Two-spotted spider mites".

3. Submit three (3) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Your current Confidential Statement of Formula (CSF) does not list the impurities of toxicological concern separately nor does it include the diazinon certification for FIFRA Sec. 12(a)(1)(C), that the description of this product refers to the composition set forth on the CSF and supporting materials as required by the Diazinon Registration Standard. Please check with your supplier in this regard and update your CSF accordingly.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure



3 9 12

FRONT PANEL



DIAZINON 4E INSECTICIDE

THIS PRODUCT MUST NOT BE USED ON GOLF COURSES AND SOD FARMS.

Active Ingredient:

Diazinon: [O,O-diethyl O-(2-isopropyl 6-methyl-4-pyrimidinyl) phosphorothioate]

47.5%

Inert Ingredients*

52.5%

*contains xylene range aromatic solvent

Contains 4 lbs Diazinon per gallon

KEEP OUT OF REACH OF CHILDREN (12 pt type)

CAUTION (18 pt type)

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. Do not give anything by mouth if person is unconscious or convulsing.

IF INHALED: remove victim to fresh air. If not breathing, give artificial respiration, preferably by mouth-to-mouth. Get medical attention

IF ON SKIN: wash promptly with plenty of soap and water. Rinse thoroughly. Get medical attention

IF In Eyes: rinse eyes with plenty of water. Call a physician if irritation persists.

NOTE TO PHYSICIAN: Solvent may present aspiration hazard. Gastric lavage may be indicated if product was taken internally. Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine

See side panel for additional precautionary statements

EPA EST NO 829-FI-1(3); 829-NC-1(4), 829-NC-2(5)

No following EST NO corresponds to first digit of lot No. on side of label

Southern Agricultural Insecticides., Inc.

Palmetto, Fla 34220
EPA Reg. No. 829-261

Hendersonville, N C 28793

Boone, N.C. 28607
Net Contents 1 gallon liquid

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 26 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

829-26-1

~~SIDE THREE~~
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Causes moderate eye injury. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Avoid contamination of food or feed. Food utensils such as tablespoons or measuring cups must not be used for food purposes after use in measuring pesticides. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Do not permit children or pets to go onto treated areas until spray has dried. Do not contaminate ornamental ponds.

ENVIRONMENTAL HAZARDS: This product is highly toxic to birds, fish and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Apply this product only as specified on this label. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product to lawns in Nassau County, New York between November 1 and May 20. Do not exceed maximum permitted label rates since rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. For lawns, if waterfowl, i.e., ducks and geese can be expected in the treated area after treatment (except spot treatment) water lawn with at least 1/4 inch of water immediately after spraying this product, however, stop irrigation before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this pesticide or allow it to drift to blooming plants if bees are visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour, spill, or store near heat or open flame.

BEST AVAILABLE COPY

5 7 10
(side panel)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling
SEE ATTACHED BOOKLET FOR SPECIFIC DIRECTIONS FOR USE.

STORAGE AND DISPOSAL: (12 pt type)

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse or equivalent, then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



6 9 12

(BOOKLET)

DIAZINON 4E INSECTICIDE

THIS PRODUCT MUST NOT BE USED ON GOLF COURSES AND SOD FARMS

Active Ingredient:

Diazinon: [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]

47.5%

Inert Ingredients*

52.5%

*contains xylene range aromatic solvent

Contains 4 lbs. Diazinon per gallon

KEEP OUT OF REACH OF CHILDREN (12 pt type)

CAUTION (18 pt type)

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. Do not give anything by mouth if person is unconscious or convulsing

IF INHALED: remove victim to fresh air. If not breathing, give artificial respiration, preferably by mouth-to-mouth. Get medical attention.

IF ON SKIN: wash promptly with plenty of soap and water. Rinse thoroughly. Get medical attention

IF In Eyes: rinse eyes with plenty of water. Call a physician if irritation persists

NOTE TO PHYSICIAN: Solvent may present aspiration hazard. Gastric lavage may be indicated if product was taken internally. Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Causes moderate eye injury. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Avoid contamination of food or feed. Food utensils such as tablespoons or measuring cups must not be used for food purposes after use in measuring pesticides. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Do not permit children or pets to go onto treated areas until spray has dried. Do not contaminate ornamental ponds.

ENVIRONMENTAL HAZARDS: This product is highly toxic to birds, fish and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Apply this product only as specified on this label. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product to lawns in Nassau County, New York between November 1 and May 20. Do not exceed maximum permitted label rates. Concentrations above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. For lawns, if waterfowl, i.e., ducks and geese can be expected in the treated area after treatment (except spot treatment) water lawn with at least 1/4 inch of water immediately after spraying this product; however, stop irrigation before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this pesticide or allow it to drift to blooming plants if bees are visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour, spill, or store near heat or open flame.

BEST AVAILABLE COPY

7 9 12

Diazinon 4E is an emulsifiable solution containing 4 lbs of Diazinon per gallon. It is for use only by pest control operators after dilution with water for the control of those insects specified on this label. It is not intended for use in preparation of oil base sprays.

Note: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, or asphalt materials such as tiles and floor coverings. Do not treat such materials. Care should be taken to avoid spotting of wall paper, fabrics, and drywall. When used in dwellings care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, containers, or cooking utensils.

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

SA-50 Diazinon 4E is an emulsifiable concentrate and is intended for use by pest control operators. Apply the product after dilution with water according to the directions for use for the control of those pests specified on this label. SA-50 Diazinon 4E is not intended for use in preparing oil base sprays.

This product may be used indoors in households, apartments, and other structures including schools (except classrooms in use), hospitals (except patient rooms while occupied), office buildings, museums, libraries, sports facilities, stores, warehouses, and food and feed handling establishments. Read and follow the "Precautions" listed below when applying this product in any of these indoor areas. This product is also approved for use in USDA Meat and Poultry Plants. In food and feed areas of food/feed handling establishments SA-50 Diazinon 4E may be applied only as a crack and crevice treatment or limited spot treatment. See the specific directions for use for treatment of these areas.

SA-50 Diazinon 4E may also be used outdoors only on home lawns and ornamentals around the home. See the specific directions for use for treatment of these areas.

INDOOR USE

Indoors SA-50 Diazinon 4E controls: ants, brown dog ticks, carpet beetles, cockroaches (waterbugs), scorpions, and spiders.

In households and in food and feed areas of food/feed handling establishments, this also aids in the control of the following exposed stages of pantry pests which come into contact with treated surfaces: drugstore beetle, cigarette beetle, flour beetle, Indian meal moth, rice weevil, sawtoothed grain beetle.

Precautions: (1) Do not use this product indoors as an overall surface spray or as a space spray, take care not to introduce this product into the air during application. (2) Use only in well-ventilated areas. (3) Do not apply where children are likely to frequently contact treated surfaces. (4) Remove or cover fish bowls and remove pets before application. (5) Do not treat pets with this product. (6) Do not allow children or pets in treated areas until spray has dried. (7) Do not apply this product in patient rooms or in any rooms occupied by the elderly or infirm. (8) Do not apply to classrooms when in use. (9) In institutions (including, but not limited to office buildings, museums, libraries, and sports facilities), do not apply this product when occupants are present in the immediate area. (10) The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials. (11) Avoid excessive wetting of carpets, floor coverings or unfinished materials. (12) Care should be taken to avoid spotting of walls, wall coverings, and fabrics. (13) Do not apply directly to conduits, motor housings or electrical switch boxes. (14) Do not apply to areas, surfaces, or utensils which will contact food or feed. (15) Exposed food should be covered or removed during application. (16) All food processing surfaces and utensils should be covered during application or thoroughly washed with soap and water before use. (17) If clothing is sprayed during application, remove clothing immediately after spraying, wash affected body areas with soap and water and launder clothing before wearing again.

BEST AVAILABLE COPY

MIXING INSTRUCTIONS

8 7 12

Dilute SA-50 DIAZINON 4E with water to make a 1/2 % or 1% spray and apply as indicated below

GALS OF FINISHED SPRAY	AMOUNT SA-50 DIAZINON 4E TO USE FOR	
	1/2 % SPRAY	1% SPRAY
1	1 1/4 FL OZ *	2 1/2 FL OZ
2	2 1/2 FL OZ	5 FL OZ
3	3 3/4 FL OZ	7 1/2 FL OZ
10	12 1/2 FL OZ	25 FL OZ (1 3/5 PTS)
25	32 FL OZ (2 PTS)	64 FL OZ (4 PTS)

* 2 1/2 TABLESPOONS = 1 1/4 FL OZ

Indoor Use- (Except Food and Feed Handling Establishments) Households, Apartments, and Non-Food Areas of Offices, Schools (except classrooms in use), Libraries, Hospitals (except patient rooms while occupied), Museums and Sports Facilities (See "Food and Feed Handling Establishments" for special directions when applying this product in food handling or serving areas in non-residential buildings).

COCKROACHES, (WATERBUGS), ANTS, SILVERFISH: Make spot applications of a 1/2% coarse spray or apply with a paintbrush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where these insects hide
For heavy cockroach infestations, make the first application at a strength of 1%, followed by monthly applications of 1/2% spray

CARPET BEETLES: Apply a 1/2% spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

SPIDERS AND SCORPIONS: Apply a 1/2% spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl

PANTRY PESTS - EXPOSED STAGES (SAWTOOTHED GRAIN BEETLE, FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, DRUGSTORE BEE TLE, INDIAN MEAL MOTH): Apply a 1/2 % spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed

BROWN DOG TICKS IN BUILDINGS: Make thorough application of a 1/2 % spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Do not use as a overall surface spray. Fresh bedding should be placed in animal quarters following treatment. DO NOT treat animals with this product

FOOD AND FEED HANDLING ESTABLISHMENTS

Places other than private residences in which food or feed is held, processed, prepared or served (includes restaurants, canneries, bakeries, food processing plants, mills, dairies, and USDA Meat and Poultry Plants) SA-50 Diazinon 4E may be used in the food/feed areas and the non-food/feed areas of these establishments. Apply SA-50 Diazinon 4E either as a limited spot or crack and crevice treatment as directed below

Apply Diazinon 4E as either a crack and crevice or spot treatment as directed below. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 20 percent of the floor surface. Any individual spot treatment shall not exceed two square feet. Do not apply to areas, surfaces, or utensils which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air.

FOOD/FEED AREAS of Food/Feed Handling Establishments

Includes areas for receiving, serving, storage (dry, cold, frozen, raw), packaging (canning, bottling, grinding), enclosed processing systems (mills, dairies, and systems for processing edible oils, syrups)

Applications of this product in the food/feed areas of food or feed handling establishments other than as crack and crevice and limited spot treatments are not permitted

BEST AVAILABLE COPY

9 7 12

LIMITED SPOT TREATMENT - apply this product diluted to 1/2 - 1% as a coarse, low pressure fan spray around water pipes and door frames, to surfaces beneath cabinets, refrigerators, sinks, stoves, storage areas, and similar floor areas. Limit the sum of individual spot treatments to an area no larger than 20% of the floor surface area. Any individual spot treatment must not exceed 2 square feet.

CRACK AND CREVICE TREATMENT - Apply this product diluted to 1/2-1% with equipment capable of delivering a fine stream of insecticide. Apply in small amounts directly into cracks and crevices in such areas as expansion joints, spaces between equipment and the floor, openings leading to voids, and hollow spaces in walls and equipment legs and bases.

Non-Food/Non-Feed Areas of Feed/Food Handling Establishments: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Spot Treatment

Apply this product diluted to a 1/2 - 1% spray. Apply as a coarse, low pressure fan spray as a spot treatment along baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and storage areas where cockroaches, ants, silverfish and spiders may hide.

OUTDOOR USE

Control of pests on lawns and on ornamentals around the home only.

Precautions: (1) Do not use this product on ornamentals or on turf areas other than around the home. (2) Do not apply this product through any type of irrigation system. (3) This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this pesticide or allow it to drift to blooming plants if bees are visiting the treatment area. (4) Birds, especially waterfowl, feeding or drinking on treated areas may be killed. (5) Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product to lawns in Nassau County, New York between November 1 and May 20. (6) Do not exceed maximum permitted label rates since rates above those recommended significantly increase potential hazards to birds and waterfowl. (7) Avoid overlapping of sprays. (8) If waterfowl, i.e., ducks and geese can be expected in the treated area after treatment (except spot treatment) water lawn with at least 1/4 inch of water immediately after spraying this product, however, stop irrigation before puddling occurs. (9) Wear a long-sleeved shirt and long-legged pants when spraying. Spray with the wind to your back. Do not spray on windy days. If clothing becomes wet from spray during use, remove clothing after spraying. Wash affected body areas thoroughly with soap and water and launder clothing before wearing again.

Pests of Ornamental Plants: To control certain pests on ornamentals, such as Arborvitae, Azalea, Birch, Boxwood, Camellia, Carnation, Chrysanthemum, Douglas Fir, Elm, Gladioli, Hawthorn, Holly, Juniper, Lilac, Locust, Maple, Oak, Pine, Plum, Poplar, Rhododendron, Rose, Spruce and Willow apply the recommended rates indicated in the following chart

Do not use on Ferns, Poinsettia, Hibiscus, Papaya, Pilea, and Gardenia, since injury to the plants may occur. Try to spray underside of leaves and penetrate dense foliage

PESTS	AMOUNT OF DIAZINON 4E TO USE	
	PER 3 GALLONS	PER 100 GALLONS
Aphids, Bagworms, Carnation Bud Mites, Carnation Shoot Mites, Clover Mites, Cyclamen Mites, Dipterous Leafminers, European Pine Shoot Moths, European Red Mites, Flea Beetles, Holly Bud Moths, Leafhoppers, Obscure Root Weevils, Omnivorous Leafhoppers, Privet Mites, Scale Crawlers, Cottonycushion, Lecanium, Pine Needle, San Jose Scale, Thrips, Twospotted Mites, Webworms, Whiteflies	1/2 fl oz *	1 pt *
Apple-and-thorn skeletonizers, Cotoneaster Webworms, Fall Webworms, Hemlock Chermes, Oak Loopers, Obliquebanded Leafrollers, Pear Slugs, Tent Caterpillars	1 1/2 fl oz *	3 pts *

* 1 fl oz = 2 tbsp 16 fl oz = 1 pt

Mimosa Webworm: Mix 1/2 fl oz (1 tablespoon) in 3 gals of water (or 1 pt in 100 gals of water) and apply as a thorough foliar spray when adults first appear. Make a second and third application at 4-5 week intervals

BEST AVAILABLE COPY

11 7 12

Home Lawn Pests: To control pests listed below, apply recommended rates

PESTS	Rate per 1,000 sq. ft.		NOTES
	SA-50 Diazinon 4-E	WATER	
Lawn chinch bugs	2-3 fl oz	3 gals	Use higher rate for longer residual control and in lawns of dense growth such as St Augustine lawns
Ants, Armyworms, Clover Mites, Springtails (Collembola), Crickets, Cutworms, Digger Wasps, Earwigs, Frit Flies, Lawn Billbugs, Leafhoppers, (Lawn Moth), Sowbugs (pillbugs)	2-3 fl oz	3 gals	Spot spray anthills and wasp ground nest openings For digger wasps, apply at dusks when the wasps are not active For frit flies, mow grass and water well before treatment but delay application until grass is dry
Brown dog ticks Chiggers, Fleas	3 fl oz	3 gals	Note Do not apply to animals For brown dog ticks, spray grass and under shrubbery, particularly near house
Hyperodes weevil	3 fl oz	3 gals	Treat problem areas in mid-April and again in mid-May
Millipedes	3 fl oz	3 gals	
Rhodesgrass scales	3 fl oz	3 gals	Apply when crawlers first emerge
White grubs (such as Japanese beetle larvae, European chafer, Southern chafer)	3 fl oz	3 gals	Apply any time between late July and early October

Nuisance Pests Outside the Home

Ants, Boxelder Bugs, Brown Dog Ticks, Chiggers, Clover Mites, Cockroaches, Crickets, Earwigs, Fleas, Flies, Millipedes, Sowbugs (Pillbugs), Spiders and Springtails (Collembola)

Mix 3 fl oz in 3 gals of water

Thoroughly spray window and door screens and sills, foundations, porch and patio walls, entranceways, walks, garbage cans, tree trunks, and into cracks and other places where insects can hide Repeat application as necessary

To prevent entry of insects into the house, spray a five-foot band of soil around the house next to the foundation and spray the foundation of the house to a height of 2-3 feet Repeat application as necessary

BEST AVAILABLE COPY

12 7 12

STORAGE AND DISPOSAL (12 PT.)

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinse is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER: Triple rinse or equivalent, then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONDITIONS OF SALE AND WARRANTY

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of Southern Agricultural Insecticides, Inc. or the Seller. All such risks shall be assumed by the Buyer.

Southern Agricultural Insecticides, Inc. warrants that this product conforms to the chemical description of the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks referred to above. Southern Agricultural Insecticides, Inc. makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall Southern Agricultural Insecticides, Inc. or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. Southern Agricultural Insecticides, Inc. and the Seller offer this product and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of Southern Agricultural Insecticides, Inc.

Southern Agricultural Insecticides, Inc.

Palmetto, Fla. 34220
EPA Reg. No. 829-261

Hendersonville, N.C. 28793

Boone, N.C. 28607

BEST AVAILABLE COPY