

PM-25

Reg # 829-268

103

SA-50 Brand Atrazine 4L will control or suppress
 Annual Bluegrass (Poa Annua), Chickweed (Common and Mouseear), Crabgrass, Cransbill, Cudweed, Dichondra, Florida Betony, Henbit, Knotweed, Lespedeza, Moneywort, Mustards, Narrowleaf Vetch, Parsley-Piert, Sandspur, Smutgrass, Spurge, Spurweed, Swinecrest, Woodsorrel and various annual clovers.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: Store pesticide in the original container in a locked storage area.
PESTICIDE DISPOSAL: To dispose of pesticide, securely wrap container in several layers of newspaper and discard in trash.
CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.



ATRAZINE 4L HERBICIDE

FOR THE CONTROL OF BOTH EMERGED WEEDS AND WEEDS FROM SEEDS IN ST. AUGUSTINEGRASS AND CENTIPEDEGRASS, USE 3 TABLESPOONFULS PER 1,000 SQ. FT.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

Active Ingredients:

Atrazine: 2-chloro-4 ethylamino-6-isopropylamino-s-triazine	40.8%
Related compounds	2.2%
Inert Ingredients:.....	57.0%
Total:	100.0%

Contains 4 lbs. of active ingredient per gallon

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS AND STATEMENTS OF PRACTICAL TREATMENT ARE LOCATED INSIDE OF LABEL.

Southern Agricultural Insecticides, Inc.

Palmetto, FL 34220 Hendersonville, NC 28793 Boone, NC 28607
 EPA REG. NO. 829-268 J3 EPA EST. NO. 829-FL-1

Net Contents Liquid: 1 Quart (.946 liters)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


THE SPECIFIC DIRECTIONS FOR USE OF THIS PRODUCT ARE LOCATED INSIDE OF LABEL.

FOLLOW DIRECTIONS ON SIDE OF LABEL TO OPEN.

NOTE: Do not apply this product through any type of irrigation system.

IMPORTANT: Read the entire Directions for Use, all precautions, and the Conditions of Sale and Warranty before using this product.

SHAKE WELL BEFORE USING



0 51538 00603 3

96 OCT -1 P3:32

REC'D EPA/OPP/DPDI

APTED

OCT 28 1986

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 suspended for the pesticide
 under

829-268

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: Do not apply this product through any type of irrigation system.

IMPORTANT: Read the entire Directions for Use, all precautions, and the Conditions of Sale and Warranty before using this product.

SHAKE WELL BEFORE USING

GENERAL WORKER PROTECTION STATEMENTS

Do not apply this product in such a manner as to directly or through drift, expose workers or other persons. The treatment area must be vacated by all persons, except those knowingly involved in the application. Do not allow reentry of treated area or contact with treated surfaces until spray has completely dried. Wear long-sleeved shirt, long-legged pants, shoes, socks, chemical-resistant gloves.

Do not eat, drink, smoke, or chew gum or tobacco while handling this product and until hands and face are thoroughly washed with soap and water. Do not use the toilet before thoroughly washing hands.

If this product penetrates through your clothing or personal protective equipment, stop handling this product immediately, remove the clothing and equipment, wash your body thoroughly, and put on clean clothing and equipment before resuming the handling activity.

After handling this product, remove any personal protective equipment immediately. Wash the outside of gloves before taking them off. Wash contaminated clothing and personal protective equipment (including both the inside and outside of gloves) in detergent and hot water. Keep and wash them separately from other laundry.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, ILLEGAL RESIDUES, OR PERSONAL INJURY.

APPLICATION PRECAUTIONS

Do not use near adjacent desirable plants or in greenhouse, or injury may occur. To avoid spray drift, apply with a coarse low pressure spray. Do not apply under windy conditions. Avoid spray overlap. SA-50 Atrazine 4L is to be mixed with water. Combinations with other chemicals in the application mixture are not recommended.

Do not apply when temperatures exceed 90° F. Use only on healthy turfgrass which is not under heat or drought stress and reasonably free of infestations of insects, nematodes, and diseases. Use in the United States should be confined to South-eastern States only. Applications during the summer should be limited to spot treatment only.

Do not use on muck or alkaline soils. Do not use over rooting area of trees, ornamentals, vegetables or other desirable plants other than the indicated turfgrasses. Do not apply to areas where the natural drainage would carry the atrazine to adjacent desirable plants. Do not replant treated areas within 12 months after treatment or injury may result. Do not overseed turf areas within 6 months after treatment. Sprigging of listed turfgrass is allowed in treated areas, some yellowing or stunting may occur.

Applications should be made only with a conventional compressed air garden sprayer equipped with a flat fan spray tip. Correct calibration of the sprayer is essential. Overdosing will cause severe plant injury and or death or the desired turf. Insufficient application may not give anticipated weed control. Hose-end type sprayers are not recommended because of difficulty with precise calibration and application.

USE DIRECTIONS

WEEDS CONTROLLED or SUPPRESSED:

Annual Bluegrass (Poa Annua), Chickweed (Common and Mouseear), Crabgrass, Cransbill, Cudweed, Dichondra, Florida Betony, Henbit, Knotweed, Lespedeza, Moneywort, Mustards, Narrowleaf Vetch, Parsley-Piert, Sandspur, Smutgrass, Spurge, Spurweed, Swinecrest, Woodsorrel and various annual clovers.

ESTABLISHED ST. AUGUSTINEGRASS and CENTIPEDE GRASS. SA-50 Atrazine 4L may be applied during both dormant and growing seasons. Best results are usually obtained when applied in early spring or dormant periods when weeds are small or have not emerged. Do not apply more than two treatments per year.

SA-50 ATRAZINE 4L controls Spurweed, Florida Betony, Annual Bluegrass and many other problem weeds in St. Augustinegrass and Centipedegrass turfs. SA-50 ATRAZINE 4L will control both emerged weeds and weeds from seeds. Rain or water within 2 or 3 days of application may decrease the effectiveness on emerged weeds. However, for the control of weeds from seeds, rainfall or watering is necessary within 7 to 10 days after treatment.

SPURWEED: Control of Spurweed can best be obtained by applying when Spurweed has newly emerged (December and January).

FLORIDA BETONY: This weed emerges in the fall. Apply SA-50 Atrazine 4L in mid to late October followed by a second application in mid to late February.

DICHONDRA, MONEYWORT: Apply SA-50 Atrazine 4L in early April followed by a second application in July.
(continued in next column)

Note: Applications for SPURWEED or FLORIDA BETONY generally will give control or suppression of the other listed weeds. However, as a general rule, SA-50 Atrazine 4L will give best control when applied to young tender weeds or just prior to weed emergence.

Do not graze or feed turf clippings to animals or illegal residues may result.

**RATE OF APPLICATION FOR
ST. AUGUSTINEGRASS and CENTIPEDEGRASS.**

Determine total area to be sprayed and base rate of application on the chart below. Shake SA-50 Atrazine 4L well before mixing.

Area to be treated	Amount of SA-50 Atrazine 4L	Suggested Amount of Water
500 sq. ft.	1.5 tablespoonfuls	1 gallon
1,000 sq. ft.	3 tablespoonfuls (1 1/2 oz.)	2 gallons
3,000 sq. ft.	4.5 ounces	6 gallons
5,450 sq. ft.	8 ounces	10 gallons
10,900 sq. ft. (.25 acre)	1 pint	20 gallons
1 acre	2 quarts	40-80 gallons

If any part of this label is missing, contact your supplier or manufacturer for full labeled uses and requirements.

SA-50 Brand Atrazine 4L Herbicide

EPA Reg. No. 829-268

Distributed By:

Southern Agricultural Insecticides, Inc.
Palmetto, Fl 34220

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling and before eating or smoking. Do not permit children or pets on treated areas until spray has completely dried.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where the soils are permeable, i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This pesticide is toxic to aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms and injurious to desirable plants in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center immediately. Give victim one or two glasses of water and induce vomiting by touching back of throat with finger, or if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get immediate medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected areas thoroughly with soap and water. If irritation develops, get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation develops or persists.

NOTE TO PHYSICIAN: There is no specific antidote for atrazine. If this product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered.

CONDITIONS OF SALE AND WARRANTY

Our recommendations for use of this product are based upon tests believed to be reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, and handling not in strict accordance with the directions and precautions given herewith.

323